



2022

PRODUCT CATALOG

CONTENTS



SIG SAUER®
NEVER SETTLE

SIG SAUER®, Inc. • 72 Pease Boulevard • Newington, NH 03801 USA • +1 (603) 610-3000

An ISO 9001:2015 Registered Company. Manufacturing in the U.S.A.

All trademarks, service marks, trade names, trade dress, product names and logos appearing in this catalog are the property of their respective owners.
No trademark or service mark appearing in this catalog may be used without the prior written consent of the owner.



THE FOUNDING OF SIG	2
SIG EXPERIENCE CENTER	4
PISTOLS	6
LEGION SERIES	38
CUSTOM WORKS	42
CONCIERGE SERVICE	50
RIFLES	52
AMMUNITION	72
ELECTRO-OPTICS	94
SUPPRESSORS	156
AIRGUNS	166
ACADEMY	186
TEAM SIG	192
ACCESSORIES	194
SPECIFICATIONS	200

THE FOUNDING OF SIG



1751

J.P. Sauer & Sohn

- Originally founded by Lorenz Sauer in Germany, the company would eventually be known as J.P Sauer and Sohn, and is now the 2nd oldest firearms brand in the world.

1850s

Swiss Wagon Factory

- 1853 SIG originated in Schweizerische Waggon Frabrik, by three men Friedrich Peyer im Hof, Heinrich Moser, and Johann Conrad Neher.
- 1859 Prelaz-Bundand Rifle awarded contract with Swiss Government
- 1863 Company was renamed Schweizerische Industrie Gesellschaft, or Swiss Industrial Group, known as SIG

1970s

SIG SAUER is born

- In 1975 SIG acquired Hammerli Company and J.P. Sauer & Sohn, the newly formed company would be called SIG SAUER.

1980s

SIG Comes to America

- 1985 SIGARMS opened in Tyson's Corner, Virginia
- U.S. Navy SEALs adopted the P226 (MK25)

SIGARMS

SIGSAUER®



2007

SIG SAUER

- SIGARMS changed its name to SIG SAUER INC.

2014

The Modern Era is Born

- SIG SAUER launches Electro-Optics, Ammunition and Suppressors and Air Gun divisions.
- The launch of the P320, MCX, and MPX

2017

The U.S. MILITARY Chooses SIG SAUER

- P320 based M17 and M18 are selected as the official sidearms of the U.S. Military with the award of the U.S. Army's Modular Handgun System contract
- P365 Launched

2022

The Next Generation has Arrived

- U.S. ARMY selects SIG SAUER XM5 and XM250 along with SIG Hybrid Ammunition for NEXT GENERATION SQUAD WEAPONS Program

SIGSAUER®
NEVER SETTLE

SIG EXPERIENCE CENTER



COMING SOON!


New to the SIG SAUER Academy Campus is the SIG SAUER Experience Center. The Experience Center brings the SIG brand to life for anyone. The Experience Center is home to the SIG SAUER Flagship Store, SIG SAUER Museum, Club 1751, event space and a 30-lane indoor shooting range open to the public. The Experience Center serves as a true extension of the SIG SAUER brand and should be viewed as the corporate showcase to the world.



MUSEUM



RETAIL SPACE



RANGE

SIG SAUER®
NEVER SETTLE

PISTOLS



PISTOLS

Choose from a full array of sizes, triggers, calibers, finishes, and features—all with unfailing SIG reliability and accuracy.

INSPIRED BY THE ELITE PROFESSIONAL.
CARRIED BY ALL WHO DEMAND THE BEST.

Unless it's a SIG, a handgun is just a handgun. Engineered to perform anywhere, at any time, and under any circumstance, SIG pistols boast unique, advanced features that stand out amongst the rest.

Key features include:



X-RAY3™ Sights



Integral Accessory Rail



4-Point Safety System



NITRON® Stainless Steel Slide



P365 SAS
SAS® (SIG ANTI-SNAG)
FT Bullseye Sight



Threaded Barrel



Rear Sight Plate



ROMEO1PRO™
Reflex Sight

SIZING UP YOUR SITUATION

You want a pistol with frame dimensions directly suited to your needs. Whether you'll be sliding your handgun into a range bag, concealing it in a purse, shooting competitively, or defending your home, SIG SAUER® offers a pistol for every shooter.



FULL-SIZE

When shootability and sighted accuracy are a must. Generous dimensions and even weight distribution help to deliver a more accurate sight picture and reduced felt recoil.

Barrel > 4" Frame > 7.5 x 5.5"



CARRY

A balance of shoot-ability with concealment. A full-size grip allows the shooter more control while reduced slide length offers lighter carry.

Barrel < 4" Frame 7 x 5.5"



COMPACT

If concealment is an essential requirement, the reduced slide length and grip height enable easy concealment and carry, with ergonomics designed to promote point-and-shoot accuracy.

Barrel < 4" Frame ~ 7 x 5"



MICRO-COMPACT

Discreet, lightweight, and able to fit almost anywhere. Often called "pocket pistols," the SIG micro-compact delivers the ultimate in concealment.

Barrel < 3.5" Frame < 5.8 x 4.3"

TRIGGER TIME

Any expert will tell you, it's the trigger that ultimately puts rounds on target. Weigh the pros and cons of each trigger carefully to select the one you can fire accurately, and carry with confidence.

STRIKER-FIRED TRIGGER

STR | short Tactile Reset

Every trigger pull has the same weight and feel with a quick tactile reset to ensure faster and more consistent shots.

HAMMER-FIRED TRIGGER

DA/SA | Double-Action/Single-Action

The first trigger pull performs the double-action of cocking the hammer and then releasing the sear. Followed by lighter, single-action trigger pulls on all subsequent shots. The heavier first trigger pull acts to reduce inadvertent discharges.

SAO | Single-Action-Only

The trigger performs the single-action of releasing the hammer with a consistent trigger pull that is generally regarded as the shortest, lightest, and smoothest available. The slide can still be operated with the safety engaged (a SIG exclusive on P220®, P226®, P229®, P238®, and P938® models). All models feature a manual thumb safety.

THE CALIBER DEBATE

Popular opinions vary widely, but only you can select the right caliber for you. Consider bullet weight and velocity, your desired magazine capacity, ammunition cost, and availability.



.45AUTO

Known for a combination of power and controlled penetration due to a large diameter bullet and moderate velocities.




10MM

Offers higher velocity, greater range, and more kinetic energy than the .45AUTO.



.40S&W

Designed to match the performance of the FBI's reduced-velocity 10mm, in a smaller cartridge size, while offering an energy advantage over the 9mm.



.357SIG

Developed in 1994 to duplicate the performance of a 125 gr .357 Magnum cartridge. The .357SIG combines relatively high velocity with remarkably flat trajectory.



9MM

Regarded as the world's most popular and widely used handgun cartridge combining a flat trajectory with relatively low felt-recoil.



.380ACP

Compact and light design make it popular in handguns designed for concealed carry. Less powerful than larger calibers minimizing recoil and improving controllability.

RED DOT REVOLUTION



WELCOME TO THE REVOLUTION

As the only manufacturer in the industry that can truly integrate a firearm and an optic into a single system that's ready to shoot, right out of the box, SIG SAUER® is leading a Red Dot Revolution that transforms the way you shoot. SIG SAUER now offers virtually all of our most popular pistols with the option of a factory-installed, reflex optic. Greater performance, increased accuracy, and radically simple – welcome to the Red Dot Revolution.

WHY PISTOL MOUNTED OPTICS?

Designed for fast, responsive target acquisition and accuracy, open reflex red dot sights, or pistol-mounted optics, are quickly becoming popular among both experienced and novice shooters. Red dot sights allow you to quickly and easily acquire your sight picture and make follow-up shots faster. The inherent simplicity of a single aiming point on the same visual plane as the target, makes red dots extremely easy to use, simply put the dot on the target, and press the





P229® LEGION®

P320-M17

P226® LEGION SAO

P320® MAX

P320 XCOMPACT

P365XL™

P322™



P322 NITRON

- Ergonomic polymer grip design
- Optic-ready slide compatible with Romeo Zero Elite
- Adjustable fiber-optic sights
- Interchangeable trigger shoes




21 REASONS TO LOVE P322

The new P322 was completely designed and built by SIG SAUER in New Hampshire and is loaded with premium features, including an optic-ready removable rear sight plate so you can easily add a ROMEOZero red dot optic without the use of adapter plates. The P322 also comes with a threaded barrel adapter making it suppressor ready right out of the box, and with its ambidextrous controls, interchangeable flat and curved triggers, and fiber optic front and rear sights the new P322 is the highest capacity, most advanced .22 pistol in its class. With an unprecedented 20+1 round capacity the new P322 gives you 21 reasons to love .22LR.

21 LR

ADDITIONAL FEATURES

- 4" fixed barrel with 1/2X28 thread adaptor
- Front and rear serrations
- 1913 accessory rail
- Ambi controls and reversible mag catch
- (2) 20rd magazines w/ mag loader included



	P322	SKU	Caliber	Magazine Capacity	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Sight Radius (in)	Weight w/Mag (oz)	Sights	Grip Type	Slide Material	Slide Finish	Trigger Action
	NITRON	322C-BAS	22LR	20	7.1	5.5	1.4	4.0	6.0	17.1	Adjustable Fiber Optic	Polymer	Alloy	Black Anodized	SAO

P365®



- Spectre series optic-ready slide with integrated compensator
- TiN gold polished barrel
- XSERIES flat TiN gold trigger
- XSERIES LXG grip module
- Available in a non-compensated model

MICROCOMPACT SIZE WITH FULL-SIZE CAPACITY

The award-winning P365 has redefined the micro-compact pistol category, quickly becoming one of the most coveted firearms in the industry. The P365 features a patented modified double-stack magazine capable of 10+1, 12+1 or 15+1 full-size capacity. Its ergonomic design makes it more shootable than the typical pocket-sized pistols with a clean, crisp trigger pull you expect from a SIG SAUER®. P365 pistols are available in optic-ready models or with a ROMERZero reflex red dot sight installed and zeroed right out of the box, making it the most capable micro-compact available today.

9mm 380 AUTO

SHARED FEATURES

- NITRON® stainless steel slide
- Tritium night sights
- Includes (2) magazines
- Polymer grip
- Reversible magazine catch
- Available with a ambi manual safety

STATE COMPLIANT MODELS AVAILABLE

365XL-9-BXR3-RXZ-10 / 365XL-9-BXR3-10 / 365XL-9-BXR3-MS-10 /
365-9-BXR3-MS-MA / 365X-9-BXR3-10 / 365X-9-BXR3-MS-10 / P365V002-10 /
P365V003-10

P365XL

- NITRON optic-ready stainless steel slide
- XSERIES flat trigger and grip module
- Available with ROMEOZero™ installed
- Available with ambi-manual safety



P365X

- NITRON optic-ready stainless steel slide
- XSERIES flat trigger and grip module
- Available with ROMEOZero installed
- Available with ambi-manual safety

P365 SAS®

- NITRON stainless steel slide with SAS treatment
- Flush-fit FT Bullseye sight
- Flush slide catch and take down lever



P365 NITRON®

- NITRON stainless steel slide
- X-RAY3™ day/night sights
- Available with ambi-manual safety



	P365®	SKU	Caliber	Magazine Capacity	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Sight Radius (in)	Weight w/ Mag (oz)	Sights	Grip Type	Slide Material	Slide Finish	Trigger Action
	X	365X-9-BXR3P / 365X-9-BXR3P-MS	9mm	12	6.0	4.8	1.1	3.1	4.9	18.5	X-RAY 3 Day/Night Sights	Polymer	Stainless	NITRON	Striker
	ROMEZERO	365X-9-BXR3-RXZE	9mm	12	6.0	5.5	1.1	3.1	4.9	18.5	ROMEZero Elite w/ X-RAY3 Day / Night Suppressor Sights	Polymer	Stainless	NITRON	Striker
	XL	365XL-9-BXR3P / 365XL-9-BXR3P-MS	9mm	12	6.6	4.8	1.1	3.7	5.6	20.7	X-RAY 3 Day / Night Sights	Polymer	Stainless	NITRON	Striker
	ROMEZERO	365XL-9-BXR3-RXZE	9mm	12	6.6	5.5	1.1	3.7	5.6	20.7	ROMEZero Elite w/ X-RAY3 Day / Night Suppressor Sights	Polymer	Stainless	NITRON	Striker
	SAS	365-9-SAS	9mm	10	5.8	4.1	1.0	3.1	N/A	17.8	Flush-Fit FT Bullseye	Polymer	Stainless	NITRON	Striker
	NITRON	365-9-BXR3 / 365-9-BXR3-MS / 365-380-BSS / 365-380-BSS-MS	9mm / .380ACP	10	5.8	4.3	1.0	3.1	4.9	17.8	X-RAY3 / SIGHTLE Night Sights	Polymer	Stainless	NITRON	Striker
	SPECTRE COMP	P365VO02 / P365VO03	9mm	12	6.6	4.8	1.1	3.7 / 3.1	5.6 / 4.9	20.7	X-RAY 3 Day / Night Sights	Polymer	Stainless	NITRON	Striker

P320®

MODULAR HANDGUN

A clean, crisp, short trigger reset with safe takedown and unprecedented modularity delivering elite performance for all.


CHOOSE A CALIBER:

The P320 is available in a variety of popular calibers.



CHOOSE GRIP FIT:

Interchangeable grip modules provide optimal grip circumference and access to controls without adding a bulky backstrap.



OPTIONAL X-CHANGE KITS

The modular pistol has arrived. Removing P320's fire control group unlocks hundreds of combinations.



CHOOSE STYLE AND A SIZE:

Provides the modularity to switch between multiple sizes, and between the standard and XGRIP.



SERIALIZED, STAINLESS STEEL FRAME

The serialized unit allows the user to change everything from size, to caliber, to grip at will.



3-POINT TAKEDOWN NO TRIGGER PULL OR TOOLS REQUIRED:

1. Remove magazine
2. Lock slide to the rear
3. Rotate takedown lever

ADDITIONAL SAFETY FEATURES:

Striker Safety
Disconnect Safety

THE WORLD'S MOST INNOVATIVE HANDGUN

With its unmatched modularity, unprecedented accuracy, and uncompromising reliability, the state-of-the-art SIG SAUER® P320 has quickly become one of the most sought after firearms on the market today. Chosen by all branches of the U.S. military, as well as law enforcement agencies across the country and around the world, the P320 redefines the modern handgun.

9mm

SHARED FEATURES

- NITRON® stainless steel slide
- Modular striker-fired pistol
- Contrast sights
- 1913 rail
- Front cocking serrations
- Polymer grip



P320 COMPACT



- NITRON® stainless steel slide
- SIGLITE® night sights or contrast sights
- 3.9" barrel
- Available with ambi manual safety

P320 FULL-SIZE

- NITRON® stainless steel slide
- Contrast sights
- 4.7" barrel

STATE COMPLIANT MODELS AVAILABLE

320F-9-B-10 / 320C-9-B-10 / 320C-BSS-MS-MA

	P320®	SKU	Caliber	Magazine Capacity	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Sight Radius (in)	Weight w/Mag (oz)	sights	Grip Type	Slide Material	Slide Finish	Trigger Action
	FULL-SIZE	320F-9-B	9mm	17	8.0	5.5	1.3	4.7	6.6	29.5	Contrast	Polymer	Stainless	NITRON	Striker
	COMPACT	320C-9-B/320C-45-BSS	9mm / 45 AUTO	15 / 9	7.2	5.3	1.3	3.9	5.8	25.8	SIGLITE / Contrast	Polymer	Stainless	NITRON	Striker
	COMPACT-MS	320C-9-BSS-MS-MA	9mm	10	7.2	5.3	1.6	3.9	5.8	25.8	SIGLITE Night Sights	Polymer	Stainless	NITRON	Striker

All specifications subject to change | Complete specifications online at SIGSAUER.COM | Accessories on Page 194



P320 ONE FOR ALL

A CLEAN, CRISP, SHORT TRIGGER RESET,
SAFE TAKEDOWN AND UNPRECEDENTED
MODULARITY, DELIVER ELITE PERFORMANCE
FOR ALL.

P320®-M17 / M18



- Based on the M17® pistol in use with the U.S. Military
- Ambi-manual safety
- Night sight rear plate, optic-ready

M17®

THE CHOSEN ONES

The P320-M17 and P320-M18 are the civilian versions of the M17® and M18®, which are the official sidearms of all branches of the U.S. military. The P320-M17 and M18 deliver the same unprecedented accuracy, extreme reliability, and unmatched durability that the U.S. military demands from each and every one of their firearms.

9mm

SHARED FEATURES

- Based on the M17 / M18 pistol in use with the U.S. Military
- Coyote tan stainless steel slide
- Modular striker-fired pistol
- Ambi-manual safety
- Night sight rear plate, optic-ready
- 1913 rail
- Front cocking serrations
- Coyote tan polymer grip
- Front SIGLITE® night sight
- (2) 21rd / (1) 17rd magazine

STATE COMPLIANT MODELS AVAILABLE

320F-9-M17-MS-10 / 320F-9-M17-MS-MA / 320CA-9-M18-MS-10



M18

P320 - M18

- Based on the M18® pistol in use with the U.S. Military
- Ambi-manual safety
- Night sight rear plate, optic-ready



Features a coyote-tan PVD coated stainless steel slide with the optic cut, and black controls. M17 and M18 comes equipped with a SIGLITE front night sight and removable Night Sight rear plate.



The P320-M17 is a 9mm, striker-fired pistol and comes with one (1) 17-round magazine and two (2) 21-round magazines.

	P320®	SKU	Caliber	Magazine Capacity	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Sight Radius (in)	Weight w/Nsg (oz)	Sights	Grip Type	Slide Material	Slide Finish	Trigger Action
	M17	320F-9-M17-MS	9mm	17/21	8.0	5.5	1.6	4.7	6.6	29.5	Night Sight Rear Plate, Optic-Ready SIGLITE Front	Coyote Tan Polymer	Stainless	Coyote Tan	Striker
	M18	320CA-9-M18-MS	9mm	17/21	7.2	5.5	1.6	3.9	5.8	26.5	Night Sight Rear Plate, Optic-Ready SIGLITE Front	Coyote Tan Polymer	Stainless	Coyote Tan	Striker

All specifications subject to change | Complete specifications online at SIGSAUER.COM | Accessories on Page 194



TESTED AND ABUSED

THROUGH ITS ADOPTION BY THE U.S. MILITARY AND COUNTLESS OTHER MILITARY AND LAW ENFORCEMENT AGENCIES AROUND THE WORLD, THE P320 SURPASSED SOME OF THE MOST RUGGED AND GRELING TESTING PROTOCOLS IN THE HISTORY OF FIREARMS.

P320® XSERIES



THE STANDARD OF PERFORMANCE

XSERIES models include the enhanced XSERIES grip module with extended beavertail, 4-sided beveled magwell, and a deep trigger guard undercut. The flat trigger and optic-ready slide make the P320X stand above the rest.

9mm

SHARED FEATURES

- Modular striker-fired pistol
- XSERIES optic ready slide compatible with ROMEO1PRO
- 1913 rail
- Front cocking serrations
- XSERIES grip
- XSERIES flat trigger

STATE COMPLIANT MODELS AVAILABLE

320X5-9-LEGION-R2-10 / 320XCA-9-LEGION-TB-R2-10 /
320XF-9-BXR3-R2-10 / 320XC-9-BXR3-R2-10 / P320V002-10 / P320V003-10 /
320XCA-9-LEGION-TB-R2-10

XFIVE[®] LEGION[®]

- Lightened skeletonized trigger
- Dawson[®] removable rear sight assembly compatible with ROMEO1PRO™
- TXG[®] heavy XSERIES grip module



320X FULL / COMPACT

- X-RAY3™ day/night sights
- Optic-ready XSERIES slide compatible with ROMEO1PRO
- XSERIES grip module



	P320[®]	SKU	Caliber	Magazine Capacity	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Sight Radius (in)	Weight w/Hag (oz)	Sights	Grip Type	Slide Material	Slide Finish	Trigger Action
	SPECTRE COMP	P320VO03	9mm	21	8.5	5.8	1.6	4.6	6.2	41.8	XRAY3 Day / Night Sights	Tungsten LGX	Stainless	Black Cerakote	Striker
	XFIVE LEGION	320X5-9-LEGION-R2	9mm	17	8.5	5.8	1.6	5.0	6.9	43.5	Dawson Adj Plate / Fiber Optic	LEGION Gray TXG	Stainless	LEGION Gray	Striker
	XCARRY LEGION	320XCA-9-LEGION-TB-R2	9mm	17	8.1	5.9	1.6	4.6	5.8	40.5	XRAY3 Day / Night Sights	LEGION Gray TXG	Stainless	LEGION Gray	Striker
	XFULL	320XF-9-BXR3P-R2	9mm	17	8.2	5.5	1.3	4.7	6.6	29.6	XRAY3 Day / Night Sights	Black Polymer	Stainless	NITRON	Striker
	XCOMPACT	320XC-9-BXR3P-R2	9mm	15	7.0	5.3	1.3	3.6	5.5	25.3	XRAY3 Day / Night Sights	Black Polymer	Stainless	NITRON	Striker

P320® RXP SERIES



XSERIES

RED DOT ACCURACY RIGHT OUT-OF-THE-BOX

The new P320 RXP™ SERIES is the next generation of pistol and optics solutions from SIG SAUER®. The RXP SERIES combines the latest advancements in reflex optics with the world's most innovative handgun. Featuring installed reflex red dot optics, each of the RXP SERIES pistols delivers a new level of durability and performance. Available on both the standard and XSERIES P320 pistols, the RXP SERIES are zeroed and ready to shoot, right out-of-the-box, allowing users to easily achieve a whole new level of accuracy and performance.

9mm

SHARED FEATURES

- NITRON® stainless steel slide with reflex red dot sight installed
- Modular striker-fired pistol
- Suppressor height back-up sights (excludes 320 max)
- 1913 rail
- Front cocking serrations
- Polymer grip

STATE COMPLIANT MODELS AVAILABLE
320XF-9-BXR3-RXP-10 / 320XC-9-BXR3-RXP-10 / 320F-9-B-RXP-10 /
320C-9-RXP-10

XSERIES RXP

- X-RAY3™ day/night suppressor sights
- NITRON XSERIES Slide with ROMEO1PRO™ installed
- XSERIES grip module
- Available in full-size and compact



STANDARD RXP

- Contrast suppressor sights
- Standard NITRON slide with ROMEO1PRO installed
- Polymer grip module
- Available in full-size and compact

	P320®	SKU	Caliber	Magazine Capacity	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Sight Radius (in)	Weight w/Mag (oz)	Sights	Grip Type	Slide Material	Slide Finish	Trigger Action
	MAX	320X5-9-MAXM	9mm	21	8.5	6.8	1.6	5.0	N/A	43.5	ROMEO3 MAX 6MOA	TXG Full Size	Stainless	NITRON	Striker
	FULL-SIZE RXP	320F-9-B-RXP	9mm	17	8	6.4	1.4	4.7	6.6	30.0	ROMEO1PRO Contrast 3-Dot Suppressor Sights	Black Polymer	Stainless	NITRON	Striker
	COMPACT RXP	320C-9-B-RXP	9mm	15	7.2	6.2	1.4	3.9	5.8	26.3	ROMEO1PRO Contrast 3-Dot Suppressor Sights	Black Polymer	Stainless	NITRON	Striker
	XFULL RXP	320XF-9-BXR3-RXP	9mm	17	8.2	6.4	1.4	4.7	6.6	30.0	ROMEO1PRO X-RAY3™ Day/Night Suppressor Sights	Black Polymer	Stainless	NITRON	Striker
	XCOMPACT RXP	320XC-9-BXR3-RXP	9mm	15	7.0	6.2	1.4	3.6	5.5	25.3	ROMEO1PRO X-RAY3™ Day/Night Suppressor Sights	Black Polymer	Stainless	NITRON	Striker

All specifications subject to change | Complete specifications online at SIGSAUER.COM | Accessories on Page 194



P320® AXG SERIES



- Custom Works Equinox polished slide
- Nickel-plated skeletonized flat trigger
- Hogue® G10 black grips and back strap
- Nickel-plated controls
- Custom Works case, coin, and certificate
- 3EA 17rd steel magazines

PERFORMANCE YOU CAN FEEL

The P320 AXG™ combines the weight and balance of a metal-framed pistol with the performance and reliability of the P320, delivering a uniquely refined shooting experience unlike anything else.

Utilizing the new AXG XSERIES metal grip module as a foundation, the SIG CUSTOM WORKS team has carefully selected a set of premium options and performance upgrades, creating a limited edition P320 that blends the style and shootability of a classic metal-frame pistol with the modern features you expect from the P320. And like all Custom Works products, it's delivered in an exclusive, ultra-premium package.

9mm

FEATURES

- AXG Carry grip module
- XSERIES optic-ready slide
- X-RAY3™ day/night sights
- 1913 rail
- Flat XSERIES trigger
- Reversible magazine catch
- Extended slide catch lever

STATE COMPLIANT MODELS AVAILABLE

320AXGCA-9-CW-EQ-R2-10 / 320AXGCA-9-CW-CL-R2-10 /
320AXGF-9-BXR3-PRO-R2-10

AXG PRO

- Pro-cut NITRON® optic-ready slide
- Black anodized AXG grip module with magwell
- G-10 black grips and backstrap
- X-RAY3 day / night sights



CUSTOM WORKS

AXG CLASSIC

- NITRON optic-ready slide
- Black anodized AXG grip module
- Hogue walnut grips and backstrap
- X-RAY3 day / night sights



	AXG™	SKU	Caliber	Magazine Capacity	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Sight Radius (in)	Weight w/Mag (oz)	Sights	Grip Type	Slide Material	Slide Finish	Trigger Action
	EQUINOX	320AXGCA-9-CW-EQ-R2	9mm	17	7.4	5.5	1.3	3.9	5.8	31.3	X-RAY3™ Day/Night Sights	AXG	Stainless	Polished Equinox	Striker
	PRO	320AXGF-9-BXR3-PRO-R2	9mm	17	8.2	5.8	1.6	4.7	6.6	35.4	X-RAY3™ Day/Night Sights	AXG	Stainless	NITRON	Striker
	CLASSIC	320AXGCA-9-CW-CL-R2	9mm	17	7.4	5.5	1.3	3.9	5.8	31.3	X-RAY3™ Day/Night Sights	AXG	Stainless	NITRON	Striker

P226®



sigsauer.com

CLASSIC FULL-SIZE PISTOL

The SIG SAUER P226 set the standard by which all other combat handguns are measured. The iconic P226 served alongside the U.S. Navy SEALs for decades and has seen action around the globe. With legacy of accuracy and reliability, and millions upon millions of rounds of proven performance, it has earned its reputation as the premiere combat pistol.

9mm

SHARED FEATURES

- All metal pistol
- Accessory rail
- Four-point safety system
- 15rd or 20rd steel magazines
- Polymer or G10 grip panels

STATE COMPLIANT MODELS AVAILABLE

226RM-9-LEGION / 226RM-9-LEGION-SAO / 226R-9-BSS-CA / 226R-9-SCPN-CA /
MK-25-CA / MK-25-MA / 226R-9-XTM-BLKGRY-CA / E26R-9-BXR3-PRO-R2-10

P226® ZEV



MK25

LEGION

- Custom ZEV slide and alloy frame design
- Custom ZEV Threaded barrel with thread protector
- Single Action Only Flat Trigger with Ambi-Safety
- ZEV Iron Sights with Romeo1Pro Equipped

- LEGION gray finished slide and frame
- Available equipped with a ROMEO1Pro
- X-RAY3™ day/night sights
- Available in both DS/SA and SAO triggers

ELITE

- Beavertail frame
- Front cocking serrations
- Short-reset trigger SRT



	P226®	SKU	Caliber	Magazine Capacity	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Sight Radius (in)	Weight w/Mag (oz)	Sights	Grip Type	Slide Material	Slide Finish	Trigger Action
	PRO-CUT	E26R-9-BXR3-PRO-R2	9mm	15/20	7.7	5.5	1.5	4.4	6.3	34.0	X-RAY3 Sights	PIRANHA G-10	Stainless	NITRON	DA/SA
	ZEV	E26R-9-ZEV-SAO-TB-RXP	9mm	(3) 15	8.6	6.3	1.7	4.9	6.1	34.1	ZEV Tech Fiber Optic Sights with ROMEO1 PRO	Custom ZEV Tech G10	Stainless	NITRON	SAO
	LEGION SAO / DA/SA	E26R-9-LEGION/E26R-9-LEGION-SAO	9mm	15	7.7	5.5	1.7 / 1.5	4.4	6.3	34.4	X-RAY3	Black G-10	Stainless	LEGION Gray	SAO / DA/SA
	MK25	MK-25	9mm	15	7.7	5.5	1.5	4.4	6.3	34.0	SIGLITE Night Sights	Black Polymer	Stainless	NITRON	DA/SA
	ELITE	E26R-9-BSE	9mm	15	7.7	5.5	1.5	4.4	6.3	34.0	SIGLITE Night Sights	Black Polymer	Stainless	NITRON	DA/SA

P229®

CLASSIC COMPACT PISTOL

The SIG SAUER P229 incorporates all the features of the P226® in a smaller, more compact package. Originally designed to meet the needs of law enforcement, today's P229 has been engineered to meet the most demanding reliability standards while delivering the highest possible performance.



P229 PRO-CUT

- Optic ready PRO-CUT slide Compatible with ROMEO1PRO, Delta Point Pro and RMR
- Beavertail alloy frame with enhanced checkering
- Standard X-RAY3 day/night sights

SHARED FEATURES

- All metal pistol
- Four-point safety system
- 15rd steel magazines
- Polymer or G10 grip panels

STATE COMPLIANT MODELS AVAILABLE

229R-9-BSS-CA / 229R-9-ESE-CA / 229RM-9-LEGION / 229RM-9-LEGION-SAO / E29R-9-BXR3-PRO-R2-10

LEGION® RXP

- LEGION gray finished slide and frame
- Grayguns Inc. designed trigger (DA/SA)
- X-RAY3™ day/night sights with ROMEO1PRO™ reflex sight
- Available in SAO



M11-A1

- Non railed alloy frame
- 15rd magazines
- UID label

LEGION

- LEGION gray finished slide and frame
- Grayguns Inc. designed flat SAO or curved DA/SA trigger
- X-RAY3™ day/night sights



ELITE

- Beavertail frame
- Front cocking serrations
- Short-reset trigger SRT



P229®

SKU

Caliber

Magazine Capacity

Length (in)

Height (in)

Width (in)

Barrel Length (in)

Sight Radius (in)

Weight w/Mag (oz)

Sights

Grip Type

Slide Material

Slide Finish

Trigger Action

	LEGION RXP SAO / DA/SA	229R-9-LEGION-SAO-RXP/ E29R-9-LEGION-RXP	9mm	15	7.1	5.4	1.7 / 1.5	3.9	5.7	32.0	ROMEO1PRO/ X-RAY3 Day / Night Sights	Black G-10	Stainless	LEGION Gray SAO/ DA/SA
	LEGION SAO / DA/SA	229R-9-LEGION-SAO/ E29R-9-LEGION	9mm	15	7.1	5.4	1.7 / 1.5	3.9	5.7	32.0	X-RAY3 Day / Night Sights	Black G-10	Stainless	LEGION Gray SAO/ DA/SA
	M11-A1	M11-A1	9mm	15	7.1	5.4	1.5	3.9	5.7	32.0	SIGLITE Night Sights	Black Polymer	Stainless	NITRON DA/SA
	ELITE	E29R-9-BSE	9mm	15	7.1	5.4	1.5	3.9	5.7	32.0	SIGLITE Night Sights	Black Polymer	Stainless	NITRON DA/SA
	PROCTU	E29R-9-BXR3-PRO-R2	9mm	15	7.1	5.4	1.5	3.9	5.7	32.0	X-RAY3 Day / Night Sights	G-10	Stainless	NITRON DA/SA



P220®



P220 LEGION® 10MM

- LEGION gray finished slide and frame
- Five inch match grade barrel
- Stainless steel frame and slide
- Available in SAO

CLASSIC FULL-SIZE PISTOL

With origins dating back to the late 1970s, the P220 is considered by many to be the one that started it all for SIG SAUER. This classic has been reborn, while incorporating the same quality, accuracy, and reliability the Swiss Army has relied upon for decades. The P220 was built to meet and exceed rigorous military standards. The legendary P220 lives on, allowing you to put all-metal power in your corner.

45AUTO 10MM

SHARED FEATURES

- All metal pistol
- 8rd magazine
- Accessory rail

STATE COMPLIANT MODELS AVAILABLE

220RM-45-LEGION / 220R-45-BSS-CA

LEGION® SAO

- LEGION gray finished slide and frame
- Grayguns Inc. designed P-SAIT trigger
- X-RAY3™ day/night sights
- Ambi-manual safety




ELITE

- Beavertail frame
- Front cocking serrations
- Short-reset trigger SRT



	P220®	SKU	Caliber	Magazine Capacity	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Sight Radius (in)	Weight w/ Mag (oz)	Sights	Grip Type	Slide Material	Slide Finish	Trigger Action
	LEGION SAO	220R-45-LEGION-SAO	45AUTO	8	7.7	5.5	1.3	4.4	6.3	30.4	X-RAY3 Day / Night Sights	Black G-10	Stainless	LEGION Gray	SAO
	LEGION	220R-45-LEGION	45AUTO	8	7.7	5.5	1.3	4.4	6.3	30.4	X-RAY3 Day / Night Sights	Black G-10	Stainless	LEGION Gray	DA/SA
	LEGION 10MM	220R5-10-LEGION-SAO / 220R5-10-LEGION	10mm	8	8.3	5.5	1.5 / 1.3	5.0	6.9	44.0	X-RAY3 Day / Night Sights	Black G-10	Stainless	LEGION Gray	SAO / DA/SA
	ELITE	220R-45-BSE	45AUTO	8	7.7	5.5	1.3	4.4	5.7	30.4	SIGLITE Night Sights	Black Polymer	Stainless	NITRON	DA/SA



1911



EMPEROR SCORPION

- Stainless steel FDE slide and frame
- Custom black G-10 grips with magwell
- SIGLITE® night sights
- Ambi-manual safety

CLASSIC 45 AUTO PISTOL

The classic 1911, with its legendary ergonomics and accuracy, has been engineered with modern refinements and SIG reliability. We have given history's most revered pistol 21st Century updates, providing the features that meet the demands of modern shooters. Thanks to their all-metal frames, rugged construction and protective coatings, SIG SAUER 1911's are built to age just as well as Browning's original design.

45 AUTO

SHARED FEATURES

- Stainless steel slide and frame
- SAO trigger
- 8rd magazines
- Extended beavertail safety

STATE COMPLIANT MODELS AVAILABLE

1911R-45-BSS-CA / 1911R-45-SSS-CA / 1911M-45-STX / 1911RM-45-ESCPN

EMPEROR SCORPION FASTBACK CARRY

- Stainless steel FDE slide and frame
- Custom black G-10 grips
- Fastback-rounded frame



STX

- Custom two-tone slide
- Burled maple grips
- Metal magwell


FASTBACK NIGHTMARE CARRY

- Carry length 4.2" Barrel
- Fastback-rounded frame
- NITRON® frame with nickel controls



	1911	SKU	Caliber	Magazine Capacity	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Sight Radius (in)	Weight w/Mag (oz)	Sights	Grip Type	Slide Material	Slide Finish	Trigger Action
	EMPEROR SCORPION	1911R-45-ESCPN / 1911FTCA-45-ESCPN	45AUTO	8	8.7 / 7.7	5.5	1.4	5.0 / 4.2	6.5 / 5.7	41.6 / 38.8	SIGLITE Night Sights	Black G-10	Stainless	FDE PVD	SAO
	STX	1911M-45-STX	45AUTO	8	8.7	5.5	1.4	5.0	6.5	41.6	SIGLITE Night Sights	Burled Maple	Stainless	NITRON	SAO
	FASTBACK NIGHTMARE CARRY	1911FTCA-45-ESCPN	45AUTO	8	7.7	5.5	1.4	4.2	5.7	38.8	SIGLITE Night Sights	Black G-10	Stainless	NITRON	SAO

All specifications subject to change | Complete specifications online at SIGSAUER.COM | Accessories on Page 194



P238® / P938®



P938 LEGION®

- LEGION gray finished slide and frame
- Flat trigger
- Black G10 grips
- Metal magwell



MICRO-COMPACT PISTOLS

The 1911 inspired the micro-compact all metal P238 and P938, providing exceptional accuracy in an easy-to-conceal package. The P238, built to perform and please every shooter inspired the P938, which delivers the same accuracy and reliability with duty caliber performance. Together, the P238 and P938 form a family of classic firearms ready to stand the test of time.

9mm

380 AUTO

SHARED FEATURES

- All metal pistol
- 3" barrel (938) 2.7" (238)
- SAO trigger

STATE COMPLIANT MODELS AVAILABLE

938M-9-BRG-AMBI / 938M-9-LEGION / 238-380-TSS2-CA

P938® SAS*

- SIG anti-snag treatment -SAS
- FT-Bullseye day/night sight
- Overmolded Hogue® rubber grip



P938 BRG

- SIGLITE® night sights
- Ambi-manual safety
- Overmolded Hogue rubber grip


P238® NITRON®

- NITRON coated stainless steel slide
- Steel contrast sights
- Black polymer grip



	P238®/ P938®	SKU	Caliber	Magazine Capacity	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Sight Radius (in)	Weight w/ Mag (oz)	Sights	Grip Type	Slide Material	Slide Finish	Trigger Action
	938 LEGION	938-9-LEGION	9mm	7	5.9	3.9	1.1	3.0	4.0	16.0	X-RAY3 Day / Night Sights	Black G-10	Stainless	LEGION Gray	SAO
	938 SAS	938-9-SAS2B	9mm	7	5.9	3.9	1.1	3.0	4.0	16.0	FT Bullseye	Black Rubber	Stainless	NITRON	SAO
	938 BRG	938-9-BRG-AMBI	9mm	7	5.9	3.9	1.1	3.0	4.0	16.0	SIGLITE Night Sights	Black Rubber	Stainless	NITRON	SAO
	238 NITRON	238-380-B	380ACP	6	5.5	3.9	1.1	2.7	3.8	15.2	Contrast	Black Polymer	Stainless	NITRON	SAO

All specifications subject to change | Complete specifications online at SIGSAUER.COM | Accessories on Page 194



P210®



P210 CARRY

- Light weight alloy frame
- Black G-10 slim grips
- SIGLITE® Night sights
- 4.1 inch Barrel

HERITAGE. TRADITION. PERFORMANCE.

The latest in the historic line of pistols from SIG SAUER, the P210 Carry is rooted in the tradition of its 1947 Swiss predecessor with new checkered G10 grips, a precision-machined stainless steel slide and lightweight aluminum alloy frame. Equipped with SIGLITE night sights and two 8-round 9mm magazines, the P210 Carry pays homage to the foundational craftsmanship of its forerunner while maintaining the features, weight, and balance of an ideal concealed carry pistol.

9mm

SHARED FEATURES

- All metal pistol
- Reverse-railed slide and frame
- Updated ergonomic controls

ONE OF THE FINEST HANDGUNS EVER MADE.

With a history that dates back to 1949, the SIG SAUER P210 was the combat handgun for the Swiss Military and is regarded as one of the most legendary, reliable, and accurate firearms in the world. SIG SAUER, Inc. has introduced the American Made P210 Standard pistol to the U.S. Commercial Market, featuring modern improvements, at a price-point allowing more consumers to enjoy this timeless pistol.



TARGET

- Adjustable target sights
- Checkered walnut target grip with magwell
- 5 inch Barrel



The P210 Carry features a 4.1 inch barrel and a Nitron slide with front and rear cocking serrations, equipped with SIGLite Night Sights



The P210 Target features a steel frame with custom profiled checkered walnut grips.



	P210®	SKU	Caliber	Magazine Capacity	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Sight Radius (in)	Weight w/mag (oz)	Sights	Grip type	Slide Material	Slide Finish	Trigger Action
	TARGET	210A-9-TGT	9mm	8	8.4	5.3	1.5	5.0	6.7	36.9	Adjustable Target	Walnut Target	Stainless	NITRON	SAO
	CARRY	210CA-9-BSS	9mm	8	7.5	5.3	1.5	4.1	5.6	32.0	SIGLITE Night Sights	Custom G-10	Stainless	NITRON	SAO

LEGION® SERIES



UNLEASH THE WARRIOR SPIRIT

For thousands of years, one symbol has been a rallying cry for the world's most revered warriors. And for decades, one brand of firearms has served more elite fighting forces than any other.

Welcome to the LEGION® by SIG SAUER®. Painstakingly engineered and enhanced for the discerning few with the same warrior spirit that inspired it. We have always given professionals what they need. Now, we are giving them what they want.

The SIG P220®, P226®, P229®, P320®, P938®; five of the most highly regarded firearms in the professional community are receiving the LEGION Series enhancements based on the needs and wants of elite users. For those who demand the best, we now have something even better — welcome to the LEGION.

JOIN THE LEGION.

Become part of the SIG SAUER® LEGION for members-only access to unique opportunities and gear. To join the LEGION, purchase and register your LEGION Series firearm, and unlock a full range of exclusive benefits.

FREE Gear LEGION membership entitles you to a complimentary 5.11® premium zippered pistol case for your LEGION firearm, plus a challenge coin matched to your gun.

Exclusive Access When you call to receive your free case and coin, you will be automatically registered as a LEGION member, providing you exclusive access to gear and merchandise.

Exclusive Communications Be the first to know about new additions to the LEGION Series of firearms. You'll also receive other exclusive communications from SIG SAUER and the LEGION.



LEGION SERIES



LEGION® ENHANCEMENTS

- 1 | LEGION Gray Finish**
Enhances durability & lubricity
- 2 | Solid Steel Guide Rod**
Reduces muzzle flip
- 3 | Checkering Under Trigger Guard**
Minimizes lateral movement
- 4 | Trigger Guard Undercut**
Accommodates high grip techniques
- 5 | Grayguns Inc. Designed Trigger**
Adjustable for over-travel
- 6 | Reduced Profile Controls**
Prevents premature activation of slide stop with improved texture for better control
- 7 | Three Magazines**
Delivers more value
- 8 | Contoured Beavertail**
Higher grip for better recoil control
- 9 | Enhanced Polished Action with SRT**
Smoother DA trigger press that enables faster follow-up shots
- 10 | Front Cocking Serrations**
For easy slide operation
- 11 | Custom G10 Grips**
Provides enhanced control for high grip techniques
- 12 | Tungsten Grip Module**
Tungsten Infused Module, with the weight of steel and the flex of polymer
- 13 | X-RAY3™ Sights**
Optimizes sight acquisition in all lighting conditions
- 14 | Optic-ready Adjustable Rear Sight**
Dawson Fiber optic or X-RAY3 day/night sights
- 15 | Enhanced Front Strap Checkering**
Provides a more secure grip for better control
- 16 | Extended Magwell**
Provides a larger, flared opening for faster reloading
- 17 | ROMEO1 Reflex Sight**
Legion RX is equipped with a slide-mounted reflex optic
- 18 | Flat Skeletonized Trigger**
90-degree break and lighter trigger pull (320 models)

LEGION® SERIES



220 LEGION



220 LEGION SAO



220 LEGION 10MM



220 LEGION 10MM SAO



226 LEGION



226 LEGION RXP



226 LEGION SAO



226 LEGION SAO RXP



229 LEGION



229 LEGION RXP



229 LEGION SAO



229 LEGION SAO RXP



320 XCARRY LEGION



320 XFIVE LEGION



938 LEGION

LEGION GEAR

LEGION members get exclusive access to LEGION gear and merchandise unavailable anywhere else.

X300 WEAPON LIGHT

- The standard for professional-use weapon lights
- Total Internal Reflection (TIR) lens to produce a tight beam with extended reach and significant surround light for peripheral vision
- The virtually indestructible and highly efficient LED generates tactical-level light
- Ambidextrous switching located at the rear of body
- 1,000 Lumens



BLACKPOINT TACTICAL POLYWING OWB HOLSTER

- Durable construction
- Premium fit and finish designed in collaboration with BlackPoint and SIG SAUER
- Flexible poly wing for the comfort of soft holsters and the security of thermal molded holsters
- Adjustable retention



MITCH ROSEN EXTRAORDINARY GUNLEATHER™ HOLSTER

- Comfortable for every day, all day use
- Premium fit and finish designed in collaboration with Mitch Rosen and SIG SAUER
- Designed for OWB concealment



LEGION FLEECE JACKET

- Custom designed for LEGION members, subtly branded
- Water and wind resistant
- Open bottom hems
- Relaxed fit



HOGUE LEGION K320 KNIFE

- SIG SAUER Firearm Match: P320 X-FIVE LEGION
- LEGION emblem on blade
- Locking Mechanism: Ambidextrous ABLE lock™ -Louvre Pocket Clip: Stainless steel ambidextrous - right or left handed, tip-up or down deep carry



NEGRINI® PREMIUM LEGION HARD CASE

- For full and compact pistols
- TSA compliant steel locks
- Internal document pocket
- Inserts to remove space for small pistols



SIG SAUER LEGION RANGE BAG

- EVA top lid w/internal organization and external loop area for name tags
- Target straps or compression straps
- Internal elastic on sides to hold Legion Single Pistol Case -Padded duffel w/top lid opening
- External web MOLLE & rear slip pocket-Removable shoulder strap and top / side carry handles
- 1680D Polyester (lid) & 500D Nylon (main body)
- Includes separate premium range pouch (padded zippered ammo pouch)



HOGUE LEGION X1-MICROFLIP KNIFE

- SIG SAUER firearm match: LEGION
- LEGION medallion
- Locking mechanism: push button lock with manual safety-frame: solid black G10 with checkered texture
- Pocket clip: stainless steel ambidextrous
- Right or left handed, tip up deep carry with filler plate
- Impact pommel



CUSTOM WORKS



CUSTOM WORKS

LIMITED EDITION PISTOLS

From the very beginning SIG SAUER® has defined quality and reliability in firearms. Today, SIG Custom Works is creating unique firearms that redefine the standard for precision engineering and design excellence. From special limited-edition pistols to custom engraving, the mission of SIG SAUER Custom Works is to deliver personalized design, elite performance, and uncompromising craftsmanship. All SIG SAUER Custom Works firearms come packaged in an exclusive Custom Works Negrini® case complete with a SIG Custom Works challenge coin and a certified custom certificate.



CUSTOM WORKS CASE
WITH COMBINATION
LOCKS



EXCLUSIVE
CUSTOM WORKS
CHALLENGE COIN



CERTIFIED CUSTOM
WORKS CERTIFICATE

EXCLUSIVE
LIMITED EDITIONS



P229® CUSTOM WORKS EQUINOX



P226® CUSTOM WORKS EQUINOX



P220® CUSTOM WORKS EQUINOX

CUSTOM WORKS



CUSTOM WORKS



P320 SPECTRE™ COMP

- LXG™ tungsten grip
- TiN gold threaded barrel with compensator
- Spectre series optic-ready slide
- TiN gold flat skeleton trigger
- X-RAY3 day/night sights

UNPARALLELED CRAFTSMANSHIP

From the very beginning SIG SAUER has defined the quality and reliability in firearms. Today, SIG Custom Works is creating unique firearms that redefine the standard for precision engineering and design excellence.

9mm

SHARED FEATURES

- Custom Works coin and certificate of authenticity

VISIT SIGSAUER.COM FOR
THE CURRENT MODELS
AVAILABLE

new

P320® DH3

- Custom Works Elite Cerakote optic-ready slide
- DH3 Cerakote® TXG grip module silicone carbide texture
- X-RAY3™ suppressor sights
- XSERIES skeletonized flat trigger



P365® SPECTRE COMP

- Spectre series optic-ready slide with integrated compensator
- TiN gold polished barrel
- XSERIES flat TiN gold trigger
- XSERIES LXG grip module
- Available in a non-compensated model

P320® AXG CLASSIC

- NITRON optic-ready slide
- Black anodized AXG grip module
- Hogue walnut grips and backstrap
- X-RAY3 day / night sights



	CUSTOM WORKS	SKU	Caliber	Magazine Capacity	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Sight Radius (in)	Weight w/Mag (oz)	Sights	Grip Type	Slide Material	Slide Finish	Trigger Action
	320 DH3	320X5-9-DH3	9mm	21	8.5	5.9	1.6	5.0	6.9	43.5	X-RAY3™ Day/Night Suppressor Sights	DH3 TXG Carbide	Stainless	FDE Cerakote	Striker
	365 SPECTRE COMP	P365V003	9mm	10	6.6	4.8	1.1	3.1	5.1	20.1	X-RAY 3 Day / Night Sights	Polymer	Stainless	NITRON	Striker
	320 SPECTRE COMP	P320V003	9mm	21	8.5	5.8	1.6	4.6	6.2	41.8	XRAY3 Day / Night Sights	Tungsten LXG	Stainless	Black Cerakote	Striker
	320 AXG CLASSIC	320AXGCA-9-CW-CL-R2	9mm	17	7.4	5.5	1.3	3.9	5.8	31.3	X-RAY3™ Day/Night Sights	AXG	Stainless	NITRON	Striker

CUSTOM WORKS FCU



CUSTOM WORKS

sigsauer.com

THE CUSTOM WORKS FCU (FIRE CONTROL UNIT).

The soul of the P320® and P365®, and the driving force behind their modularity, lies in the unique, patented design of their Fire Control Units (FCU).

Now, SIG SAUER® is offering these innovative FCUs as standalone products, enabling an entirely new level of customization and personalization, giving users the ability to create virtually millions of combinations to suit any need and any level of personal style.

TITANIUM NITRIDE COATED: Exclusive to the Custom Works P320 FCU, the added protection of titanium nitride ensures a unique look, with superior corrosion resistance.

EXCLUSIVE FCU SERIAL NUMBER: Stand out from the rest with an "FCU" designated serial number for each Custom Works P320 Fire Control Unit.

LIGHTENED SKELETONIZED TRIGGER: Each Custom Works P320 FCU comes standard with a TiN-coated XSeries skeletonized trigger for a lighter, cleaner trigger pull.





CUSTOM WORKS

FIRE CONTROL UNIT

P320®



CUSTOM WORKS

P365®



Visit sigusaer.com to see these and the many other P320 accessories available from our preferred partners.

CREATE YOUR CUSTOM
P320® TODAY

- 01 Purchase a Custom Works P320® or P365® FCU from your local SIG SAUER® retailer
- 02 Register your Custom Works FCU at sigusaer.com and Receive your 10% off one time discount code
- 03 Create your pistol using the Custom Works P320 or P365 Studio at sigusaer.com
- 04 Save 10% on all qualifying Accessories at check-out using your discount code



WWW.SIGSAUER.COM/FCU

CUSTOM WORKS FCU



CUSTOM WORKS

COUNTLESS OPTIONS, ENDLESS POSSIBILITIES.

The SIG SAUER® P320® collective brings together a community of manufacturers and customizers focused on pushing the boundaries of creativity and innovation with the P320 platform. With the launch of the Custom Works P320 FCU, SIG SAUER has enabled and encouraged a broad community of creators to develop an ever-increasing number of parts, accessories, and uniquely customized P320-based firearms. Together, the P320: Collective represents the best the industry has to offer in aftermarket P320 performance parts and customized accessories. A vast selection of slides, barrels, grip modules, magazines, and accessories are available to ensure every finished Custom Works P320 FCU product is unique. As the list of available aftermarket products grow, the build options and possibilities increase exponentially.

The Custom Works FCU program is unprecedented in the firearms industry. The days of cookie-cutter pistol ownership are over. No longer will gun buyers be limited by the vision of a single company or designer. Now, they will be able to explore the endless possibilities of the Custom Works P320 FCU and be limited only by their imagination.

FCU BUILD POSSIBILITIES

1 | P320 XFULL GRIP, ROMEO1™ PRO

NITRON® XSERIES full-size slide, full-size barrel, magwell, 21 round magazine

2 | P320 AXG™ GRIP, FDE ROMEO1 PRO

Coyote compact PROCUT slide, threaded compact barrel, magwell, 21 round magazine

3 | P365® XL STIPPLED GRIP

Stainless XL SPECTRE® slide, XL barrel, XL 10 round magazine

4 | P365 XL GRIP

NITRON XL slide, XL barrel, XL 10 round magazine, ROMEOZero Red Dot



WHAT YOU BUILD IS UP TO YOU!

Visit sigsauer.com to see these and the many other P320 accessories available from our preferred partners.

CONCIERGE SERVICE




A CUSTOM EXPERIENCE LIKE NO OTHER

The SIG Custom Works team can now build you a completely custom P320® and ship it directly to your local dealer with the Custom Works Concierge Service. Each pistol is built to your exact specifications, personalized, and shipped directly from the factory.

Choose from a variety of precision-designed, genuine SIG SAUER P320 performance parts and accessories, and then select a personalized laser engraving to create a truly unique, one-of-a-kind, heirloom-quality custom firearm, built just for you. The Custom Works Concierge Service team will assemble, test fire, and then package your uniquely designed P320 in a premium case and ship it factory direct to your local dealer.



CUSTOM WORKS



YOU DESIGN IT. WE BUILD IT. DIRECT FROM THE FACTORY

Using the P320® Studio, the Custom Works Concierge Service allows you to easily create the perfect custom P320 just for you. Each Custom Works Concierge Service build begins with the Custom Works P320 FCU. You then choose your frame size, slide, and barrel length, and with just a few more clicks you can add optics and accessories, and a personalized engraving to create your very own P320.

PERSONALIZATION COMES STANDARD

When you purchase a P320 using the Custom Works Concierge Service you will receive complimentary personalized laser engraving at no additional charge. Commemorate a special occasion, honor someone's service, or simply create a symbol of your own individuality and personality. The SIG Custom Works Team utilizes a state-of-the-art laser engraving process to create your unique design, making each one truly one-of-a-kind.

FRESH FROM THE FACTORY

Each of the Custom Works Concierge Service pistols is packaged with a certified custom certificate signed by your personal Custom Works Concierge and then shipped directly to your local dealer. Each of these pistols is built and assembled in our factory in New Hampshire and has been inspected, tested, and certified to meet the highest quality standards.

START BUILDING NOW!

<https://www.sigsauer.com/concierge-service>

RIFLES





MCX™ VIRTUS®

THE CHOICE OF THE WORLD'S ELITE

In use by more special operations forces around the world than any other AR, the SIG MCX VIRTUS is engineered for adaptability, sound suppression, and extreme longevity. Featuring user-changeable, cold hammer-forged barrels available in both 5.56 NATO and 300 BLK, with the SIG internal recoil system offering reduced recoil, and a folding stock that makes it the ultimate compact rifle platform.



16" RIFLE

- Available in 5.56 NATO
- 6-position tele-folding stock
- Interchangeable cold hammer-forged barrel



SHARED FEATURES

- SIG MATCHLITE™ Duo trigger
- Interchangeable cold hammer-forged barrel
- M-LOK® free-float handguard with expanded valve windows
- Ambidextrous selector, mag release, and charging handle
- Adjustable gas valve
- Stealth gray upper/lower receivers and handguard
- Three prong flash hider

PISTOL 11.5"

- Available in 5.56 NATO
- SIG MATCHLITE Duo trigger
- Folding, fixed PCB brace



9" PISTOL

- Available in 300 BLK
- SIG MATCHLITE Duo trigger
- Folding, fixed PCB brace




FOLDING AND COLLAPSING 6-POSITION STOCK



SIG MATCHLITE DUO TRIGGER

	MCX	SKU	Caliber	Action Type	Operating System	Stock Type	Forend Type	Weight w/Mag (lb)	Overall Length (in)	Folded Length (in)	Barrel Length (in)	Rifling	Trigger Type	Mag Type	Mag Capacity
	PATROL 16"	RMCX-16B-TAP-P	5.56 NATO	Semi-Auto	Gas Piston Rotating Bolt	Tele/Fold 6-Position	Free-Float M-LOK	7.9	36.5	26.5	16.0	1:7	2-Stage Match	AR-15	30
	PISTOL 11.5"	PMCX-11B-TAP	5.56 NATO	Semi-Auto	Gas Piston Rotating Bolt	Fixed Folding PCB	Free-Float M-LOK	7.4	31.0	22.0	11.5	1:7	2-Stage Match	AR-15	30
	PISTOL 9"	PMCX-300B-9-TAP	300 BLK	Semi-Auto	Gas Piston Rotating Bolt	Fixed Folding PCB	Free-Float M-LOK	7.0	28.5	19.5	9.0	1:5	2-Stage Match	AR-15	30



MCX™ VIRTUS® - NEXT LEVEL MODULARITY AND PERFORMANCE





MCX RATTLER CONVERSION KIT



SLH762TI-QD



6.750" COLD HAMMER-FORGED
BARREL (300BLK)



SLH762TI



11.5" COLD HAMMER-FORGED
BARREL (5.56 NATO)



SLX556-QD



16" COLD HAMMER-FORGED BARREL
(5.56 NATO /300 BLK)



SLX556



MCX™ RATTLER™

THE WORLD'S MOST COMPACT RIFLE

Developed for elite special forces, the SIG MCX Rattler is the most compact rifle in the world. Capable of firing with stock folded from an overall length of 16", it redefines the standard for concealable firepower.



- Available in 5.56 NATO and 300 BLK
- Folding, fixed PCB brace
- Three-prong flash hider

5.56NATO 300BLK

SHARED FEATURES

- Available in 5.56 NATO and 300 BLK
- SIG MATCHLITE™ Duo trigger
- M-LOK® handguard
- Ambidextrous selector, mag release, and charging handle
- Adjustable gas valve

RATTLER SBR

- Available in 5.56 NATO and 300 BLK
- Fixed Folding Mini Stock
- Three prong flash hider



RATTLER CANE BRAKE™

- Available in 300 BLK
- Coyote Cerakote® E190 upper and lower receiver
- SIG Matchlite flat blade trigger
- Suppressor-ready SD-MLOK handguard and inert trainer
- PCB folding brace



SUPPRESSOR-READY SD-MLOK HANDGUARD AND INERT TRAINER (CANEBRAKE)



SIG MATCHLITE DUO TRIGGER



	RATTLER	SKU	Caliber	Action Type	Operating System	Stock Type	Forend Type	Weight w/Mag (lbs)	Overall Length (in)	Folded Length (in)	Barrel Length (in)	Rifling	Trigger Type	Mag Type	Mag Capacity
	CANE BRAKE PCB	PMCX-300B-5B-TAP-CANE	300 BLK	Semi-Auto	Gas Piston Rotating Bolt	Fixed Folding PCB	Free-Float M-LOK	6.8	29.3	21.0	5.5	1:5	2-Stage Match	AR-15	30
	RATTLER SBR	RMCX-5B-TAP-SBR / RMCX-300B-5B-TAP-SBR	5.56 NATO / 300 BLK	Semi-Auto	Gas Piston Rotating Bolt	Fixed Folding Mini Stock	Free-Float M-LOK	5.7	23.5	16.0	5.5	1:7 / 1:5	2-Stage Match	AR-15	30
	RATTLER PCB	PMCX-5B-TAP / PMCX-300B-5B-TAP	5.56 NATO / 300 BLK	Semi-Auto	Gas Piston Rotating Bolt	Fixed Folding PCB	Free-Float M-LOK	5.7	23.5	16.0	5.5	1:7 / 1:5	2-Stage Match	AR-15	30

All specifications subject to change | Complete specifications online at SIGSAUER.COM | Accessories on Page 196

MPX™

GAS PISTON SUB-GUN

The MPX sets a new standard for performance and quality in the sub-gun category. Featuring AR style controls and a closed-bolt piston system, the MPX is designed to fulfill the needs of competitive, professional, and civilian users.



SHARED FEATURES

- AR style controls
- Closed-bolt piston system
- Timney MPX trigger (K, PCC)
- Integrated pistol brace knuckle (Copperhead, Copperhead K)
- Monolithic upper receiver (Copperhead, Copperhead K)

MPX PCC

- Timney single-stage trigger
- 16" threaded barrel
- Narrow M-LOK® free-floating handguard
- 5-Position tele-folding stock
- 3-port muzzle brake



MPX COPPERHEAD™

- Monolithic upper
- 3.5" barrel with integrated brake
- Rapid deploy PCB brace
- Integrated flash hider



MPX COPPERHEAD K

- Timney single-stage trigger
- 4.5" threaded barrel
- Rapid deploy PCB brace



FREE-FLOATING ERGONOMIC SLIM LINE M-LOK
HANDGUARD (PCC)



MONOLITHIC UPPER RECEIVER (COPPERHEAD,
COPPERHEAD K)



LENA MICULEK
Pro Shooter
TEAM SIG

	MPX	SKU	Caliber	Action Type	Operating System	Stock Type	Forend Type	Weight w/Mag (lb)	Overall Length (in)	Folded Length (in)	Barrel Length (in)	Rifling	Trigger Type	Mag Type	Mag Capacity
	MPX PCC	RMPX-16B-9	9mm	Semi-Auto	Gas Piston Rotating Bolt	Tele/Fold 6-Position	Free-Float M-LOK	6.8	35.0	25.0	16.0	1:10	Timney Single-Stage	MPX	30
	MPX K	PMPX-4B-9	9mm	Semi-Auto	Gas Piston Rotating Bolt	Fixed Folding PCB	Free-Float M-LOK	5.8	21.3	13.5	4.5	1:10	Timney Single-Stage	MPX	30
	MPX COPPERHEAD	PMPX-3B-CH	9mm	Semi-Auto	Gas Piston Rotating Bolt	Telescoping PCB	N/A	4.5	14.5	N/A	3.5	1:10	MIL-SPEC	MPX	20
	MPX COPPERHEAD K	PMPX-4B-CH	9mm	Semi-Auto	Gas Piston Rotating Bolt	Telescoping PCB	N/A	4.8	15.5	N/A	4.5	1:10	Timney Single-Stage	MPX	20

716i™ TREAD®

LIGHTWEIGHT BIG BORE AR PLATFORM

Due to both its lightweight design and accuracy, the 716i has become one of the best known big bore AR's on the market today. Featuring an ambidextrous lower receiver, a precision carbon steel barrel, and a free-floating M-LOK® handguard, the 716i provides a versatile platform for long range shooting and hunting while maintaining a lightweight design for easy carry. Now available as part of the TREAD® rifle platform, the TREAD 716i is easily customizable with available TREAD accessories.



- 3 port muzzle brake
- Cerakote coyote upper receiver, lower receiver and barrel
- SIG Matchlite flat blade trigger

7.62x51NATO

SHARED FEATURES

- Free-floating M-LOK handguard
- Ambidextrous selector, mag release, and charging handle
- Lightweight design
- Adjustable Magpul® SL-K® stock
- Steel lower receiver QD inserts

THE NEW FACE OF FREEDOM



TREAD

TREAD®

- Polished and hardened single-stage trigger
- Three-prong flash hider
- 16" barrel




LIGHTWEIGHT DESIGN



ADJUSTABLE MAGPUL® SL-K® STOCK

	716i	SKU	Caliber	Action Type	Operating System	Stock Type	Forend Type	Weight w/Mag (lb)	Overall Length (in)	Collapsed Length (in)	Barrel Length (in)	Rifling	Trigger Type	Mag Type	Mag Capacity
	TREAD	R716I-16B-TRD	7.62x51 NATO	Semi-Auto	Direct Gas Impingement	6-Position Telescoping	Free-Float M-LOK	8.5	37.0	33.8	16.0	1:10	Hardened Polished	SR-25	20
	TREAD SNAKEBITE SE	R716I-16B-TRD-SB	7.62x51 NATO	Semi-Auto	Direct Gas Impingement	6-Position Telescoping	Free-Float M-LOK	8.5	37.75	34.5	16.0	1:10	SIG Match Flat Blade	SR-25	20

All specifications subject to change | Complete specifications online at SIGSAUER.COM | Accessories on Page 196



M400™ TREAD®

THE NEW FACE OF FREEDOM

The M400 TREAD is engineered to deliver exceptional quality and performance. Every TREAD rifle offers more features with less compromise while standing above other rifles in its class. Easily customizable with a full line of purpose-built accessories, the TREAD family of rifles gives the user the freedom to configure a product tailored to their needs. The TREAD from SIG SAUER – the evolving face of freedom.



SNAKEBITE SE

- Hybrid compensator/flash hider
- Enhanced 13" free-floating handguard
- SIG Matchlite flat blade trigger
- Cerakote elite finish
- Carbon steel barrel

5.56NATO

SHARED FEATURES

- Hard coat anodized upper and lower receiver
- Polished and Hardened Single-Stage Trigger
- Free-floating M-LOK® handguard
- Magpul® SL-K® Telescoping Stock (Snakebite SE, Tread 16")
- Ambidextrous selector, mag release, and charging handle
- 30-round magazine

THE NEW FACE OF FREEDOM



TREAD

TREAD® PREDATOR

- Adjustable Precision Stock
- 15" Free Floating Predator Handguard
- Hardened Polished Trigger
- Cerakote Elite Jungle Finish



TREAD

- Polished and hardened single-stage trigger
- Magpul® SL-K® stock
- Free-floating M-LOK® handguard
- Adjustable Magpul SL-K stock

TREAD PISTOL

- Polished and Hardened Single-Stage Trigger
- SHOCKWAVE brace
- Free-Floating M-LOK® Handguard



	M400	SKU	Caliber	Action Type	Operating System	Stock Type	Forend Type	Weight w/Mag (lb)	Overall Length (in)	Collapsed Length (in)	Barrel Length (in)	Rifling	Trigger Type	Mag Type	Mag Capacity
	TREAD PISTOL	PM400-11B-TRD	5.56 NATO	Semi-Auto	Direct Gas Impingement	Shockwave Brace	Free-Float M-LOK	5.2	27.0	N/A	11.5	1:7	Single Stage	AR-15	30
	TREAD SNAKEBITE SE	RM400-16B-TRD-SB-SE	5.56 NATO	Semi-Auto	Direct Gas Impingement	6-Position Telescoping	Free-Float M-LOK	7.0	30.8	N/A	16.0	1:8	2-Stage	AR-15	30
	TREAD PREDATOR	RM400-16B-TRD-PRED	5.56 NATO	Semi-Auto	Direct Gas Impingement	6-Position Telescoping	Free-Float M-LOK	7.5	35.5	N/A	16.0	1:8	Hardened, polished	AR-15	5
	TREAD	RM400-16B-TRD	5.56 NATO	Semi-Auto	Direct Gas Impingement	6-Position Telescoping	Free-Float M-LOK	7.0	30.8	N/A	16.0	1:8	Single Stage	AR-15	30

All specifications subject to change | Complete specifications online at SIGSAUER.COM | Accessories on Page 196



TREAD®

THE COMPLETE TREAD SYSTEM

PURPOSE-BUILT, CUSTOM ACCESSORIES THAT GIVE YOU THE FREEDOM TO GROW AND CUSTOMIZE



The TREAD rifle from SIG SAUER® isn't just another AR, it's a complete system. The TREAD features a full line of custom designed accessories to give you the freedom to build the perfect rifle for you. Choose from multiple handguards and grip configurations for comfort, and performance upgrades including optics, a single-stage trigger, and ambi-charging handle.

02**Flip-Up, Back-Up Locking Iron Sights**

Compatible with Picatinny rail systems. Tool less windage and elevation adjustment. Button less flip-up which locks in position.

**01****Flat-Blade Two-Stage Trigger**

Vertical trigger profile for a precise feel, and crisp break for maximum performance.

THE NEW FACE OF FREEDOM

**07****Ambi-Charging Handle**

Optimized for right or left-hand operation. Solid construction for prolonged use, and built for maintenance-free reliability.

Common TREAD Accessories to M400 and 716I**01****02****03****04****07****05****M400 TREAD Accessories****06**

For a complete list of TREAD series accessories visit sigsauer.com

M400™ SDI

UNMATCHED FLEXIBILITY AND CAPABILITY

The new M400 SDI series brings a whole new level of performance to the modern sporting rifle. Utilizing a uniquely designed ambidextrous bolt catch and release lever, the M400 SDI gives you unmatched flexibility and capability. Fully ambidextrous controls and twin locking clamp free-floating handguards with MLOK are just some of the M400 SDI features that produce the ultimate competition, tactical, or modern sporting pistol platform.



SHARED FEATURES

- Free-floating M-LOK® handguard
- Fully ambidextrous: selector, mag release, and charging handle and bolt catch
- 30-round magazine



CUSTOM WORKS

M400 SDI PISTOL

- Chambered in 5.56NATO
- 10.5" lightweight M-LOK® handguard
- SIG MATCHLITE™ flat blade trigger
- SIG PDW grip
- Magpul BSL brace



M400 SDI PATROL

- Chambered in 5.56NATO
- 16" lightweight M-LOK® handguard
- SIG MATCHLITE™ DUO trigger
- Reduced angle grip
- Magpul SL stock



Free-floating M-LOK handguard



Fully ambidextrous: selector, mag release, and charging handle and bolt catch

	M400	SKU	Caliber	Action Type	Operating System	Stock Type	Forend Type	Weight w/Mag (lb)	Overall Length (in)	Collapsed Length (in)	Barrel Length (in)	Rifling	Trigger Type	Mag Type	Mag Capacity
	M400 SDI PISTOL	PM400-SDI-IIB	5.56 NATO	Semi-Auto	Direct Gas Impingement	Shockwave Brace	Free-Floate M-LOK	5.15	27.0	N/A	11.5	1:7	2-Stage	AR-15	30
	M400 SDI PATROL	RM400-SDI-16B-P	5.56 NATO	Semi-Auto	Direct Gas Impingement	SL-K Stock	Free-Floate M-LOK	5.15	27.0	N/A	11.5	1:7	2-Stage	AR-15	30
	M400 DH3	RM400-SDI-16B-DH3	.223 Wylde	Semi-Auto	Direct Gas Impingement	SL-K Stock	Free-Floate M-LOK	7.0	30.8	N/A	16.0	1:8	2-Stage DH3	AR-15	30

All specifications subject to change | Complete specifications online at SIGSAUER.COM | Accessories on Page 196



DANIEL HORNER
Pro Shooter
TEAM SIG

CROSS™ RIFLE

PRECISION HUNTING BOLT-ACTION RIFLE

Introducing the CROSS, a hybrid hunting/precision Crossover rifle which has redefined the traditional hunting rifle. Ultra-light, compact, and fully adjustable to the user, the CROSS sets a new standard for what the hunting rifle should be for the avid backcountry hunter.

.308WIN

6.5CREEDMOOR

277SIG FURY



CROSS

- 16" (277) (308) / 18" (6.5) barrels
- 2-stage match trigger
- Fully adjustable folding SIG precision stock
- Lightest, most portable rifle in its class (6.5lbs - 16" & 6.8lbs - 18")

SHARED FEATURES

- 2-stage match trigger
- Fully adjustable folding SIG precision stock
- Free floating M-LOK® handguard
- One-piece aluminum receiver for increased accuracy
- SIG match grade stainless barrel
- Removable top mounted picatinny rail
- Threaded, tapered muzzle

FIRST LITE® CIPHER

- Available in 16" (277) (308) / 18" (6.5) barrels
- 2-stage match trigger
- First Lite Cipher finish



BORN & RAISED EDITION

- 24" light contour barrel
- Cerakote® upper and lower receiver
- Enhanced 15" integrated ARCA swiss handguard
- M-LOK cold weather foregrip



CROSS PRS

- Precision Rifle System
- 2-stage match trigger
- 24" heavy contour precision barrel
- Steel Precision stock and bag rider
- Steel top rail and grip insert
- Free-floating M-LOK® handguard with steel ARCA swiss rail



	CROSS	SKU	Caliber	Action Type	Stock Type	Forend Type	Weight w/Mag (lb)	Overall Length (in)	Collapsed Length (in)	Barrel Length (in)	Rifling	Trigger Type	Mag Type	Mag Capacity
	CROSS RIFLE	CROSS-308-16B / CROSS-277-16B / CROSS-65-18B	.308 / .277 / 6.5	Bolt	SIG Precision Stock	Free-Float M-LOK	6.5 / 6.8	36.5 / 38.5	25 / 27	16 / 18	1:10 / 1:8.5 / 1:8	2-Stage Match	AICS	5
	FIRST LITE CIPHER	CROSS-308-16B-FLC / CROSS-277-16B-FLC / CROSS-65-18B-FLC	.308 / .277 / 6.5	Bolt	SIG Precision Stock	Free-Float M-LOK	6.5 / 6.8	36.5 / 38.5	25 / 27	16 / 18	1:10 / 1:8.5 / 1:8	2-Stage Match	AICS	5
	CROSS 24" BRO	CROSS-65-24B-BRO	6.5	Bolt	SIG Precision Stock	Free-Float M-LOK	7.2	44.5	33	24	1:8	Single Stage Match	AICS	5
	CROSS 24" PRS	CROSS-65-24B	6.5	Bolt	SIG Steel Precision Stock	Free-Float M-LOK	15.4	44.5	33	24	1:8	Single Stage Match	AICS	5

AMMUNITION





SIG FURY™

SIG FURY ACCUBOND® AMMUNITION

SIG FURY Hybrid case ammunition represents the biggest innovation in ammunition technology in more than 100 years, and now SIG SAUER® is pairing this revolutionary case design with the advanced Accubond bullet from Nosler®. SIG FURY Accubond hunting ammunition delivers increased speed and greater energy on target for maximum effectiveness.



277FURY

SHARED FEATURES

- FURY hybrid case technology delivers greater velocity for increased on-target performance
- Utilizes the Nosler Accubond 150 grain big game bullet
- Hybrid case designed for higher muzzle velocity in shorter barrel length
- Loaded to exacting standards for consistency and reliability

NEXT GENERATION

FURY REVOLUTIONARY HYBRID AMMUNITION

Developed for the U.S. Military's Next Generation Weapons System, the new SIG FURY™ hybrid-case ammunition outperforms standard ammunition in similar calibers, with greater velocity, decreased bullet drop and increased energy on target. SIG FURY hybrid-case ammunition, the next generation of ammunition is here.



FEATURES

1. Projectiles manufactured to exacting standards for consistency and accuracy
2. Hybrid brass and stainless steel shell case allows for higher pressure loading for increased velocity from short barrels

FURY



ACCUBOND
277 SIG FURY
150 grain

PERSONAL DEFENSE

JACKETED HOLLOW POINT PISTOL CARTRIDGES


SIG ELITE DEFENSE V-CROWN® defensive rounds combine perfected material specifications and fine-tuned design innovations. Featuring a stacked hollow point cavity, to deliver exceptional on-target energy, with maximum weight retention and optimal expansion for the ultimate in stopping power.



VCROWN® 365


E9MMA1-365-20
E9MMA1-365-50





ELITE DEFENSE

E10MM1-20 / E357M1-20 / E357S1-20 / E380A1-20 / E38SP1-20 / E38SU1-20 / E40SW1-20 / E40SW2-20 / E44MA1-20 / E44SP1-20 / E45AP0-20 / E45AP1-20 / E45AP2-20 / E45LC1-20 / E9MMA1-20 / E9MMA2-20 / E9MMA3-20 / E10MM200-20 / E357S1-50 / E380A1-50 / E40SW1-50 / E40SW2-50 / E45AP0-50 / E45AP1-50 / E45AP2-50 / E9MMA1-50 / E9MMA2-50 / E9MMA3-50



FEATURES

1. V-Shaped jacket with skives and scores to provide controlled, uniform expansion
2. Patented stacked hollow point bullet design with additional hollow point cavity
3. Unique, toothed cannelure ensures maximum weight retention and terminal expansion
4. Nickel-coated cases provide enhanced lubricity, superior corrosion resistance, and reliable feeding and extraction
5. Low-flash propellant
6. Consistent primers




RANGE / TRAINING

PERFORMANCE TRAINING AMMUNITION

SIG SAUER® full metal jacket cartridges are engineered to deliver maximum performance so you can train harder with greater accuracy and reliability. Produced with the cleanest burning powders, premium brass cases and the most consistent primers available.



E10MB1-50 / E357B1-50 / E357MB-50 / E380B1-50 /
E38SB1-50 / E38SUB-50 / E40SB2-50 / E45BA3-50 /
E9MMB1-50 / E38SB2-50 / E9MMB3-50



FMJ RIFLE

E556B1-20 / E223B1-20 /
E300B1-20 / E308B1-20 /
E277SFB135-20



FEATURES

1. Full metal jacket projectiles ballistically matched to ensure the same point-of-impact as personal defense and duty ammunition
2. Lead core
3. Precision manufactured brass cartridge cases
4. Clean burning powders
5. Consistent primers



MATCH GRADE



PRECISION MATCH GRADE RIFLE CARTRIDGES

SIG Marksman and Marksman Elite rifle cartridges are engineered to excel in today's precision auto-loading platforms, as well as bolt-action rifles. Utilizing optimized shell case metallurgy and premium primers, each round is precision-loaded using state-of-the-art, electromechanical monitoring for geometric conformity, and all are 100% inspected.

- Minimal Velocity Variation
- Precision Loaded for Conformity
- Renowned Sierra® Matchking® Projectile
- Temperature-Stable Propellants

U.S. ARMY CONTRACTING COMMAND .300 WIN MAG AMMUNITION

SIG SAUER Ammunition, known for quality and accuracy, was selected by the U.S. Army to manufacture the MK248 MOD 1 and MOD 0 .300 Win Mag ammunition for use in U.S. Military Sniper Platforms.



OTM RIFLE

6MMC2-20 / E260M2-20 / E65CM1-20 /
E308M1-20 / E308M2-20 / E3006M2-20 /
E3WMM1-20



FEATURES

1. Open-tipped match designed to maximize BC
2. Thin jacket design for precise concentricity
3. Bullet weights are held within +/- 0.3 grains
4. Temperature-stable propellants
5. Brass cases are 100% inspected and lot controlled
6. Industry leading primers are unmatched in power and performance



MARKSMAN


MARKSMAN ELITE

COMPETITION



COMPETITIVE PISTOL CARTRIDGES

SIG Match Elite Competition loads have been designed in conjunction with Team SIG for the serious competitive shooter who needs an accurate and completely reliable competitive round. Currently offered in a 9mm, with either a 115 or 147 grain projectile and loaded in a premium nickel case for improved function and feeding. The round utilizes a reduced charge weight with a fast-burning powder, so felt recoil has been reduced significantly for improved accuracy, better gun control, and higher scores.



FEATURES

1. V-Shaped jacket with skives and scores to provide controlled, uniform expansion
2. Patented stacked hollow point bullet design with additional hollow point cavity
3. Unique, toothed cannelure ensures maximum weight retention and terminal expansion
4. Nickel-coated cases provide enhanced lubricity, superior corrosion resistance, and reliable feeding and extraction
5. Low-flash propellant
6. Consistent primers

MAX MICHEL CAPTAIN TEAM SIG

"As a World Champion competitive shooter, I want and need the best. Therefore, I wanted to create a load that was soft shooting, yet clean, consistent and extremely accurate. We found that with our 147gr V-Crown projectile, nickel casing and match propellant. Together, the folks at the SIG SAUER Ammunition and Team SIG have created a round that is extremely accurate, clean, and consistent. I couldn't be prouder to have been a part of such a successful product. When the 9mm 115 and 147gr Match Elite is fueling my X5 Legion, I truly feel there is no better combo out there and it gives me a clear advantage on the range."




*When measured from Max Michel's match pistol

HUNTING



TIPPED LEAD CORE HUNTING CARTRIDGES

SIG SAUER® ELITE SERIES TIPPED ammunition gives the serious sportsman unmatched, long-range accuracy, with devastating on-target performance. Massive expansion delivers instant knockdown and terminal energy on small to medium game.



FEATURES

1. Translucent yellow tip increases ballistic coefficient, improves terminal performance, and aids in consistent reliable chambering
2. Exclusive jacket design delivers devastating on-game performance for small to medium game at extended ranges
3. Enhanced boat-tail design provides superior flight characteristics over a wide range of velocities
4. Custom formulated and precision loaded powders deliver consistent velocities regardless of atmospheric conditions
5. Nickel-plated cases aid in extraction while providing significant anti-corrosion qualities
6. Industry leading primers are matched to proprietary powder blends to ensure dependable ignition



HUNTING


ACCUBOND® HUNTING CARTRIDGES

SIG SAUER® ELITE HUNTER TIPPED ammunition gives the serious sportsman unmatched, long-range accuracy, with devastating on-target performance. Massive expansion delivers instant knockdown and terminal energy on small to medium game.



ELITE SERIES ACCUBOND®

E65CMAB140-20 / E308AB165-20 / E270AB150-20 /
E3006AB180-20 / E7RMAB160-20 / E3WMAB180-20



FEATURES

1. Unique white polymer tip assures accuracy, smooth chambering and eliminates tip damage during recoil
2. Tapered copper-alloy jacket for lethal penetration and uniform expansion with maximum weight-retention and minimal barrel fouling
3. Proprietary bonding process eliminates all possibility of component separation
4. Lead-alloy core engineered for balanced expansion
5. Boat-Tail Design configuration combines with the streamlined polymer tip for long-range performance and for easier loading
6. Custom-formulated and precision-loaded powders deliver consistent velocities regardless of atmospheric conditions
7. Nickel-plated cases aid in extraction while providing significant anti-corrosion qualities
8. Industry leading primers are matched to proprietary powder blends to ensure dependable ignition



HUNTING

SOLID COPPER HUNTING CARTRIDGES

SIG ELITE SERIES COPPER rounds use premium-quality powders and primers for minimum velocity variation and yield a 1.8x diameter expansion. Perfected for easy rifle feeding, with an optimized nose geometry, and premium nickel-plated shell casings that deliver consistently reliable accuracy for taking down game.



ELITE SERIES COPPER

E223H1-20 / E300H1-20 / E243H1-20 / E6MMCH1-20 /
E260H1-20 / E65CH1-20 / E270H1-20 / E308H1-20 /
E3006HI-20 / E3WMHI-20



FEATURES

1. Optimized nose geometry for easy rifle feeding
2. Consistent 1.8X diameter expansion
3. Lead-free monolithic copper bullet
4. Proprietary powder blends to ensure dependable ignition
5. Premium nickel-plated shell casings that deliver consistently reliable accuracy for taking down game
6. Industry leading primers are matched to proprietary powder blends to ensure dependable ignition



HUNTING

ELITE SERIES VARMINT & PREDATOR CARTRIDGES

SIG Elite Series Varmint & Predator rounds utilize yellow tipped projectiles designed specifically for explosive expansion and unmatched accuracy. All loads feature projectiles yielding higher muzzle velocities and aerodynamic bullet designs to maximize flat trajectory.



ELITE SERIES VARMINT & PREDATOR

E223V1-20 / E223V2-20 / E300H2-20 / E300H2-SBR-20 /
E225V1-20 / E243V1-20



300BLK 205GR

E300B1-20

FEATURES

1. Yellow tip increases ballistic coefficient, improves terminal performance, and aids in consistent reliable chambering
2. Jacketed lead-core bullet designed for explosive fragmentation and quick take-down on varmints
3. Custom-formulated and precision-loaded powders deliver consistent velocities regardless of atmospheric conditions
4. Brass cases aid in extraction while providing significant anti-corrosion qualities
5. Industry leading primers are matched to proprietary powder blends to ensure dependable ignition



COMPONENTS



BAGGED BRASS

Elite Performance Ammunition shell cases are engineered to exacting tolerances and available for multiple pistol and rifle calibers. The geometric consistency of these premium brass cases ensures each primer is held tightly in its pocket. Flash holes are precise with no burrs and the superior metallurgical properties of the SIG SAUER® cases enable repeated reloading. All Elite Performance rifle shell cases are induction annealed for consistent bullet retention.

THE BEST RELOADING BRASS
MANUFACTURED IN THE U.S.A.

FEATURES

1. Engineered for precision hand loaders
2. Exceptional concentricity of the mouth for improved accuracy
3. Engineered to exacting standards; each brass case undergoes rigorous in-line and post-production quality assurance testing to ensure a flawless casing
4. Flash holes are precise with no burrs
5. Superior metallurgical properties of the SIG SAUER® cases enable repeated reloading
6. SIG Elite rifle shell cases are induction annealed for consistent bullet retention
7. All shell cases are 100% inspected by advanced metrology equipment that measures every dimensional aspect of the case.



CALIBER	QTY/BAG	SKU
380 AUTO	100	BP1002
9MM	100	BP1003
357 SIG	100	BP1005
38 SPL	100	BP1007
357 MAG	100	BP1008
40 S&W	100	BP1009
10MM	100	BP1010
45 AUTO	100	BP1011
223 REM	100	BR2004
22-250 REM	50	BR2005
243 WIN	50	BR2006
6MM CM	50	BR6MMCM
6.5 CM	50	BR2011
260 REM	50	BR260REM
270 WIN	50	BR2018
7MM REM	50	BR2024
300 BLK	50	BR2029
308 WIN	50	BR2030
30-06 SPG	50	BR2031
300 WIN MAG	50	BR2033
338 NORMA	25	BR338NM



ELECTRO-OPTICS





ELECTRO-OPTICS



SIG SAUER® ELECTRO-OPTIC INFINITE GUARANTEE*

- Lifetime Guarantee
- No Warranty Card Required
- No Receipt Required
- No Time Limit Applies
- No Charge
- Fully Transferable



ELECTRONIC AND TRITIUM LIMITED LIMITED 5-YEAR WARRANTY

Covers any defects in materials and workmanship in the electronic and tritium components of illuminated riflescopes/sights, pistol sights, electronic sights, flashlights, lasers, binoculars, spotting scopes, and rangefinders for five years from the date of manufacture.

EMBEDDED APPLIED BALLISTICS®

BDX-U™ Applied Ballistics Ultralight™

Applied Ballistics Ultralight is the streamlined ballistic calculator developed with Applied Ballistics and integrated into all BDX® products. Ballistic solutions are provided out to a maximum of 800 yards.

BDX-X™ Applied Ballistics External

Applied Ballistics External allows external devices such as a Kestrel or Garmin Foretrex to compute AB Elite solutions and communicate the firing solution back to select BDX enabled devices.

BDX-E™ Applied Ballistics Elite™

Applied Ballistics System embeds Applied Ballistics Elite on-board select products with integral environmental sensors to calculate complete ballistic solutions out to the effective range of any firearm.



D.A.R.C.

(Dark Adaptive Reticles & Coatings) Specialized lens coatings and reticle brightness settings that are optimized for use with GEN 3+ night vision devices



MAGNETAC™

MAGNETAC (Magnetic Activation) A sensor in the optic detects a Neodymium magnet inside a compatible holster, to automatically turn the optic off when holstered, conserving battery life. When the weapon is drawn from the holster, the optic instantly turns on to the last setting used.



SBT® SIG Ballistic Turret

A custom, laser-etched elevation dial on most SIG SAUER® TANGO® and WHISKEY® riflescopes

Matched to the ballistics of the shooter's system at no extra cost

Inputs bullet specifications, ballistic coefficient, muzzle velocity, elevation, and other environmental factors

Allows for correct bullet drop compensation and pinpoint accuracy at any range



LOCKDOWN® Zero System

Zero stop-locking turret allows a rapid return to zero

Eliminates concern about how far to turn the elevation dial to return to zero



STEALTH ID™

Deflection armor trapezoidal surfacing breaks up the shape and visibility of the optic

Slide serrations and grip checkering add function to the form of all SIG SAUER Electro-optics



HELLFIRE® Reticle

Electronically illuminated utilizing an advanced fiber optic technology

Varies the light intensity of the central aiming point from night vision compatible to HELLFIRE bright for daylight illumination

Results in a bright, defined aiming point for precision shot placement in any condition



LEVELPLEX® Digital Anti-Cant System

Utilizes an Integrated Digital Level that is Accurate to +/- 0.5° Available in any WHISKEY5 or TANGO6 with a side focus

Auto LEVELPLEX Mode Calibrates Level Sensitivity to Distance Ranged to Target



MEGAVIEW™

Provides massive field of view (FOV), allowing faster target acquisition

Enhances awareness of objects in the shooter's periphery



ALT™ Aspheric Lens Technology

Eliminates aberration, reduces weight, and helps to focus the projected image through the lenses

Superior low-distortion optical performance



SPECTRACOAT™

Highly efficient, ultra-wide broadband, anti-reflection lens coatings

Reduces surface reflections to extremely low levels across the entire visible spectrum

Provides superior light transmission



HDX® High Definition Transmittance

Comprises both high definition (HD) and high transmittance (HT) glass
Ultra-high resolution, optical performance, and light transmission



LENSARMOR™

Abrasion-resistant lens coatings
Extreme durability ensures the lenses on the scope will stay sharp, bright, and clear



LENSHIELD™

Mil-spec oleophobic coating
Sheds water, oil, and gunk, to ensure a clean sight image at all times



MOTAC™ Motion Activated Illumination

Motion-sensing technology
Powers up illumination when sensing motion, and powers down when it does not, extending battery life



SOLAR POWERED ILLUMINATION

Powered by a solar cell
Extends runtime and improves daylight brightness of the reticle with or without a battery



TRUHOLD™

Lockless zeroing system
Utilizes quad adjustment springs designed and torture-tested to endure handgun recoil and return to zero shot after shot



OIS Optical Image Stabilization

Proprietary SIG optical image stabilizer system
Gyroskopically stabilized to cancel out unwanted shaking and vibrations that can blur an image, especially at higher magnification levels



AMR™ Angle-Modified Range

Ranging technology using an on-board inclinometer
Reads incline / decline angle and modifies the effective ballistic shooting range to the target
Equivalent horizontal range, that integrates perfectly when used with SIG ballistic turret dials



LIGHTWAVE DSP™ Digital Signal Processing

Leverages HyperScan, and advanced power management technique, providing the fastest refresh rate in scan mode (4 times per second)
Uses the latest generation field-programmable gate array (FPGA)

Reduces false positives while finding weak or distant targets



HYPERSCAN™

Features the fastest, most accurate range acquisition algorithms by analyzing targets 4 times per second and displaying the results on stationary or moving targets within a quarter of a second.



LUMATIC OLED DISPLAY

Proprietary OLED (Organic Light Emitting Diode) display ambient light sensor continuously monitors light conditions and adjusts the display brightness accordingly

No other display offers this adaptive ability to prevent the shooter's pupil from constricting in low-light conditions



90° POWERCAM™ MOUNT

Quick flip away mount for fast transitions from near to far distance targets

No button actuator for rapid single-handed operation point for precision shot placement in any condition



KinETHIC® Kinetic Energy Indicator

KinETHIC Kinetic Energy Indicator

Allows a hunter to set a threshold in either ft-lbs or fps for the ethical harvest of game animals. BDX will compute distance ranged and indicate when you drop below the user-set threshold for energy or speed of bullet on target



BDX® 2.0

Software update that includes a new easy mode for quick BDX setup out of the box, including:

BDX QuickBond™ system gives users the ability to bond two BDX enabled devices without the smartphone app

BDX equipped KILO® rangefinders preloaded with ballistic groups for centerfire rifles, muzzleloaders, and crossbows

100% compatible with BDX smartphone app to access the advanced BDX features in configuration options

WEAPONSgrade® Polymer

Optimized for use with polymer pistols

Lightweight textured polymer



BDX® 2.0

WHAT IS BDX?

SIG SAUER® has built on the success of BDX, adding features and benefits that allow hunters and shooters to 'hit the ground running' with their BDX systems. All BDX rangefinders now come preprogrammed with 9 ballistic profiles that cover most centerfire rifle cartridges, as well as crossbows and muzzleloaders. BDX combo kits will now come pre-bonded from the factory. All users have to do is mount and zero their riflescopes. If users want to unlock the complete feature set of BDX, they are still able to do this via the smartphone app.

BDX RANGEFINDER

QuickBond™ for app-less bonding of BDX equipped rangefinders and sights

There is no need for the smartphone app to connect your BDX devices.

Simply press and hold two buttons and your BDX rangefinder will bond with the nearest BDX enabled sight.

Pre-loaded ballistic groups now available on KILO® BDX rangefinders to quickly get you on target

Every BDX rangefinder now comes preloaded with 9 distinct ballistic groups.

These groups represent the ballistics for each popular centerfire caliber available, as well as crossbows and muzzleloaders. Simply pick the group that matches your caliber.

Download the BDX app to unlock the full, advanced capabilities and features of the BDX system

Setup a custom profile utilizing the Applied Ballistics® bullet library and the exact muzzle velocity of your firearm. BDX will do the rest.

BDX RIFLESCOPE

The powerful SIERRA3BDX and SIERRA6BDX riflescopes revolutionize the art of holdover calculation. Again, set your ballistic profile in the SIG BDX app, sync the app with your riflescope and then configure multiple holdover points in the digital ballistic reticle. When you view your target through the reticle each of your exact holdover points is illuminated. No more turrets to adjust or calculations to make.

BDX SYSTEMS

When used together, KILO BDX rangefinders and BDX equipped riflescopes combine to create the most advanced optics system available on the market today. Simply configure your ballistics profile in the BDX app, pair your KILO BDX rangefinder with the app, and then bond it to your BDX equipped riflescope. When you range your target the KILO BDX rangefinder automatically sends your specific holdover data to your BDX equipped riflescope giving you an illuminated holdover dot. It's simple and fast.

CONNECT THE DOT®.

Powered by:



Learn more about the BDX System at sigsauer.com/electro-optics

THE WORLD'S MOST ADVANCED

RIFLESCOPES

- BDC reticle is customized to shooter's ballistics and environmental profile prior to hunting
- BDC reticle can be set with up to eight holdover dots at any distances out to 800 yards
- Digital Focal Plane™ reticle scales with zoom like a first focal plane riflescope
- HD Glass and Spectracoat™ lens coatings
- LEVELPLEX® digital anti-cant system



RANGEFINDERS

- Embedded Applied Ballistics' Ultralite engine with extensive bullet library with support for G1/G7 drag curves
- Save up to 25 custom ballistic profiles in the SIG BDX app
- Active ballistic profile and environmental sync to rangefinder
- Windage and elevation holds in MOA or MILS with every target ranged
- Lightwave DSP™ leverages 4x/second HyperScan™ and RangeLock technologies for the fastest ranging performance



Ballistic Data Xchange

OPTICS SYSTEM

SIG SAUER® Electro-Optics transforms hunting with the unprecedented simplicity and accuracy of BDX®. KILO® BDX rangefinders use your ballistics and Bluetooth® to illuminate the exact holdover dot in BDX equipped riflescopes. For the most accurate and ethical shot, just **CONNECT THE DOT**®.



SIERRA6BDX™



SOSBDX65111

- 34mm maintube
- Digital focal plane BDX-R2 reticle
- Seamlessly pairs with BDX enabled devices to provide exact holdovers based on measured target distances
- User-customizable ballistic data provides hold-over dots
- Side focus allows users to remove parallax



Ballistic Data Xchange

RIFLESCOPES WITH BALLISTIC DATA XCHANGE

Built upon SIERRA3 award-winning technology, and the SIG SAUER® BDX Ballistic Data Xchange technology, the SIERRA6 family of riflescopes provides the hunter or marksmen with an intelligent auto-holdover specific to their ballistics, target, and environment. Pairing a SIERRA6 to a BDX equipped rangefinder allows users to bring the capability of Applied Ballistics® into the field without the need for a mobile device.

30mm Maintube

34mm Maintube

SHARED FEATURES

- Blue LED on eye piece indicates when Bluetooth® is paired to KILO® BDX rangefinder
- HDX® glass and coatings for the best optical quality in its class integrated BDX ballistic data xchange 2.0 with up to 95% light transmission
- Advanced HDX 6x optical system
- Automatic hold-over dot on a digital focal plane
- Ballistic profiles compatible with centerfire, muzzle loader, and crossbow platforms
- Innovative KinETHIC® Kinetic energy transfer indicator for ethical shots
- Dependable waterproof and fog-proof performance (IPX-7 for complete immersion up to 1 Meter)
- Argon purged for an enhanced lifetime of performance
- LEVELPLEX® with auto LEVELPLEX mode

SIERRA6BDX 3-18X44

SOSBDX63111

- 30mm maintube
- Digital focal plane BDX-R2 reticle
- Seamlessly pairs with BDX enabled devices to provide exact holdovers based on measured target distances
- User-customizable ballistic data provides hold-over dots
- Side focus allows users to remove parallax



SIERRA6BDX 2-12X40

SOSBDX62111

- 30mm maintube
- Digital focal plane BDX-R2 reticle
- Seamlessly pairs with BDX enabled devices to provide exact holdovers based on measured target distances
- User-customizable ballistic data provides hold-over dots



The BDX-R2 Digital Ballistic Reticle GEN II High Resolution LED display doubles the amount of available hold-over dots giving users greater accuracy and resolution to each shot. The reticle has aiming aids to help align elevation and wind indicators.



SIERRA3BDX™



SOSBDX36111

- 30mm maintube
- Provides holdover dot for hunting out to 800 yards
- Digital focal plane BDX-R1 reticle subtends with zoom
- Blue LED on power selector Indicates when Bluetooth® is paired to KILO BDX rangefinder
- Side focus allows users to remove parallax



Ballistic Data Xchange


RIFLESCOPES WITH BALLISTIC DATA XCHANGE

Disguised within the form factor of a traditional riflescope lies the power of the SIG SAUER® BDX Ballistic Data Xchange. The SIERRA3BDX riflescope provides the hunter with an illuminated auto-holdover dot on targets when coupled with a BDX-capable KILO® rangefinder.

30mm Maintube

SHARED FEATURES

- Integrated BDX Ballistic Data Xchange 2.0
- Automatic holdover dot on a digital focal plane
- Ballistic profiles compatible with center-fire, muzzle-loader, and crossbow platforms
- Innovative KinETHIC® kinetic energy transfer indicator
- Dependable waterproof and fog-proof performance (IPX-7 for complete immersion up to 1 meter)
- LEVELPLEX® with auto LEVELPLEX mode
- Provides holdover dot for hunting out to 800 yards
- Digital focal plane BDX-R1 reticle sub-tensions correct with zoom
- Blue LED on power selector indicates when Bluetooth® is paired to KILO BDX rangefinder
- HD Glass and coatings for the best optical quality in its class



The BDX-R1 Digital Ballistic Reticle

SIERRA3BDX 4.5-14X50

SOSBDX34112

- 30mm maintube
- Provides holdover dot for hunting out to 800 yards
- Digital focal plane BDX-R1 reticle subtends with zoom
- Side focus allows users to remove parallax



SIERRA3BDX 4.5-14X44

SOSBDX34111

- 30mm maintube
- Provides holdover dot for hunting out to 800 yards
- Digital focal plane BDX-R1 reticle subtends with zoom
- Side focus allows users to remove parallax

SIERRA3BDX 3.5-10X42

SOSBDX33111


- 30mm maintube
- Provides holdover dot for hunting out to 800 yards
- Digital focal plane BDX-R1 reticle subtends with zoom



SIERRA3BDX 2.5-8X32

SOSBDX32111

- 30mm maintube
- Provides holdover dot for hunting out to 800 yards
- Digital focal plane BDX-R1 reticle subtends with zoom



KILO® BINOCULARS



KILO10K-ABS HD 10X42



SOK10K11

- Gen II lightwave DSP ranging engine with extended range (XR) mode
- Onboard environmental sensors for real-time ballistic calculations
- Drop remote waypoints with Basemap app
- Applied Ballistics Elite with complete AB bullet database and custom drag curves
- Active Matrix OLED display provides graphical real-time ballistics information

RANGES

Up to
3,000 YDS
DEER

Up to
4,000 YDS
TREES

Up to
10,000 YDS
REFLECTIVE

BDX® BALLISTIC DATA XCHANGE LASER BINOCULARS

Featuring SIG SAUER® BDX® technology, the SIG SAUER Kilo binoculars are the world's most advanced laser rangefinders. When paired with a BDX-enabled product, the onboard Applied Ballistics calculator sends ballistic drop data via Bluetooth® directly to the BDX sight, providing an illuminated holdover dot and wind hold. Download the free BDX App for iOS or Android to setup ballistic profiles and synchronize custom profiles to your KILO® for exact ballistic solutions.

10X42mm

10X32mm

8X32mm

SHARED FEATURES

- HyperScan™ technology provides 4 range updates per second in scan mode while RangeLock™ reports the last range result when ranging distant targets
- Lumatic OLED display, continuously monitors light conditions & adjusts the display brightness accordingly
- Multi-position twist-up eyecups provide a custom fit for each user
- Compact, lightweight aluminum housing with dual diopter adjustment
- User-selectable target modes featuring First, Last, Best, Extended Range (XR) and Fog mode for pinpoint accuracy



Ballistic Data Xchange

Powered by:



KILO3000™ BDX 10X32

SOK31001

- BDX 2.0 enabled with low energy, long range Bluetooth.
- Applied Ballistics Ultralite with complete AB bullet database, up to 25 custom bullet profiles and 8 onboard ballistic groups.
- Applied Ballistics External, for use with compatible Garmin or Kestrel devices.
- Last, First, Best, Extended Range (XR), and Fog modes.



KILO6K™ HD 10X32

SOK6K104

- Gen II lightwave dsp ranging engine with extended range (xr) mode
- Onboard environmental sensors for real-time ballistic calculations
- Drop remote waypoints with basemap app
- Applied ballistics ultralite with complete ab bullet database, up to 25 bullet profiles and 8 onboard ballistic groups
- BDX 2.0 enabled with low energy, long range bluetooth



KILO6K HD 8X32

SOK6K804

- Gen II lightwave dsp ranging engine with extended range (xr) mode
- Onboard environmental sensors for real-time ballistic calculations
- Drop remote waypoints with basemap app
- Applied ballistics ultralite with complete ab bullet database, up to 25 bullet profiles and 8 onboard ballistic groups
- BDX 2.0 enabled with low energy, long range bluetooth



KILO® RANGEFINDERS



KILO8K™ RANGEFINDER

SOK8K701 (7X25MM)

- GEN II Lightwave DSP ranging engine with extended range (XR) mode
- Onboard environmental sensors and digital compass for real-time ballistic calculations
- Drop remote waypoints with Basemap app
- Applied Ballistics Elite with complete AB bullet database and custom drag curves
- Active-Matrix OLED display provides graphical real-time ballistics information



Ballistic Data Xchange

RANGES

Up to
2000 YDS
DEER

Up to
2500 YDS
TREES

Up to
8000 YDS
REFLECTIVE

LASER RANGEFINDER

Featuring SIG SAUER® BDX® technology, the KILO® BDX series of rangefinders are the world's most advanced laser rangefinders. When paired with a BDX-enabled product, the onboard Applied Ballistics Ultralight™ calculator sends ballistic drop data via Bluetooth® directly to the BDX sight, providing an illuminated holdover dot and wind hold. Download the free BDX App for iOS® or Android® to setup ballistic profiles and synchronize custom profiles to your KILO for exact ballistic solutions.

7X25mm

6X22mm

5X20mm

SHARED FEATURES

- 4X per second scan rate
- User-selectable target modes featuring Last or Best mode for pinpoint accuracy



KILO5K™

SOK5K705 (7X25MM)

RANGES

Up to
2000 YDS
DEER

Up to
2500 YDS
TREES

Up to
5000 YDS
REFLECTIVE



KILO1600BDX™

SOK16607 (6X22MM)

RANGES

Up to
800 YDS
DEER

Up to
1000 YDS
TREES

Up to
2000 YDS
REFLECTIVE



KILO1600™

SOK16608 (6X22MM)

RANGES

Up to
800 YDS
DEER

Up to
1000 YDS
TREES

Up to
2000 YDS
REFLECTIVE



KILO1000BDX™

SOK10602 (5X20MM)

RANGES

Up to
600 YDS
DEER

Up to
800 YDS
TREES

Up to
1200 YDS
REFLECTIVE



KILO1000™

SOK10001 (5X20MM)

RANGES

Up to
600 YDS
DEER

Up to
800 YDS
TREES

Up to
1200 YDS
REFLECTIVE



TANGO6T™



TANGO6T™ 1-6X24 FFP

SOT61231 / SOT61239 / SOT61240

- Designed for MSR/AR platforms
- Ideal for close to mid-range tactical engagements.
- Fiber-optic power indicator
- Multiple reticle options available
- Daylight bright illumination with locking illumination dial

THE CHOICE OF THE U.S. ARMY AND SPECIAL OPERATIONS

TANGO6T riflescopes have been selected by the U.S. Army and USSOCOM to deliver unmatched performance and optical clarity when it matters most. TANGO6T riflescopes are MIL-STD810G tested and approved and are assembled in the U.S.A.

30mm Maintube

SHARED FEATURES

- 6x super-zoom advanced optical system
- First and second focal plane reticles
- Throwlever included with all SKUs
- Fast focus eyepiece
- Waterproof (IPX-8 rated) and fog-proof performance
- Night vision illuminated reticle settings with locking dial
- Laser engraved mounting line to align riflescope to scope rings
- Flat dark earth anodized finish
- Assembled in the U.S.A.
- Designed for MSR/AR platforms

TANGO6T OPTIC HAS BEEN SELECTED BY:

The U.S. ARMY Squad Designated Marksman Rifle (SDMR)
USSOCOM Squad-Variable Powered Scope (S-VPS)
Department of Defense - Direct View Optic (DVO)




Assembled in the U.S.A.

TANGO6T 1-6X24 SFP

SOT61230

- 30mm Maintube
- Designed for MSR/AR platforms
- Ideal for close to mid-range tactical engagements.
- Fiber-optic power Indicator
- Multiple reticle options available
- HELLFIRE® Reticles: fiber-optics to vary intensity of central aiming point (SFP)
- Daylight bright illumination with locking illumination dial



1-6X24MM

FFP - 5.56/7.62 Horseshoe Dot
FFP - DWLR6
FFP - DWLR556


SFP - FL-6 HELLFIRE



6x super-zoom advanced optical system



Fast focus eyepiece, throwlever included with all SKUs



TANGO6™



TANGO6™ 5-30X56® WITH LEVELPLEX®

SOT65113 / SOT65114

- 34mm Maintube
- Long-range precision shooting, tactical engagements, and long-range hunting
- Fiber-optic power indicator
- Offered in FFP with multiple reticle options
- LEVELPLEX® anti-cant system


DESIGNED FOR TODAY'S COMMON MSR/AR AND BOLT ACTION PLATFORMS

The TANGO6 6X super-zoom riflescope family has you covered for mid to long-range engagements, precision rifle competitions to big game hunting. From bolt actions to MSR's, the TANGO6 is built for versatility.

34mm Maintube



SHARED FEATURES

- 6X super-zoom advanced optical system
- Sunshade included
- Fast-focus eyepiece
- Waterproof (IPX-7 rated) and fog-proof performance
- T-120 tactical turret with 120 clicks per revolution
- LEVELPLEX® anti-cant system




LEVELPLEX Digital Anti-Cant System utilizes an integrated digital level with user-selectable reticle cant detection at +/- 0.5° or +/- 1° sensitivity.

HDX®



MOA DEV-L



MRAD DEV-L

FREE CUSTOM SBT®
WITH SELECT TANGO6™ PURCHASES

5-30X56MM

DEV-L MOA Milling, FFP
DEV-L MRAD Milling, FFP



Fiber optic power indicator, Side focus allows users to remove parallax



Advanced HDX® 6x optical system



TANGO-MSR™



SOT61000

- 30mm Maintube
- Designed for MSR/AR platforms
- Ideal for close to mid-range tactical engagements.
- Fiber-optic power indicator
- Multiple reticle options available
- Illuminated reticle with 11 levels of brightness

INSPIRED BY THE BEST


Introducing the TANGO-MSR line of riflescopes by SIG SAUER. Featuring three new low-power variable optics loaded with standard features and offered at an incredible value.

30mm Maintube

34mm Maintube

SHARED FEATURES

- High performance optical system with low dispersion glass
- Integrated thread in throw lever for quick magnification changes
- Illuminated reticles with 11x brightness levels
- Lay flat flip back lens covers included
- Dependable waterproof, shockproof and fog proof performance
- All models includes ALPHA-MSR 1 piece aluminum cantilever mount



MSR BDC6
RETICLE

new

TANGO MSR 1-8X24 SFP

SOTM81000

- 30mm Maintube
- Designed for MSR/AR platforms
- Ideal for close to mid-range tactical engagements.
- Fiber-optic power Indicator
- Shown with included lay flat flip caps



TANGO MSR 1-10X28 SFP

SOTM11000

- 34mm maintube
- Designed for MSR/AR platforms
- Ideal for close to mid-range tactical engagements.
- Fiber-optic power Indicator
- Included lay flat flip caps not shown



All models includes ALPHA-MSR 1 piece aluminum cantilever mount



Fast focus eyepiece, throwlever included with all SKUs



TANGO4™



TANGO4™ 6-24X50 RIFLESCOPE

SOT46111 / SOT46112 / SOT46113 / SOT46114

- Designed for MSR/AR and bolt action platforms
- Long-range precision shooting, tactical engagements, and long-range hunting
- Fiber optic power indicator
- Offered in FFP with multiple reticle options
- LOCKDOWN® zero system

LONG RANGE PRECISION RIFLESCOPES

With a 4X zoom first-focal plane design, illuminated glass reticles, and revolutionary resettable zero turret, TANGO4 riflescopes are the ideal solution for mid to long-range tactical engagements, designated marksmen, competitive shooters, and hunters.

30mm Maintube

SHARED FEATURES

- 4X super-zoom advanced optical system
- Lensarmor™: Abrasion-resistant lens coatings
- Built-in throw lever included
- Resettable zero turret
- Low Dispersion (LD) glass provides optical clarity for any situation
- Lensehield™: Proprietary Mil-Spec oleophobic coating for clean images
- Waterproof (IPX-7 rated) and fog-proof performance
- Stealth ID™: Deflection armor surfacing for less detection



LENSARMOR™ Abrasion-resistant lens coatings for extreme durability ensures the lenses on your scope will stay sharp, bright, and clear.

TANGO4 4-16X44

SOT44111


- 30mm maintube
- Designed for MSR/AR and bolt action platforms
- Mid to long-range tactical engagements, designated marksman, and hunting
- Offered in FFP with multiple reticle options




TANGO4 1-4X24

SOT41111

- 30mm maintube
- Designed for MSR/AR and bolt action platforms
- Ideal for CQB / mid-range tactical engagements, 3-gun competitions and hunting
- Offered in FFP with multiple reticle options



5.56mm / 7.62mm
Horseshoe Dot




MOA/MRAD
MILLING



MOA/MRAD
DEV-L

1-4X24 MM	5.56/7.62 Horseshoe Dot FFP
4-16X44 MM	MOA Milling, FFP
	DEV-L MOA Milling, FFP
	DEV-L MRAD Milling, FFP
6-24X50 MM	MOA Milling, FFP
	MRAD Milling, FFP



WHISKEY3™



WHISKEY3™ 3-9X40

SOW33202 / SOW33204 / SOW33206

- 1 inch Maintube
- Designed for traditional / dangerous game hunting and MSR/AR platforms
- Extended long range scenarios, as well as low light shooting, and recreational shooting across a wide range of calibers
- Offered in SFP with multiple reticle options

HUNTING RIFLESCOPES

The WHISKEY3 riflescopes feature low dispersion glass, rugged chassis, and capped windage and elevation turrets. Its rugged, industrial design provides reliability and protection from the elements.

1 inch Maintube

SHARED FEATURES

- 1 inch Maintube
- 3X zoom optical system
- Stealth ID™: Deflection armor surfacing
- Lensarmor™: Abrasion-resistant lens coating
- HELLFIRE® Reticles: Fiber optics to vary intensity of central aiming point
- Low dispersion (LD) glass provides industry leading optical clarity
- European-style eyepiece for a smooth, fast, and precise reticle adjustment
- Waterproof (IPX-7 rated) and fog-proof performance
- 3X optical zoom, illuminated, and non-illuminated reticles
- Offered in second focal plane (SFP) and multiple reticles

WHISKEY3 4-12X50

SOW34201 / SOW34203 / SOW34205

- Designed for traditional / dangerous game hunting and MSR/AR platforms
- Medium and long-range engagements and recreational shooting across a wide range of calibers and light conditions



WHISKEY3 4-12X40

SOW34202 / SOW34204 / SOW34206

- Designed for traditional / dangerous game hunting and MSR/AR platforms
- Medium and long-range engagements and recreational shooting across a wide range of calibers and light conditions

WHISKEY3 3-9X50

SOW33201 / SOW33203 / SOW33205

- Designed for traditional / dangerous game hunting and MSR/AR platforms
- Short, medium and long-range engagements and recreational shooting across a wide range of calibers and light conditions




WHISKEY3 2-7X32

SOW32201 / SOW32202


- Designed for traditional / dangerous game hunting and MSR/AR platforms
- Short, medium and long-range engagements and recreational shooting across a wide range of calibers and light conditions



HELLFIRE[®]
QUADPLEX[®]



QUADPLEX



BDC-1
QUADPLEX



HELLFIRE Reticle is an electronically illuminated reticle system utilizing advanced fiber-optic technology to vary the light intensity of the central aiming point from dim to HELLFIRE bright for daylight illumination.



BUCKMASTERS®



SOBM33001

- Designed for traditional / dangerous game hunting and MSR/AR platforms
- Extended long range scenarios, as well as low light shooting, and recreational shooting across a wide range of calibers

new

1 inch Maintube

SHARED FEATURES

- 1 inch single piece maintube
- High performance 3X optical system with low dispersion glass
- Integrated thread in throw lever for quick magnification changes
- Buckmasters BDC reticle compatible with Buckmasters 1500 rangefinder
- Lay flat flip back lens covers included
- Dependable waterproof, shockproof, and fogproof performance

HUNTING RIFLESCOPES

The Buckmasters Rangefinder and Riflescopes were inspired by Jackie Bushman to bring the performance of SIG SAUER Electro-Optics at a value that is within reach for every hunter. The riflescopes feature a custom Buckmasters Bullet Drop Compensation (BDC) reticle that has holdover dots out to 500 yards. The rangefinder will provide lightning-fast ranging performance in a vivid, red illuminated display optimized for low-light hunting. As an extra value, the rangefinder can be used in "Buckmasters Mode" which comes equipped with 8 onboard ballistic groups, so the rangefinder can indicate which Buckmasters BDC holdover dot to use in your riflescope.

new

BUCKMASTERS 3-9X50MM

SOBM33002

- Designed for traditional / dangerous game hunting and MSR/AR platforms
- Medium and long-range engagements and recreational shooting across a wide range of calibers and light conditions

**new**

BUCKMASTERS 3-12X44MM

SOBM43001


- Designed for traditional / dangerous game hunting and MSR/AR platforms
- Medium and long-range engagements and recreational shooting across a wide range of calibers and light conditions

**new**


BUCKMASTERS 1500 LRF

SOK15601 (SOW33201 / SOW33203 / SOW33205)


- Vivid, Red Backlit LED Display with 9 adjustable settings
- Works with any Buckmasters Riflescope with BDC Reticle
- Eight Onboard ballistic groups for holdover in Buckmasters or MOA Mode
- Also available as a combo kit with each Buckmasters riflescope



BDC RETICLE



LRF DISPLAY



ROMEOZero™



SOR01000 (Circle-Dot) / SOR01030 (3 MOA)

- 1x24mm Distortion-free scratch resistant aspherical glass lens
- Circle-Dot or 3 MOA emitter with 8 daylight brightness settings
- Structurally enhanced steel shroud included for added protection
- Compatible with ROMEOZero, Shield RMS-c, J Point, and Deltapoint Pro footprint. Fits P365X/XL, Springfield Hellcat OSP, and Glock 43X/48X MOS

PREMIUM POLYMER OPEN REFLEX SIGHTS

The ROMEOZero line of open reflex sights, offer a long list of standard features and an incredible value. All models feature lightweight and durable WeaponsGrade molded polymer housings, distortion-free aspherical lenses and the latest generation of highly-efficient point-source LED emitters. The new ELITE, PRO and R models add scratch-resistant glass lenses, new reticle options, T.A.P. (Touch-Activated Programming), a Grade A Swiss SuperLuminova backup rear sight channel, and thicker carbon-infused housings for increased impact resistance.

1X24mm

1X30mm

SHARED FEATURES (ELITE, PRO, R)

- 8 vivid, user configurable daytime illumination levels
- MOTAC™ (Motion Activated Illumination System) that powers up when it senses motion and powers down when it does not
- Highly efficient, point source LED emitter for a crisp reticle that is 8 times more efficient than conventional red dots
- Distortion-free scratch resistant aspherical glass lens
- Molded rear backup sight notch with Grade A Swiss SuperLuminova channel for low-light situations
- T.A.P. (Touch-Activated Programming) and button-activated brightness and reticle selection modes
- Carbon-Infused WeaponsGrade® ultralight polymer housing provides increased shock and drop protection



Enhanced steel shroud included



Assembled in the U.S.A.



ROMEOZero™ PRO

SOR01100 (CIRCLE-DOT) / SOR01110 (10 MOA) / SOR01130 (3 MOA)


- Large 30mm glass aspherical lens with zero distortion
- Circle-Red Dot, 3 MOA, or 10 MOA Emitter Options with 8 Daylight Brightness Settings
- Compatible with all SIG PRO/R2 slide cuts, and all Deltapoint® Pro footprints




ROMEOZero R

SOR01200 (CIRCLE-DOT) / SOR01210 (10 MOA)


- Large 30mm glass aspherical lens with zero distortion
- Circle-Dot or 10 MOA Emitter Options with 8 Daylight Brightness Settings
- Compatible with all Trijicon® RMR footprints



3 MOA



10 MOA




CIRCLE-DOT




ROMEOZero

SOR01300 (3 MOA) / SOR01600 (6 MOA)

- 24mm SpectraCoat™ HD Polymer Lens with 10 times the impact resistance over traditional glass lenses
- WeaponsGrade™ Ultralight Polymer housing
- 3 or 6 MOA emitter options with 8 vivid, user configurable daytime illumination levels
- Molded rear backup sight notch that co-witnesses with a standard-height P365® front sight
- Steel Shroud Included for Added Protection
- Compatable with ROMEOZero, Shield RMS-c, J Point, and Deltapoint® Pro footprint. Fits P365X/XL, Springfield Hellcat® OSP, and Glock® 43X/48X MOS



3 MOA



6 MOA



ROME01PRO™



ROME01PRO™

SOR1P100 (3 MOA, BLK) / SOR1P101 (6 MOA, BLK) /
SOR1P103 (6 MOA, FDE)

- Aircraft grade CNC aluminum housing ensures a lifetime of reliable service
- Ruggedized protective steel shroud included for extreme durability
- New emitter offers a brighter dot, more brightness settings (10 daylight and 2NV), and a longer battery life (up to 20,000 hours)
- Compatible with all SIG SAUER PRO/R2 slide cuts



Available
in Black

MINIATURE OPEN REFLEX SIGHT

Designed for fast, responsive target acquisition and accuracy, the miniature, open-reflex ROMEO1PRO Red Dot sight was engineered to withstand the punishment of diverse environments.

1x30mm

SHARED FEATURES

- Molded glass aspherical lens for superior light transmittance and zero distortion
- Manual illumination controls that remember your last-used settings
- 3 or 6 MOA red dot with multiple brightness settings for rapid target engagement under a full-range of lighting conditions
- MOTAC™ (Motion Activated Illumination) powers up when it senses motion and powers down when it does not
- Top-loading CR1632 battery, allowing for quick battery replacement without removal from the firearm
- Waterproof (IPX-7 rated for complete immersion up to 1 meter) and fog-proof performance
- Designed for modern semi-automatic pistols, MSR platforms and shotguns
- TruHold™ Lockless Zeroing System that utilizes twin adjustment springs designed to endure handgun recoil and return to zero shot after shot
- Compatible with all SIG pistols with the PRO/R2 slide cut

ROMEO1™

SOR11000 (3MOA) / SOR11600 (6MOA)

- 1x30MM

- ROMEO1 is compatible with legacy optics-ready SIG SAUER® pistols, such as the original P320RX, Classic Line RX, and P320® X-FIVE™ pistols. It is not compatible with newer SIG SAUER optics-ready pistols that have the "PRO" slide cut. Those pistols accept the new ROMEO1PRO, ROMEOZero-PRO, or ROMEO2 optics.



ROMEO1 Shroud Kit
Also Available.
(SORISK001)



IDLE MOTION BEFORE
RETICLE TURNS OFF


2 MIN



Adapter Pack option available for Glock®, CZ-75, Springfield® XD, S&W® M+P, S&W Core, HK® P2000, 1911 standard, SIG SAUER® 1911, P220®, P226®, P227, P229®, P239®, P225®, and P320. Please see sigsauger.com for additional options.



3 MOA RED DOT
RED DOT



6 MOA



ROME02™



SOR21300 (3 MOA) / SOR21600 (6 MOA) /
SOR21010 (10MOA) / SOR21000 (Circle-Dot)

- Molded glass aspherical lens with high performance coatings for superior light transmittance and zero distortion
- 3, 6, or 10 MOA or Circle-Dot reticle with 15 brightness settings (12 daylight/3 NV) for rapid target engagement under a full range of lighting conditions
- TruHold™ Lockless Zeroing System that utilizes twin adjustment springs designed to endure handgun recoil and return to zero shot after shot

MIL-SPEC RED DOT SIGHT

The ROMEO2 is built for use in adverse conditions. A 3, 6, or 10 MOA or Circle-Dot reticle with 15 brightness settings ensures rapid target engagement. The sight features a high-efficiency, point source LED emitter and molded aspherical glass lens, utilizing a high-performance red notch reflector coating for excellent brightness and light transmittance with zero distortion. The 7075 aluminum housing and ruggedized steel shrouds protect the ROMEO2 from extreme impacts and drops. The ROMEO2 maintains 25,000 hours of battery life, comes with MOTAC to automatically power the optic on and off, and is compatible with all SIG pistols with the PRO/R2 slide cut.

1X30mm

STANDARD FEATURES

- Up to 25,000+ hour battery life at medium brightness settings with extreme brightness for outdoor use, plus multiple night vision levels
- Integrated anti-reflective rear sight notch for a full sight picture and co-witness with a front suppressor-height sight
- Side-loading battery, with no need to remove the optic from the firearm to change batteries
- 2 steel shrouds included for 3 different optic configurations, including fully enclosed and sealed with a polycarbonate rear window
- MOTAC™ (Motion Activated Illumination System) that powers up when it senses motion and powers down when it does not
- MAGNETAC™ (Magnetic Activation) that automatically turns the optic off when holstered in a compatible holster, and instantly turns the optic on when drawn from the holster
- D.A.R.C. (Dark Adaptive Reticles & Coatings technology) provides ideal reticle brightness and target clarity while using night vision devices
- High-strength 7075 CNC aluminum housing ensures a lifetime of Service
- Dependable waterproof (IPX-7 rated for complete water submersion up to 1 meter) performance



Assembled in the U.S.A.



OPEN



HALF SHROUD



FULL SHROUD (ENCLOSED)


2 steel shrouds included for 3 different optic configurations, including fully enclosed and sealed with a polycarbonate rear window



The emitter area can be fully enclosed and sealed with a polycarbonate rear window, to ensure the reticle is never interrupted



Engineered to fit all SIG SAUER pistols with the R2 or PRO slide cut




3 MOA RED DOT




6 MOA RED DOT



10 MOA RED DOT



CIRCLE-DOT



ROME03™



ROME03MAX™

SOR31003 (3 MOA) / SOR32003 (6 MOA)

- Developed in collaboration with Team SIG Captain, 20-time National Champion Max Michel
- Compact, open reflex sight featuring a 30mm wide, round lens design for superior field-of-view
- 3 MOA or 6 MOA dot with 12 brightness settings for rapid target engagement under a full range of lighting conditions
- Comes with a low-profile M1913 picatinny mount. An absolute co-witness riser mount is also available as an accessory
- Red-notch filter for vivid red dot and unrivaled optical clarity

Used by Max Michel to win the 2019 and 2020 USPSA Nationals in Carry Optics.

COMPACT OPEN REFLEX SIGHTS

The open reflex ROME03, ROME03MAX and ROME03XL Red Dot sights are the ideal sighting solution for MSR rifles, shotguns, carbines, submachine guns, and full-size handguns; designed with competitive shooters in mind.

1X25mm

1X30mm

1X35mm


SHARED FEATURES

- High transmittance red notch reflector for excellent brightness and zero distortion
- MOTAC™ (Motion Activated Illumination) powers up when it senses motion and powers down when it does not
- Extremely strong and lightweight aircraft grade CNC aluminum housing ensures a lifetime of reliable service
- Side-loading CR2032 battery, allowing for quick battery replacement without removal from the firearm
- Waterproof (IPX-7 rated for complete immersion up to 1 meter) and fog-proof performance

ROMEO3XL™

SOR31004 (3 MOA) / SOR32004 (6 MOA)

- 1x35mm
- The ideal sighting solution for MSR rifles, shotguns, carbines, submachine guns, and full-size handguns
- Comes with a low-profile M1913 picatinny mount. An absolute co-witness riser mount is also available as an accessory
- Crisp 3 or 6 MOA red dot for fast and accurate shooting
- Up to 25,000 hours of runtime on a single CR2032 battery
- Massive 35mm wide lens for superior field of view and fast target transition



3 MOA Red Dot 6 MOA Red Dot




3 MOA Red-Dot

ROMEO3™

SOR31002

- 1x25mm
- Designed for MSR rifles, shotguns, carbines, submachine guns, and full-size handguns
- Proprietary red-notch coating ensures bright red dot
- Manual illumination controls
- Comes with low profile and absolute co-witness M1913 mounts

ROMEO3MAX RETICLES




3 MOA RED DOT

6 MOA RED DOT



IDLE MOTION BEFORE

RETICLE TURNS OFF



ROME08™



ROME08T™ MIL-SPEC RED DOT SIGHT

SOR81002 (BLACK) / SOR81003 (FDE)

- Lightweight 7075 aluminum main housing and component
- Removable titanium shroud for ultimate optic protection from hard use
- Flip caps and anti-reflective device included
- MIL-SPEC 810G tested and approved
- Dependable IPX-8 waterproof: submersible to 20m for 30 minutes



Available
in Black

MIL-SPEC RED DOT SIGHT

With its wide field of view and forgiving eye-box, the battle-hardened ROMEO8T is ideal for rapid target engagement in any environment.

1X38mm

SHARED FEATURES

- High performance coatings for excellent light transmittance and red dot contrast in all situations
- Unlimited eye relief to acquire aiming point and target, regardless of eye position behind sight
- MOTAC™ (Motion Activated Illumination Systems) powers up when it senses motion and powers down when it does not
- Ultra-dependable waterproof and fog-proof performance
- Quad Ballistic Circle Dot reticle with ballistic holds and 10 Daytime and 2 NV Settings
- Integral 1.53" M1913 mount for optical device compatibility
- Large 38mm rectangular lens for rapid sight acquisition while moving, under passive NV, and alternate positions
- .5MOA adjustments for zeroing, with ballistic drops built into the reticle for distance shooting without dialing
- CR123A battery provides 100,000 hours at high-brightness setting
- 1/2" hex bolt maintains zero in extreme conditions
- Assembled in the U.S.A.




Assembled in the U.S.A.

ROMEO8H™ RED DOT SIGHT

SOR81001 (BLACK)

- 1X38mm
- Aircraft grade 6061-T6 aluminum
- Dependable IPX-7 waterproof: submersible to 1m for 30 minutes



IDLE MOTION BEFORE
RETICLE TURNS OFF



2 MOA Red Dot Ballistic Circle Dot



High-performance LENS coatings, flip caps and anti-reflective device included



Removable titanium shroud



ROME04™



ROME04T™ MIL-SPEC RED DOT

SOR43031 (BLACK) / SOR43032 (BLACK) / SOR43131 (FDE)

- Designed for AR platform pistols, MSR platforms, and shotguns
- Short and medium range engagements and recreational shooting across a wide range of calibers and light conditions
- MIL-SPEC 810G tested and approved
- Lightweight CNC 7075 aluminum housing ensures a lifetime of reliable service
- Runtime in excess of 100,000 hours with solar and CR2032 battery



Available
in FDE

COMPACT RED DOT / GREEN DOT SIGHTS

Chosen by elite government and military agencies, the ROME04 is the ultimate Red Dot sight when fast, accurate target acquisition is a must, regardless of lighting conditions, weather conditions, or terrain. Whether it's a moving target, dangerous game at full charge, or a fast-breaking tactical situation at close quarters, the rugged ROME04 Red Dot sight can handle the job. Battery and solar-powered options available.

1X20mm

SHARED FEATURES

- Unlimited eye-relief to acquire aiming point and target, regardless of eye position behind sight
- MOTAC™ (Motion Activated Illumination) powers up when sensing motion
- Utilizes an ultra efficient red LED illumination for daylight visibility and extended runtime
- Provides 12 illumination settings (10 daylight plus 2 NV) for visibility in all light conditions
- Strong and lightweight aircraft grade CNC aluminum housing (7075 grade on ROME04T)
- Absolute co-witness QR mount and low mount included (absolute co-witness 1/2" hex nut on ROME04T)
- Users can select from 4 different onboard reticle options, per model (dot, circledot, dot with holds, circledot with holds)
- Runtime in excess of 100,000 hours with solar and battery usage (ROME04T, ROME04DR, ROME04S)
- Comes standard with lens caps and mount
- Waterproof (IPX-8 rated) and fog-proof (ROME04T)
- Assembled in the U.S.A.

ROME04T OPTIC HAS BEEN SELECTED BY:

The U.S. ARMY Special Operations

Federal Bureau of Investigations (FBI)

Department of Homeland Security, Customs and Border Protection (CBP)

The U.S. Federal Government Bureau of Prisons



Assembled in the U.S.A.

ROMEO4DR™ RED DOT

SOR4111

- 1x20mm
- Short and medium range engagements and recreational shooting across a wide range of calibers and light conditions
- Selectable 2 MOA dot and 65 MOA circle dot reticles
- Comes standard with lens caps and mount



ROMEO4S™ RED DOT

SOR43021 / SOR43022

- 1x20mm
- Short and medium range engagements and recreational shooting across a wide range of calibers and light conditions
- Extended runtime with solar cell
- Comes standard with lens caps and quick-release mount

ROMEO4H™ RED DOT

SOR43011 / SOR43012 / SOR43013

- 1X20mm
- Comes standard with lens caps and quick-release mount
- 50,000+ hour battery life and the readily available CR2032 battery is side-loading for quick battery replacement




IDLE MOTION BEFORE
RETICLE TURNS OFF




Green Horse Shoe Ballistic Dot (ROMEO4H Only)



2 MOA Red Dot Ballistic Circle Dot



1 MOA Red Dot Ballistic Circle QUADPLEX®



ROME07™



ROME07S™ COMPACT
RED DOT SIGHT

SOR75001 /SOR75002

- 1x22mm
- Compact size and weight
- Powered by AAA battery for up to 50,000 hour run time
- Durable half-inch hex nut mount

RED DOT SIGHT

The ROMEO7 line of red dot sights provide the civilian and armed professional with an intuitive 1x aiming solution optimized for today's MSR platforms, regardless of caliber.

1X22mm


1X30mm

SHARED FEATURES

- High performance lens coatings for excellent light transmission and dot contrast in any situation
- Easy-access rotary dial for complete control
- 2 MOA red dot is optimal for close quarters battle to mid-range engagement
- Side-loading for quick battery change
- Dependable IPX-7 waterproof and fogproof performance
- MOTAC™ powers up when it senses motion and powers down when it does not
- Compact size and weight with unlimited eye-relief and parallax-free operation
- Aircraft grade aluminum housing and mount
- Includes slip-over, see-through flip-backs



2 MOA Green Dot




2 MOA Red Dot

ROMEO7™ FULL-SIZE RED DOT SIGHT

SOR71001

- 1x30mm
- Powered by AA battery for up to 62,500 hour run time
- IPX-7 rated for complete immersion up to 1 meter



2 MOA Red Dot



Reticle brightness is easily adjusted with user-facing
rotary dial



Includes slip over, see through flip-backs
(ROMEO7S Model)



ROME05™



ROME05XDR™ COMPACT
GREEN DOT SIGHT

SOR52122 (PREDATOR) / SOR52102 (XDR)

- 2 MOA red dot with 65 MOA circle provides 10 illumination settings (8 daylight plus 2 NV) for visibility in all light conditions
- Modular M1913 picatinny riser mount for 1.41" (absolute co-witness) or 1.63" (1/3 Lower co-witness) sight heights
- Dependable waterproof (IPX-7 rated for complete water immersion up to 1 meter) and fog-proof performance
- Green predator reticle model available with 4 green reticles (dot, dot with triangle, dot with lower triangle, and triangle only)

COMPACT RED DOT / GREEN DOT SIGHTS

The ROME05 Red Dot Sight mounts on any platform, and even though it's small, it's tough. The solid, lightweight aluminum design will give peak performance and years of service.

1X20mm


SHARED FEATURES

- Ultra-low parallax so point-of-aim is point-of-impact and the red dot remains parallel to the bore of your firearm, no matter what your viewing angle is relative to the optical axis of the sight
- Unlimited eye relief to acquire aiming point and target, regardless of eye position behind sight
- MOTAC™ (Motion Activated Illumination) powers up or down when sensing motion
- Ultra-dependable waterproof (IPX-7 rated for complete water immersion up to 1 meter) and fog-proof performance
- The most advanced LED's combined with SIG's proven circuit designs provide industry-leading runtimes on all models.
- Dual reticle (5XDR) quad reticle (Predator)

ROME05X™

SOR52101


- 2 MOA red dot provides 10 illumination settings (8 daylight plus 2 NV) for visibility in all light conditions
- Modular M1913 picatinny riser mount for 1.41" (absolute co-witness) or 1.63" (1/3 Lower co-witness) sight heights
- Dependable waterproof (IPX-7 rated for complete water immersion up to 1 meter) and fog-proof performance
- Runs on a single AAA battery for up-to 50,000 hours of runtime under normal use



ROME05 TREAD™

SOR52010


- 2 MOA red dot provides 10 illumination settings (8 daylight plus 2 NV) for visibility in all light conditions
- Integrated M1913 picatinny interface provides industry-standard mounting options for a wide range of applications
- Run's on a single CR2032 battery for up to 40,000 hours of runtime under normal use
- TREAD logo laser engraved




ROME05™

SOR52001

- 2 MOA red dot provides 10 illumination settings (8 daylight plus 2 NV) for visibility in all light conditions
- Integrated M1913 picatinny interface provides industry-standard mounting options for a wide range of applications
- Run's on a single CR2032 battery for up to 40,000 hours of runtime under normal us



Circle-Dot
(65 MOA Circle/
2 MOA Dot)



PREDATOR
Dot



PREDATOR
Dot with Triangle



PREDATOR
Dot with Lower
Triangle



PREDATOR
Triangle Only



ROMEO-MSR™



ROMEO-MSR™ COMPACT RED DOT SIGHT

SOR72001 (RED) / SOR72002 (GREEN) / SOR72011 (FDE)

- 2 MOA high-performance lens coatings for excellent light transmission and dot contrast in any situation
- Crisp, tactile 1 MOA adjustments for zeroing
- 1.41" T10 Torx® M1913 skeletonized lightweight riser mount for absolute co-witness
- Over 20,000 hours runtime on a CR1632 battery



Available
in FDE

RED DOT SIGHT

The ROMEO-MSR is a sealed, compact red dot or green dot sight intended for MSR, carbine, shotgun, and air rifle. Brightness is adjusted with a top-mounted rotary dial, featuring 10 daytime and 2 night vision settings for quick target engagement in any condition.

1X20mm


SHARED FEATURES

- Ultra-compact size and weight with unlimited eye-relief and parallax-free operation
- Precise 2 MOA dot
- Slip-over, see-through flip-back lens covers
- Top-loading battery compartment with integral brightness control featuring 10 daytime and 2 NV settings
- Aircraft grade aluminum housing and mount
- Dependable IPX-7 waterproof and fog-proof performance

ULTRA-COMPACT SIZE AND WEIGHT WITH
UNLIMITED EYE-RELIEF AND PARALLAX-FREE
OPERATION



Available in FDE




2 MOA Red Dot 2 MOA Green Dot



High-performance lens coatings, Slipover, see-through
flip-back lens covers



Top-mounted rotary dial



JULIET®



JULIET6™ MAGNIFIER

SOJ61001

- 6X24mm
- Designed for MSR platforms and shotguns
- Power and versatility of a 1-6x scope, in a modular system
- Adjustable base mount provides customization for red dot sight combination

MAGNIFIERS

Easily transition between close quarters and medium range targets with a flip of our JULIET magnifier. When used in conjunction with a Red Dot, the JULIET features a quick-release PowerCam™ mount which flips easily to one side when not in use. Built-in recoil lugs ensure zero-hold even after removing and reinstalling.

3X24mm

4X24m

6X24mm

SHARED FEATURES

- Quick release mount with built-in recoil lugs for a repeatable zero
- PowerCam 90° mount pivots to the side when not needed
- Adjustable height using included spacers
- Aerospace grade 6061 aluminum housing ensures a lifetime of reliable service
- Waterproof rated IPX-8 (20 meters for 1 hour)
- Dialectic coated prism
- Compact size and weight
- Assembled in the U.S.A.



Assembled in the U.S.A.

sigsauer.com

ROMEO® AND JULIET COMBO KITS

JULIET4™ AND ROMEO4™ COMBO KIT (SORJ4311)

JULIET3™ AND ROMEO5™ COMBO KIT (SORJ53101)

JULIET3 MAGNIFIER

SOJ31001

- 3x24mm
- Designed for MSR platforms and shotguns
- Power and versatility of a 1-3x scope, in a modular system
- Adjustable base mount provides customization for red dot sight combination



JULIET4 MAGNIFIER

SOJ41001 / SOJ41002

- 4x24mm
- Designed for MSR platforms and shotguns
- Power and versatility of a 1-4x scope, in a modular system
- Adjustable base mount provides customization for red dot sight combination

 Available in FDE



PowerCam 90° mount pivots to the side when not needed, Quick release mount with built-in recoil lugs



Aircraft-grade CNC aluminum housing, Quick release mount with built-in recoil lugs



JULIET®

MICRO MAGNIFIERS / COMBO KIT

The JULIET-MICRO line of magnifiers provide red dot users extended range capabilities in an ultra-small, lightweight package.



3X22mm

SHARED FEATURES

- High performance lens coatings including dielectric-coated prism for excellent light transmission
- Ultra-compact size and weight
- Dependable IPX-7 waterproof and fogproof performance
- 90° push-button flip-to-side magnifier mount

JULIET3-MICRO™ MAGNIFIER

SOJ3M001 / SOJ3M011 (FDE)

- Ultra-compact size and weight
- Aircraft grade CNC aluminum housing ensures lifetime of reliable service
- Durable Half-inch hex nut mount
- Infinite Guarantee*




Available
in FDE

JULIET3-MICRO MAGNIFIER / ROMEO-MSR™ COMBO KIT

SORJ72001 / SORJ72011 (FDE)

- Ultra-compact size and weight
- Aircraft grade CNC aluminum housing ensures lifetime of reliable service
- Precise 2 MOA dot
- Lens covers included
- 1.41 Sight height for absolute co-witness
- Top-loading, rotary illumination brightness control featuring 10 daytime and 2 NV settings



2 MOA Red Dot



High-performance lens coating, push-button, flip-to-side mount which flips easily to one side when not in use



Aircraft-grade CNC aluminum housing



ECHO3™



ECHO3™

SOEC31001 (1-6X23MM) / SOEC32001 (2-12X40MM)

- Aspheric lens (10 FOV) with up to 6X digital magnification
- Designed for predator and hog hunters
- Improved situational awareness with 8 color palettes

THERMAL REFLEX SIGHT

The most innovative, direct view thermal sight in the world. The ECHO3 uses SIG SAUER® BDX® technology and can record both video and images in 8 different color palettes.

1-6x23mm



2-12x40mm

SHARED FEATURES

- Compact thermal reflex style sight (don't get stuck "behind" a scope)
- BDX enabled WiFi/Bluetooth®, allowing active reticles that change with KILO® rangefinder input, and customizable fixed reticles that are configured from the BDX mobile application
- Uncooled 320x240 12um VOx LWIR core operating at 30Hz
- LEVELPLEX® Anti-Cant System with scope cant sensitivity down to 0.5°
- MOTAC™ (Motion Activated Display) powers up when it senses motion
- Video and image recording (including recoil activation) with 8 color palettes
- Greater than 6 hours of run time with heavy use
- Easy to adjust lens with optional throw lever attachment
- Quick-disconnect mount
- Designed and assembled in the U.S.A. to withstand IPX-4 conditions



Ballistic Data Xchange



Video and image recording



Sealed battery compartments



BRAVO®



BRAVO3™ BATTLE SIGHT

SOB33101 / SOB33102

- 3x24mm
- Designed for professionals and civilian MSR/AR shooters
- 40% wider field of view than current battlesights
- Distortion-free image, edge-to-edge clarity

BATTLESIGHTS

The BRAVO battlesights combine crystal-clear fixed-power optics, intuitive reticles, super-bright illumination, and a rugged aluminum housing into one attractive package. Featuring 5.56/.308 and .300 Blackout reticles, this family will enhance any MSR/AR platform.

3X24mm

5X32mm

SHARED FEATURES

- Easily adjust illumination with side-mounted rotary dial featuring 8-daytime and 3 NV settings
- MOTAC™ (Motion Activated Illumination) powers up when it senses motion and powers down when it does not
- Lensarmor™: Abrasion-resistant lens coatings to withstand the harshest of conditions
- MEGAVIEW advanced prism and ocular design yields 40% greater field of view than the competitive prism-based battle sights
- Low-dispersion (LD) glass provides industry leading optical clarity
- Adjustable eyepiece with +/- 2 diopter correction
- Integrated picatinny rails for accessories
- IPX-7 rated for complete immersion of up to 1 meter

MEGAVIEW™




Massive 10° Field of View, 40% Wider Than Standard 6° Sights.


BRAVO5™ BATTLESIGHT

SOB53101 / SOB53102

- 5X32mm
- Designed for traditional / dangerous game hunting and MSR/AR platforms
- Short, medium, and long range engagements and recreational shooting across a wide range of calibers and light conditions



5.56MM /
7.62MM
Horseshoe Dot



300 Blackout
Horseshoe
Dot



IDLE MOTION BEFORE
RETICLE TURNS OFF

IED



MEGAVIEW advanced prism and ocular design, integrated picatinny rails for accessories



Adjustable eyepiece with +/- 2 diopter correction



BRAVO[®]



BRAVO4™ BATTLE PACK 1X / 4X

SOB44005

- 4x32MM / 1x24mm
- Side-loading AA for quick battery change
- Distortion-free image with edge to edge clarity
- Ballistic reticle for 5.56 / 7.62 calibers
- Locking diopter adjustment
- Shroud-equipped ROMEOZero™

BRAVO4™ BATTLE PACK

Introducing the BRAVO4 Battle Pack; The ultimate tactical solution. This Battle Pack combines a 4x32mm Prismatic Battle Sight with a shroud-equipped 1x24mm ROMEOZero™reflex sight. Featuring MEGAVIEW™, the BRAVO4 provides a forty percent increase in field of view and eye relief with distortion free image and edge-to-edge clarity. Extended range hits are made fast with the illuminated 5.56/7.62 ballistic reticle.

The top mounted ROMEOZero Reflex Sight features a ruggedized, WeaponsGrade® textured polymer body and the SpectraCoat™ HD Polymer lens allowing quick transition to CQB when needed.

4X32mm

1X24mm

SHARED FEATURES

- MOTAC™ (Motion Activated Illumination) powers up when it senses motion and powers down when it does not
- SpectraCoat™ HD polymer lens with 10 times the impact resistance over traditional glass lenses (ROMEOZero)
- MEGAVIEW advanced prism and ocular design yields 40% greater field of view than the competitive prism-based battle sights (BRAVO4)
- Low dispersion (LD) glass provides industry leading optical clarity (BRAVO4)
- Adjustable eyepiece with +/- 2 diopter correction
- Integrated picatinny rails for accessories
- IPX-8 rated for complete immersion of up to 1 meter (BRAVO4)
- IPX-67 rated for complete immersion of up to 1 meter (ROMEOZero)

MEGAVIEW™




Massive 7.5° field of view, 40% wider than standard 6° sights.




Side-loading AA for quick battery change. Shroud-Equipped ROMEOZero included



IDLE MOTION BEFORE
RETICLE TURNS OFF



5.56MM /
7.62MM
Horseshoe Dot



3 MOA Dot



SpecraCoat™ HD Polymer Lens (ROMEOZero), Low-dispersion (LD) glass (BRAVO4)



Windage and elevation adjustments



ZULU®



ZULU6™ IMAGE STABILIZED BINOCULAR

SOZ61601

- 16x42mm
- Optical image stabilization, prism is electronically stabilized by a 2-axis gimbal
- Compensates for human motion input into optics allowing for handheld use of high-magnification optics, eliminates shake due to buffeting winds, heavy breathing after a long hike, cold-induced shivering, washboard ranch roads, chop on water, etc.
- MOTAC™ conserves battery life by turning unit off after 5 minutes of no motion



ADVANCED OPTICAL SYSTEMS COMPRISING BOTH HIGH DEFINITION (ED) AND HIGH TRANSMITTANCE (HT) GLASS FOR ULTRA-HIGH RESOLUTION, OPTICAL PERFORMANCE AND LIGHT TRANSMISSION.

BINOCULARS

Next to a zeroed rifle, a clear and bright pair of binoculars is the best piece of gear to have on hand. ZULU binoculars perform in the harshest conditions, giving unmatched performance in inclement weather or rugged terrain.

16X42mm

10X30mm

10X42mm

11X45mm

15X56mm

SHARED FEATURES

- Combines superior optical performance with in-the-field utility
- High-quality glass, fully multi-coated Spectracoat™ lenses
- Phase-coated prisms provide maximum brightness, contrast, and crisp resolution
- Performs in the harshest conditions, giving unmatched performance in inclement weather or rugged terrain
- Superior low-light performance



FULLY MULTI-COATED
SPECTRACOAT™
LENSSES (ZULU6 16X42)



MULTI-POSITION TWIST-UP
EYECUPS,
DURABLE RUBBER ARMOR
NON-SLIP GRIP DESIGN
(ZULU6 16X42) (ZULU6 10X30)

ZULU6™ IMAGE STABILIZED BINOCULAR

SOZ61001

- 10X30mm
- Optical image stabilization, prism is electronically stabilized by a 2-axis gimbal
- Compensates for human motion input into optics allowing for handheld use of high-magnification optics, eliminates shake due to buffeting winds, heavy breathing after a long hike, cold-induced shivering, washboard ranch roads, chop on water, etc.



OPTICAL IMAGE
DIS
STABILIZATION



ZULU9™ HDX® ABBE-KOENIG PRISM

SOZ99002 (11X45) / SOZ99003 (15X56)

- Combines superior optical performance with in-the-field utility
- High-quality glass, fully multi-coated Spectracoat™ lenses
- Phase-coated Abbe-Koenig prisms provide maximum brightness, contrast and crisp resolution

ZULU7™ HDX OPEN-BRIDGE

SOZ71001

- 10X42mm
- Multi-position twist-up eyecups provide a custom fit for each user
- Fully multi-coated roof prism binocular incorporates super high reflectance phase-coated BAK4 prisms for unmatched resolution and image contrast
- Field & Stream Best of the Best Winner 2016



ZULU5™ HD OPEN-BRIDGE

SOZ52101

- 10X42mm
- HD glass for superior clarity and color correctness
- Silver deposition phase-coated BAK4 prisms
- Lightweight and durable magnesium alloy body



OSCAR®



OSCAR8™

SOO82001

- 27-55X80mm
- Waterproof and fog proof, the OSCAR8 will provide unmatched performance in all environmental conditions
- Adjustable eyecups allow the user to optimize eye relief for use with or without glasses
- Lightweight and robust aircraft-grade aluminum housing, combined with rubberized non-slip grip armor, ensures a lifetime of use in the worst conditions
- Custom SIG SAUER® fitted neoprene cover included
- Assembled in U.S.A.

SPOTTING SCOPES

The OSCAR family of spotting scopes delivers unmatched image clarity and performance when it matters most. The OSCAR3 mini-spotting scope puts a powerful optic in the palm of your hand and features the advanced Optical Image Stabilization (OIS) technology for improved image quality at the highest magnification to make spotting your target faster and easier. Ideal for backpacking, hunting, wildlife and sports observation, along with law enforcement and military reconnaissance. The new OSCAR8 angled eyepiece spotting scope is the newest addition to the OSCAR family of spotting scopes from SIG SAUER® featuring the industry-leading HDX® optical design, extra-low dispersion glass with high-light transmittance glass, and full multi-coated lenses to deliver unmatched resolution, image contrast, and color clarity. When spotting in the field for long periods, the ergonomic design and durable rubber armor of the OSCAR8 delivers unmatched results in all conditions.

27-55X80mm

10-20X30mm

FEATURES

- HDX advanced optical system comprising both high Definition (ED) and high transmittance (HT) glass for ultra-high resolution, optical performance, and light transmission
- SCHMIDT-PECHAN prism, combined with HD glass, provide unmatched chromatic and spherical aberration correction for clear, vibrant images
- Spectracoat™ highly efficient, ultra-wide broadband, anti-reflection lens coatings reduce surface reflections to extremely low levels across the entire visible spectrum providing superior light transmission
- Angled eyepiece, combined with rotating tripod collar, provides the user with multiple viewing angles, to accommodate setup and usage in any terrain
- Comes equipped with a variable power eyepiece. This eyepiece can be locked into place or removed so that the OSCAR8 can accept other variable or fixed-power eyepieces.



Assembled in the U.S.A.

sig-sauer.com

OSCAR3™


SOV31001

- 10-20X30mm
- Advanced electronic image stabilization technology that fits in the palm of a hand
- OIS Optical image stabilization removes human motion and jitter for improved image quality and target identification under high magnification
- Ideal for backpacking, hunting, wildlife and sports observation, law enforcement, and military reconnaissance
- The small size and capability of the OSCAR3 is ideal for backpacking, spot/stalk and tree stand archery, or long range rifle hunting in open country or mountains as well as concealed viewing situations for LE or military use



OPTICAL IMAGE
OIS
STABILIZATION

HDX® HIGH DEFINITION TRANSMITTANCE



Comprises both high definition and high-transmittance (HT) glass. Ultra-high resolution, optical performance, and light transmission (OSCAR8 only)

OIS OPTICAL IMAGE STABILIZATION



Advanced optical systems comprising both High Definition (ED) and High Transmittance (HT) glass for ultra-high resolution, optical performance and light transmission.



FOXTROT® / LIMA®



FOXTROT2™ WEAPON LIGHT

SOF21000

- 580 Lumens
- 13,000 Candela
- 1 Hour of Runtime
- Activation is programmable, three separate modes chosen by the user
- Ambidextrous activation paddles with momentary mode, latching mode, and threshold mode
- User-configurable paddles for switch activation
- 4-Position sliding rail interface inserts for maximum adjustment range on the firearm

WEAPON MOUNTED LIGHTS

The FOXTROT series of pistol lights provide bright, crisp, white light and come ready to mount on your SIG SAUER® pistol.

LASER SIGHTS

The most advanced red or green lasers on the market, the proprietary LIMA laser grip module and low-profile LIMA laser integrate seamlessly with your SIG SAUER® pistol.



Assembled in the U.S.A.

sig-sauer.com

FOXTROT1X™ WEAPON MOUNTED LIGHT

SOF12001

- 450 lumens and 1.5 hours of runtime
- Powered by 1 CR123 battery, loaded via a removable bezel with lockout mode
- M1913/SIG and Glock® sliding-rail interface plates included for maximum location adjustment range on the rail
- Ambidextrous push-button side switches, with momentary and latching modes



FOXTROT 365™ WEAPON MOUNTED LIGHT

SOF36501

- Up to 100 lumens and 3-hour run time
- Ideal for law enforcement, concealed carry, and personal defense
- Designed to perfectly fuse with the SIG P365® trigger guard
- Latest generation Cree LEDs for maximum brightness and runtime
- Instant-activation tactile switch
- Powered by lithium 1/3N batteries



LIMA365™ PISTOL LASER

SOL36501 (RED) / SOL36502 (GREEN)

- Ideal for target shooting, conceal carry, and personal defense
- Designed to perfectly fuse against the SIG P365® trigger guard for seamless fit
- Powered by lithium 1/3N battery
- Instant-activation tactile switch.



LIMA1™ WEAPON MOUNTED LASER

SOL11001 (RED) / SOL11002 (GREEN)

- Ideal for target shooting, conceal carry, and personal defense
- Designed to fit M1913 and SIG rails
- Powered by lithium 1/3N battery
- Instant-activation left and right tactile switches

ALPHA™



RIFLESCOPE MOUNTS/RINGS

Our hard-black-anodized, precision-machined, ALPHA Tactical Rings are crafted from aircraft-grade aluminum. Built with the same unique industrial design as our electro-optics, our rings and mounts not only look tough, they are tough. Our proprietary steel-alloy ALPHA Hunting Rings are machined with an exactness that is both strong and ductile, which allows our rings to form around a riflescope, and will not cause damage with proper installation. The steel rings are epoxy powder coated to prevent oxidation and resist gun oils, cleaning solutions, and outdoor exposure.

SHARED FEATURES

- Lightweight cantilever design optimized for use on MSR platforms
- Precision-machined to exacting standards from 7075 aluminum
- Assembled in U.S.A.

ALPHA3™ SCOPE MOUNT

SOA30001 | 30MM 0 CANT / SOA30003 | 30MM 0 MOA
SOA30005 | 34MM 0 CANT / SOA30006 | 30MM 20 MOA CANT
SOA30007 | 34MM 20 MOA CANT

- Lightweight cantilever design optimized for use on MSR platforms
- Precision-machined to exacting standards from 7075 aluminum
- Titanium hardware for superior performance
- Available heights ranging from 1.375" - 1.535"
- Available weights ranging from 4.6oz - 4.7oz
- Assembled in U.S.A..



Assembled in the U.S.A.

ALPHA2™ TACTICAL

SOA20001 | 30MM 0 CANT (BLACK) /
SOA20002 | 30MM 20 MOA CANT (BLACK) /
SOA20003 | 34MM 0 CANT (BLACK) /
SOA20004 | 34MM 20 MOA CANT (BLACK) /
SOA20005 | 30MM 20 MOA CANT (FDE)

- Cantilever design for use on MSR platforms
- 0 or 20 MOA cant options
- 1.53" high
- Available weights ranging from 5.2oz - 5.5oz



Available in
FDE



ALPHA2 RED DOT MOUNT

SOA20011 | 30MM 12 O'CLOCK POSITION /
SOA20012 | 30MM 450 OFFSET /
SOA20013 | 34MM 450 OFFSET

- Universal mounting interface compatible with most popular red dot sights
- Positions red dot sight above scope tube
- Compatible with 30 or 34mm riflescopes



ALPHA1™ SCOPE RINGS

SOA10011 / SOA10012 / SOA10013 / SOA10014 / SOA10015 / SOA10016 /
SOA10017 / SOA10018 / SOA10019 / SOA10020 / SOA10021 /
SOA10022 (MACHINED ALUMINUM)

SOA10003 / SOA10004 / SOA10005 / SOA10006 / SOA10007 /
SOA10008 (MACHINED STEEL)

- Proprietary weaver-style rings that are epoxy powder-coated to prevent oxidation and resist gun oils, cleaning solutions, and outdoor exposure, set of 2
- Available heights ranging From 0.75" - 1.25"
- Available weights ranging from 1.3oz - 6.7oz



SUPPRESSORS





PISTOL SUPPRESSOR



MODX-9™

- Segmented titanium 3D-printed
- Titanium baffles

WELCOME TO THE FUTURE OF SILENCE.

SIG SAUER engineers have developed the next generation of pistol suppressors. With decades of product design and R&D experience under our belts, suppressors are not treated as bolt-on accessories. At SIG SAUER, it is understood that suppressors interact with your firearm's system and can affect accuracy, reliability, back-pressure, and other critical factors. We design our suppressors to be part of a completely integrated system to maximize overall performance, and as a result we build the most advanced, most dependable suppressors the world has ever seen, or heard.

The pistol suppressor line from SIG SAUER features completely modular and configurable titanium baffles for the ultimate in lightweight performance that allows the user to personalize their suppressor for overall length, weight, and sound. The MODX-9™ and MODX-45™ provide class-leading sound performance and can be easily disassembled and reconfigured with fewer baffles when your priority is size over sound. The MODX™ suppressors feature 21 points of impact adjustment and come with a fixed-barrel spacer for carbine use. Each MODX suppressor includes the most popular inch and metric piston for its given caliber.

9mm 45AUTO

SHARED FEATURES

- Shooter can adjust the number of baffles to shape the overall length when size is more important than sound performance
- Includes two pistons (1/2"x28tpi & M13.5x1LH) and fixed-barrel spacer (MODX-9)
- .578x28 tpi and M16x1LH (MODX-45)
- Multi-Caliber capable with accessory pistons (MODX-45)

MODX-45™


MODX-45

- Segmented titanium 3D-printed
- Titanium baffles



MODX-9 P226 Using 147gr

All dB measurements taken in a controlled environment with sound levels measured at [MUZZLE/SHOOTER's EAR/ETC]. Actual results may vary with shooting environment, weapons platform, and ammunition selection.



MODX-45 P220 Using 230gr FMJ

RIFLE SUPPRESSOR



SLX556-QD

- Multi-flow path that exhausts gasses at a higher rate, resulting in lower toxic fumes venting from the ejection port
- Clutch-Lok mounting system with an intuitive tactile locking ring and infinite radial locking positions.
- Flash reducing end cap design
- Monolithic core construction for strength and durability
- The SLX is a performance based suppressor and was only designed to run supersonic ammunition

SLX™ RIFLE SUPPRESSORS

The next generation of suppressor technology has arrived. The SLX series of rifle suppressors from SIG SAUER were born out of today's modern military requirements and are designed to deliver cutting-edge performance. The new Clutch-LOK™ QD mounting system is easy to use, repeatable, and extremely durable. The SLX suppressors feature a monolithic core construction in Inconel®, an internal multi-flow path to exhaust gases resulting in lower toxic fume inhalation, while still providing great sound reduction.

The SLX series is ideal for users that have a focus on reduction of flash, toxic gas, and cyclic rate increases.

5.56NATO

7.62NATO

SHARED FEATURES

- Caliber imprinted on device
- Muzzle device included 1/2"x28tpi (QD suppressors)
- Inconel core construction



SLH FLASH HIDER DESIGN



CLUTCH-LOK QD
MOUNTING SYSTEM



CALIBER IMPRINTED
ON SUPPRESSOR CORE



SLX556 DIRECT
THREAD



SLX762 DIRECT
THREAD



SLX556-QD



SLX762-QD



SLX556C DIRECT
THREAD



SLX762C DIRECT
THREAD



SLX556C-QD



SLX762C-QD

SLX™	Caliber	Length (in)	Width (in)	Weight	Material
SLX556	5.56 NATO	7.4 in / 188 mm	1.67 in / 42 mm	17.3 oz (490 g)	Inconel® and Stainless Steel
SLX556-QD	5.56 NATO	7.4 in / 188 mm	1.67 in / 42 mm	19.4 oz (550 g)	Inconel and Stainless Steel
SLX556C	5.56 NATO	5.2 in / 132 mm	1.67 in / 42 mm	12.6 oz (360 g)	Inconel and Stainless Steel
SLX556C-QD	5.56 NATO	5.2 in / 132 mm	1.67 in / 42 mm	14.6 oz (410 g)	Inconel and Stainless Steel
SLX762	7.62 NATO	7.4 in / 188 mm	1.67 in / 42 mm	19.4 oz (550 g)	Inconel and Stainless Steel
SLX762-QD	7.62 NATO	7.4 in / 188 mm	1.67 in / 42 mm	19.4 oz (550 g)	Inconel and Stainless Steel
SLX762C	7.62 NATO	5.2 in / 132 mm	1.67 in / 42 mm	12.6 oz (360 g)	Inconel and Stainless Steel
SLX762C-QD	7.62 NATO	5.2 in / 132 mm	1.67 in / 42 mm	12.6 oz (360 g)	Inconel and Stainless Steel



RIFLE SUPPRESSOR



SLH762-QD

- Multi-flow path that exhausts gasses at a higher rate, resulting in lower toxic fumes venting from the ejection port.
- Clutch-LOK mounting system with an intuitive tactile locking ring and infinite radial locking positions.
- Flash reducing end-cap design
- Monolithic core construction to for strength and durability
- SLH was designed to run sub and supersonic ammunition while providing the best performance and noise reduction possible with a wide range of ammunition options.

SLH™ RIFLE SUPPRESSORS

The next generation of suppressor technology has arrived. The SLH series of rifle suppressors from SIG SAUER were born out of today's modern military requirements and are designed to deliver cutting-edge performance. The new Clutch-LOK™ QD mounting system is easy to use, repeatable, and extremely durable. The internal multi-flow path, hybrid-baffle design delivers an entirely new shooting experience, focusing on a combination of best in class sound reduction and less harmful toxic gases than traditional suppressor designs.

The SLH series of rifle suppressor gives many of the benefits of the SLX™ series, with a primary focus on sound signature. The SLH series is ideal for low pressure rounds or when sound signature reduction is the number one priority.

7.62NATO 300BLK

SHARED FEATURES

- Caliber imprinted on device
- Inconel® and titanium construction (SLH300TI, SLH300TI-QD, SLH762TI, SLH762TI-QD, SLH762TIC, 762TIC-QD)
- Muzzle device included 5/8"x24tpi (QD suppressors)



SLH FLASH HIDER DESIGN



CLUTCH-LOK QD
MOUNTING SYSTEM



CALIBER IMPRINTED
ON SUPPRESSOR CORE



SLH762 DIRECT
THREAD



SLH762C DIRECT
THREAD



SLH762-QD



SLH762C-QD



SLX762TI DIRECT
THREAD



SLH762TIC DIRECT
THREAD



SLH762TI-QD



SLH762TIC-QD

SLH	Caliber	Length (in)	Width (in)	Weight w/Mag (oz)	Material
SLH762	7.62 NATO	7.49 in (190 mm)	1.67 in / 42 mm	1.20 lbs (19.2 oz)	Inconel®
SLH762C	7.62 NATO	5.24 in (133 mm)	1.67 in / 42 mm	0.83 lbs (13.3 oz)	Inconel
SLH762-QD	7.62 NATO	7.49 in (190 mm)	1.67 in / 42 mm	1.32 lbs (21.1 oz)	Inconel
SLH762C-QD	7.62 NATO	5.24 in (133 mm)	1.67 in / 42 mm	0.96 lbs (15.4 oz)	Inconel
SLH762TI	7.62 NATO	7.5 in / 191 mm	1.67 in / 42 mm	0.75 lbs (12 oz)	Titanium
SLH762TIC	7.62 NATO	5.24 in (133 mm)	1.67 in / 42 mm	0.55 lbs (8.8 oz)	Titanium
SLH762TI-QD	7.62 NATO	7.49 in (190 mm)	1.67 in / 42 mm	0.87 lbs (19.3 oz)	Titanium
SLH762TIC-QD	7.62 NATO	5.24 in (133 mm)	1.67 in / 42 mm	0.55 lbs (8.8 oz)	Titanium
SLH300TI	300 BLK	8.8 in (224 mm)	1.67 in / 42 mm	0.88 lbs / 14.1 oz	Titanium
SLH300TI-QD	300 BLK	8.8 in (224 mm)	1.67 in / 42 mm	1.0 lbs / 16 oz	Titanium

All specifications subject to change | Complete specifications online at SIGSAUER.COM



RIMFIRE SUPPRESSOR



SRD22X

- User-serviceable
- Grade 9 titanium tube
- All 17-4 stainless baffles
- Rated from 22 LR to 22 MAG

MORE ROUNDS. LESS NOISE

SIG engineers are using cutting-edge innovation to establish a new standard in accuracy and durability for .22LR suppressors.

The SRD22X 22LR can be used on both pistols and rifles and features a Grade 9 Titanium outer tube with 17-4 stainless steel baffles. Due to the durability of its materials, the SRD22X can be used with .22LR pistols and rifles chambered in .17HMR/.17 Mach II and .22 Magnum. The SRD22X ships with a 1/2x 28tpi mount, with an additional M9.75 mount available for purchase in the near future, and is fully user-serviceable.

.22LR

FEATURES

- Wrench included
- Used on both pistols and rifles



SRD22X end-cap design engineered to fit included silencer wrench.



User-serviceable Grade 9 titanium outer tube with 17-4 stainless steel baffles. Includes silencer wrench.



RIMFIRE	Caliber	Length (in)	Diameter (in)	Weight w/Mag (oz)	Material
SRD22X	22 LR to 22 MAG	5.8 in / 147 mm	1.0 in / 25.4 mm	5.1 oz	Titanium and Stainless Steel

SIG AIR®



WARNING:
NOT A TOY. MISUSE OR CARELESS
USE MAY CAUSE SERIOUS INJURY OR
DEATH. FOR USE BY ADULTS 18 OR OLDER.
BEFORE USING READ OWNER'S MANUAL
AVAILABLE FREE FROM SIG SAUER.

177 CAL (.45in)
411-0



SIG AIR®



Actual SIG Air rifle used
in LE training

SIG AIR BY SIG SAUER

From the most elite name in firearms comes the most innovative line of airguns and airsoft guns which combines the unmatched reliability, performance, and exacting standards of SIG SAUER.

The SIG AIR product line includes a series of traditional CO₂ pellet and BB rifles and pistols designed to imitate the look, weight, balance, and handling characteristics of their traditional firearms counterparts. SIG AIR has also developed a precision line of break barrel, pre-charged pneumatic (PCP airguns), all meeting the high standards of SIG SAUER firearms.

SIG AIR has expanded to training products with the ProForce® line of airsoft pistols, rifles, and accessories. Designed and developed from the ground up to deliver a realistic training experience, that allows the user access to achieve a new level of unrealized performance potential.

The SIG AIR ProForce series of pistols and rifles allows for flexibility in your training environment and is an economical alternative to training with firearms.

Consistency was the focus when developing the SIG AIR ProForce line. Each ProForce model closely matches its real steel complement in model specifications and delivers an authentic user experience. The ProForce line is also engineered to SIG quality standards using authentic materials and, where necessary, patented performance innovations.

Perfected for muscle memory exercises, shooting drills, and tactical training, these airsoft and airgun models are the economic and authentic answer to training more often, more effectively, and more affordably.

The full line of SIG AIR products delivers a completely authentic SIG handling experience, with the firepower you can rely on, for all of your hunting, sporting, and practical training needs.

Shoots like a SIG, because it is one.

SIG AIR **DESIGNED TO MATCH THE ORIGINALS**



1 | All Metal or Polymer Construction

Some models a combination of both

2 | Red Dot Sight or Scopes

Air optics sold separately

3 | Realistic Controls

Controls match our rifles and pistols

4 | Removable or Adjustable Stock

On some models

5 | Picatinny Rail

Mount your favorite accessories

6 | Safety Orange Tip

On ProForce models

7 | Realistic Trigger

Smooth action similar to originals

8 | Reload Mags Just Like Originals

Drop magazines using similar releases

9 | Full Blowback Slide

Slide cycles back and forth

10 | Weight Similar to Original

Great as a training tool

PROFORCE® MCX™



PROFORCE VIRTUS MCX

- All metal CNC machined receiver and handguard
- M-LOK® handguard and Picatinny rail
- Safe, semi, and full auto firing modes
- 3-position telescoping stock

AUTOMATIC ELECTRIC GUN (AEG)

Modeled after its real steel counterpart, the ProForce release of the SIG SAUER MCX Virtus™ Airsoft AEG (Automatic Electric Gun) Rifle does not disappoint. With a full CNC machined receiver, integrated M-LOK® handguard, 3-position telescoping stock, open full-length Picatinny rail for the addition of sights, and a modular locking accessory mounting system, the MCX Virtus is a polymer airsoft BB slinging brute with 120 round mid-cap magazine that keeps you active and engaged on the firing line.

6mm AIRSOFT BB

FEATURES

- 120rd BB magazine
- Quick change tuning springs (110mm & 120mm included)
- 11.1v LiPo battery (not included)
- Sight ready platform
- Orange safety tip
- Attach your favorite accessories
- Familiar AR controls
- Velocity up to 370 FPS*


MCX  VIRTUS™



3-Position Telescoping Stock, 120 Round BB Magazine



All Metal Receiver and M-Lok Handguard Construction for Accurate Weight and Handling



Actual SIG Air rifle used in LE training

MCX

	SKU	Caliber	Action Type	Operating System	Stock Type	Forend Type	Weight w/ Mag (oz)	Overall Length (in)	Collapsed Length (in)	Barrel Length (in)	Construction	Velocity (FPS)	Mag Type	Mag Capacity
VIRTUS AEG	AIR-PF-MCXAEG	6MM BB	Semi-Auto	Auto Electric Gun	3-Position Telescoping	M-LOK	7.0	29.0	N/A	11.5	Metal	Up to 375	AR-15	120

PROFORCE®



AIRSOFT PISTOLS

The SIG SAUER Modular Handgun System (MHS) derived from the SIG SAUER P320®, the SIG AIR® ProForce M17™ and M18™ have the same look, feel, and action as the official sidearms selected by all branches of the U.S. Military. Now in an airsoft platform for the training professional.

6mm AIRSOFT BB

SHARED FEATURES

- Full blowback metal slide
- Field strippable with similar balance and weight as firearm counterpart
- Picatinny rail mount

PROFORCE M17™

- Optic-ready slide (AIR-REFLEXSIGHT)
- Compatible with CO₂ and green gas magazine
- Based on the M17, the official handgun of all branches of the U.S. Military
- Velocity up to Up to 320 fps* green gas / 410 fps* CO₂

 GREEN GAS
Version Available



PROFORCE M18™

- Optic-ready slide (AIR-REFLEXSIGHT)
- Compatible with CO₂ and green gas magazine
- Based on the M18, firearm selected by the U.S. Military
- Velocity up to Up to 320 fps* green gas / 410 fps* CO₂

 GREEN GAS
Only



PROFORCE

	SKU	Caliber	Mag Capacity	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Weight w/ Mag (oz)	Sights	Grip Type	Construction	Slide Finish	Velocity up to (fps)
P320 X-CARRY	AIR-PF-XCA	6mm BB	21	7.5	5.5	1.5	3.5	2.0	White Dot / Mount Plate	Polymer	Metal / Poly	Black	320 / 410
M18	AIR-PF-M18GG	6mm BB	21	7.5	6.5	1.5	4.0	2.0	White Dot / Mount Plate	Polymer	Metal / Poly	Nitron	320 / 410
M17	AIR-PF-M17 / AIR-PF-M17-GG	6mm BB	21	8.5	6.5	1.5	5.0	2.25	White Dot / Mount Plate	Polymer	Metal / Poly	Nitron	320 / 410

PROFORCE®



PROFORCE P365™

- 3.5" smooth bore barrel
- 3 DOT high visibility sights
- SIG accessory rail
- Velocity up to up to 350 fps*



CO₂
Only

AIRSOFT PISTOLS

SIG SAUER line of airsoft pistols has been designed and developed from the ground up to deliver an innovative training experience that allows the user access to a new level of unrealized performance potential. Unlike traditional training weapons, airsoft guns fire a very economical 6mm polymer BB, allowing flexibility in both the budget and training environment.

6mm AIRSOFT BB

SHARED FEATURES

- Blowback metal slide
- Field strippable with similar balance and feel as firearm counterpart
- Accessory rail mount



12g CO₂ power source (sold separately)

PROFORCE P229™

- Official training pistol of the U.S. Coast Guard
- White dot sights
- Velocity up to Up to 295 fps*

 GREEN GAS
Version Available



PROFORCE P226™

- Picatinny Accessory Rail
- White dot sights
- Velocity up to Up to 315 fps*

 CO₂ Only

PROFORCE	SKU	Caliber	Mag Capacity	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Weight w/Mag (oz)	Sights	Grip Type	Construction	Slide Finish	Velocity up to (fps)
P365	AIR-PF-365	6mm BB	12	5.75	4.5	1.0	3.2	0.8	3 DOT High Visibility Sights	Polymer	Metal / Poly	Black	320 / 410
P229	AIR-PF-229	6mm BB	23	7	5.2	1.25	4.75	1.9	White Dot	Polymer	Metal / Poly	Black	320 / 410
P226	AIR-PF-226	6mm BB	23	8.5	6.5	1.5	5.0	2.1	White Dot	Polymer	Metal / Poly	Black	320 / 410



MCX™ VIRTUS™ PCP

SEMI-AUTOMATIC PRE-CHARGED PNEUMATIC RIFLE

The MCX VIRTUS PCP rifle is the latest expansion to the SIG AIR® precision line of airguns, and the introduction of SIG AIR products to the pre-charged pneumatic (PCP) category of airguns. The MCX VIRTUS PCP doubles the muzzle energy of classic CO₂ models and uses the SIG Rapid Pellet Magazine, making it ideal for target training and varmint hunting.

.22 CAL PELLET



MCX VIRTUS PCP

- 3,000 psi, 13 cu. in. removable tank
- 1,100 psi regulated output
- 30rd RPM™ Rapid Pellet Magazine
- Velocity up to 700 fps*

FEATURES

- 17.5" barrel
- 12FP muzzle energy
- Flip-up front and rear sights
- Picatinny top rail for mounting optics
- Clip-on stock with sling attachment points
- M-LOK® rail for mounting accessories
- Familiar AR controls

*Please Note

- Pellets are sold separately.
- Results may vary based on ammo weight, temperature, and altitude.

MCX  VIRTUS™



SIG RPM™ RAPID PELLET MAGAZINE

The unparalleled performance of the SIG SAUER patented pellet drive system smoothly feeds up to 30 rounds in 3.5 seconds. Rifle comes standard with one magazine and refillable belt. Accessory RPM (purchased separately) includes three spare belts.



SIG AIR ACCESSORIES
Page 180-181



3,000 psi, 13 cu. in. Removable tank with gauge



12FP muzzle energy, (*Velocity achieved with 13.7g Pellets). Flip-up front and rear sights included.

MCX	SKU	Caliber	Action Type	Operating System	Stock Type	Front Type	Weight w/Mag oz)	Overall Length (in)	Collapsed Length (in)	Barrel Length (in)	Construction	Velocity up to (FPS)	Mag Type	Mag Capacity
VIRTUS	AIR-VIRTUS-22	.22 cal	Semi-Auto	Pre-Charged Pneumatic	Fixed	M-LOK	7.5	37.25	N/A	16.0	Metal / Poly	700	AR-15	30



AIR MCX™ RIFLE

SEMI-AUTOMATIC CO₂ AIR POWERED

Mirroring the same design cues as the original, SIG SAUER AIRGUNS introduces the SIG SAUER® MCX RATTLER CANEBRAKE .177 Cal airgun.

The MCX Rattler Canebrake keeps you on target longer with fewer reloads utilizing its 30 round SIG Rapid Pellet magazine and 90g CO₂ cylinder.



AIR MCX CANEBRAKE™

- Simulated suppressor
- M-LOK® handguard
- Velocity up to 600 fps*

SHARED FEATURES

- Metal housing with polymer handguard and stock
- 30rd RPM pellet magazine
- Picatinny rail
- Flip up sights
- 90g CO₂ power source (sold separately)

AIR MCX™

- Flip-up sights
- Tactical front grip
- Velocity up to 700 fps*



AIR MPX™

- Flip up Front and Rear Sights
- Tactical Handstop
- Velocity Up to 575 fps*



SIG RPM™ RAPID PELLET MAGAZINE

The unparalleled performance of the SIG SAUER patented pellet drive system smoothly feeds up to 30 rounds in 3.5 seconds. Rifle comes standard with one magazine and refillable belt. Accessory RPM (purchased separately) includes three spare belts.



90g CO₂ power source (sold separately)

* Results may vary based on ammo weight, temperature, and altitude.

MCX	SKU	Caliber	Action Type	Operating System	Stock Type	Weight w/Mag oz	Overall Length (in)	Overall Height (in)	Barrel Length (in)	Construction	Velocity up to (FPS)	Mag Capacity	Sights / Optics
MCX CANEBRAKE	AIR-MCX-CANE BRAKE	.177	Semi-Auto	CO ₂	Polymer	121	30.13	6.0	18.0	Metal / Poly	600	30	Flip-up Sights
MCX	AIR-MCX-177-88G-30-BLK	.177	Semi-Auto	CO ₂	Polymer	117	34.7	6.0	18.0	Metal / Poly	700	30	Flip-up Sights
MPX	AIR-MPX-177-88G-30-BLK	.177	Semi-Auto	CO ₂	Polymer	99	25.7	6.0	8.0	Metal / Poly	575	30	Flip-up Sights

All specifications subject to change | Complete specifications online at SIGSAUER.COM



AIR PISTOLS



AIR PELLET M17™

- Optic ready slide
- Ambidextrous manual safety
- Velocity up to 430 fps*

SEMI-AUTOMATIC CO₂ AIR POWERED

SIG AIR® Pistols are inspired by SIG SAUER centerfire pistols and designed with metal slides, rifled steel barrels, and the built-in performance advantages that are synonymous with SIG. With a SIG AIR Pistol, you have the ability to train anywhere, anytime.

177 CAL

SHARED FEATURES

- Full blowback pistol
- Ambidextrous manual safety (M17)
- CO₂ or Green Gas Compatible (M17)
- Cam Lever CO₂ loading system
- Picatinny accessory rail

M17®

BASED ON THE M17, THE OFFICIAL HANDGUN OF ALL BRANCHES OF THE U.S. MILITARY



SIG AIR
reflex sight



12g CO₂ power source (sold separately)

* Results may vary based on ammo weight, temperature, and altitude.

AIR PELLET P320™

- Manual safety
- White dot sights
- Velocity up to 430 fps*



Available in Black



AIR PELLET P226™

- Cam lever CO2 loading
- White dot sights
- Up to 480 fps*



AIR PELLET X-FIVE™

- Beavertail frame
- Front cocking serrations
- Short reset trigger SRT
- Adjustable rear sight

AIR

	SKU	Caliber	Mag Capacity	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Weight w/Mag (oz)	Sights	Grip Type	Construction	Slide Finish
M17	AIR-M17-177	.177	20	8.0	6.5	1.3	4.0	5.0	White Dot / Mount Plate	Polymer	Metal / Poly	FDE
P320	AIR-P320-177-30R-CYT / AIR-P320-177-30R-BLK	.177	30	8.5	6.5	1.3	5.0	5.0	White Dot	Polymer	Metal / Poly	FDE / Black
P226	AIR-226F-177-12G-16-BLK	.177	16	8.0	5.2	1.5	4.5	3.9	White Dot	Polymer	Metal / Poly	Black
X-FIVE	AIR-X5-177-BLK	.177	20	9.0	6.5	1.5	4.6	4.6	White Dot	Polymer	Metal / Poly	Black



BB PISTOLS

SEMI-AUTOMATIC CO² POWERED

The SIG AIR® line of BB pistols feature CO₂-powered duplicates of the most desired SIG SAUER centerfire pistols in a 4.5mm BB platform for the ability to train anywhere, anytime.

4.5mm BB



- 5" smooth bore barrel
- 3 DOT high visibility fixed sights
- Picatinny accessory rail
- Velocity up to 300 fps*

SHARED FEATURES

- Full blowback metal pistol (Emperor Scorpion, Spartan, WTP)
- Blowback metal slide and polymer frame (P365)
- Ambidextrous manual safety
- 5" smooth bore barrel (Spartan, WTP)
- 3.5" smooth bore barrel (365™)



12g CO₂ power source (sold separately)

* Results may vary based on ammo weight, temperature, and altitude.

P365™ BB

- SIG accessory rail
- 3 DOT high visibility sights
- Velocity up to 300*



1911 WE THE PEOPLE BB

- Distressed finish slide with 1776 Engraved on left, "We The People" engraved on right
- White dot sights
- Alloy star grips
- Velocity up to 410*



1911 SPARTAN BB

- 1913 accessory rail
- White dot sights
- Velocity up to 410*



BB	SKU	Caliber	Mag Capacity	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Weight w/Mag (lb)	Sights	Grip Type	Construction	Slide Finish
1911 EMPEROR SCORPION	AIR-1911ES-BB	4.5 mm Steel BB	17	8.8	6.0	1.2	4.5	2.8	White Dot	Polymer	Metal	FDE
P365	AIR-P365-BB	4.5 mm Steel BB	21	5.75	4.5	1.0	3.2	2.6	High visibility dot sights	Polymer	Metal / Poly	Black
1911 WTP	AIR-1911WTP-BB	4.5 mm Steel BB	17	8.8	6.0	1.2	4.5	2.8	White Dot	Metal	Metal	Distressed
1911 SPARTAN	AIR-1911BB-SPARTAN	4.5 mm Steel BB	16	8.7	6.0	1.4	4.6	2.6	White Dot	Polymer	Metal	ORB

SIG AIR® ACCESSORIES

ENGINEERED TO A NEW STANDARD OF PERFORMANCE

REFLEX SIGHT

Designed for fast, responsive target acquisition with the M17™/ M18™ PROFORCE® and M17 pellet pistol with a 23mm field of view. Mounting plates included to quickly and easily upgrade your SIG AIR pistol.



AIR RIFLE OPTICS

For the first time, SIG AIR optics are being offered as stand alone products allowing you the flexibility to outfit your rifle with advanced optic capability. Choose between the 1-4x25 scope for longer engagements or the Micro Red Dot sight for fast acquisition of your target. Upgrade your SIG AIR rifle today.



SHOOTING TARGETS


Whether you are training in your garage, basement, or back yard, there is a SIG AIR Target to suit your training needs.



PELLETS

PRECISION MEETS PERFORMANCE

SIG AIR® lead pellets offer a variety of shapes for all uses and differing levels of shooters. Options for shooting paper targets, or metal field targets and silhouettes, SIG AIR pellets will fit the needs and performance required for every shooter.



AIR CYLINDERS

PREMIUM AIRGUN PERFORMANCE


Available high quality, CO₂ cylinders and PCP air tank provide solid platforms for consistency and reliability. The use of SIG premium air cylinders for your SIG AIR products will ensure long lasting SIG performance.



MAGAZINES

ELEVATE YOUR FIREPOWER

Utilizing a variety of different style magazines with innovative features, such as cam lever loading and the patented Rapid Pellet Magazine (RPM), SIG AIR magazines are engineered to elevate performance and firepower in all of your SIG AIR products.



SIG SAUER ACADEMY™





SIG SAUER ACADEMY™



LEARN MORE AT SIGSAUERACADEMY.COM

sigsauer.com

**SIG
SAUER®**
ACADEMY

ABOUT SIG SAUER ACADEMY



WE'LL MAKE YOU A BETTER SHOOTER.
GUARANTEED.

With a team of world class instructors, from a broad range of backgrounds, the SIG SAUER Academy provides the finest firearms, tactics training, and education available today. Using our objective and performance-based training methods, we can help develop and expand the abilities of virtually any level of firearms user.

Our expert staff of instructors has the unique ability and experience allowing them to train all types of firearms users, from civilians to law enforcement agencies, including elite military.

The SIG SAUER Academy is committed to delivering the best, most realistic, fundamentally sound training experience possible. We'll make you a better shooter. Guaranteed.

FOR COURSE DESCRIPTIONS,
SCHEDULES, AND MORE, VISIT
SIGSAUERACADEMY.COM

FACILITIES

The SIG SAUER AcademySM offers 140 acres of state-of-the-art indoor and outdoor training facilities. We have developed a variety of ranges and infrastructure allowing us to create almost any type of environment and to prepare for practically any situation. Facilities include:

- Over 20 Ranges
- 1,000 Yard Rifle Range
- Indoor Pistol Range
- Indoor Rifle Range
- Tactical Training Area
- Dedicated Breaching Area
- Obstacle Course
- 270 Degree Tactical Live Fire Range

Additionally, the SIG SAUER Academy is home to the SIG SAUER Experience Center. The Experience Center includes the SIG SAUER Flagship Store, SIG SAUER Museum, Club 1751, event space and a 30-lane indoor shooting range open to the public. The Experience Center serves as a true extension of the SIG SAUER brand.

PRIVATE AND MOBILE TRAINING

The SIG SAUER Academy is dedicated to providing the highest level of training available, tailored to fit any individual or organized group. We provide customized, private classes at our Academy, or we can take our expert training to a private location upon request.

Private classes for corporate and executive clients, government agencies and private groups, as well as for individuals, are available either as a standard course listed on our website or as a custom class designed to your specific needs. Private instruction ranges from foundational shooting tutorials to advanced dynamic tactics in a one-on-one or group learning environment.

INTERNATIONAL CUSTOMERS

The SIG SAUER Academy has a diverse staff of expert, bilingual instructors who provide the highest level of training and instruction to international civilian and military/law enforcement customers.

Our staff and facilities can provide any level of instruction needed to international clients, and can provide all of the necessary equipment and materials, including all tactical equipment and firearms, no matter what manufacturer or platform is required.



ABOUT OUR COURSES

PISTOL/RIFLE/SHOTGUN/PRECISION SCOPED RIFLE

The SIG SAUER Academy has programs that are designed to achieve results across a broad range of platforms, from pistols and rifles, to shotguns and precision long-range shooting. All courses are taught from a foundational level and have a progression structure allowing students to develop their skills at their own pace. Depending on your personal training objectives, we offer classes for personal and home defense, individual skill building, and instructor certification.

ADVANCED TRAINING

Advanced training courses are designed to take a student's skills to an extremely high level. These classes help provide students the knowledge, skills, and confidence to improve their performance and decision-making in a high-risk, high-stress environment. These courses include specific subjects such as low light pistol and rifle, advanced medical training, executive protection, as well as vehicle and scenario-based training.

ARMORER

SIG SAUER is one of the many major manufacturers which offers civilian armorer's courses. Our armorer's certification gives students a complete and thorough understanding of SIG SAUER firearms. Students who successfully complete these courses receive a three-year armorer certification.

LAW ENFORCEMENT/MILITARY

SIG SAUER Academy is dedicated to providing the highest level of global training for military and law enforcement professionals. Courses include specific subjects such as bus and vehicle assault, night vision, breaching, and direct threat care. Any course can be conducted remotely or customized to meet agency or department needs. Custom course design and implementation allow for any desired capability and duration of training.

SIG SAUER ACADEMY™




MORE THAN TRAINING. A DESTINATION.

SIG SAUER ACADEMYSM is located in the Seacoast region of New Hampshire, just an hour north of Boston, and an hour south of Portland, Maine. New Hampshire is home to 18 miles of New England coastline and beaches, and is situated approximately an hour away from several top-rated ski resorts in the White Mountains. Nearby historic Portsmouth is a favorite tourist destination, featuring nationally-recognized restaurants and cuisine, outdoor sight-seeing activities, local boutiques, tax-free shopping, and a thriving nightlife. There are several major transportation hubs allowing easy access along with a wide variety of accommodations available nearby.

VISIT THE SIG SAUER EXPERIENCE CENTER

The Experience Center is home to the SIG SAUER Flagship Store, SIG SAUER Museum, Club 1751, event space and a 30-lane indoor shooting range open to the public. The Experience Center serves as a true extension of the SIG SAUER brand and should be viewed as a corporate showcase to the world.



ACCOMMODATIONS

Through partnership with SIG SAUER[®], we offer special rate arrangements with a local hotel in Exeter, NH, within 10 minutes of the Academy.

TRANSPORTATION

The SIG SAUER Academy is approximately 30 minutes east of Manchester, New Hampshire Airport (MHT), and approximately an hour north of Boston International Airport (BOS) in Massachusetts. Some SIG SAUER partner hotels also offer students free shuttle access to and from the Academy.

EXETER

Boasting tree-lined streets and a wealth of historical architecture, Exeter is a quick 10 minutes from the Academy and hosts three of our preferred hotels. With ample restaurants, shopping and night life, this picturesque river town is a convenient place to stay while training at the Academy and is roughly 10 miles inland from the coast.

PORTSMOUTH

Venture into downtown Portsmouth, where you'll find a steady mix of modern and historic flair. From cobblestone-lined streets and historic buildings, to waterfront dining and local breweries, Portsmouth is not to be missed while here.

TEAM SIG



A TEAM OF THE HIGHEST CALIBER, COMMITTED TO EXCELLENCE

The mission of Team SIG is to support the development and production of the SIG SAUER® P320® pistol platform, the complete SIG SAUER rifle product line, SIG SAUER Electro-Optics, and SIG SAUER Ammunition. Team SIG works closely with the SIG SAUER engineers throughout the development and design of all SIG SAUER products to ensure every shooter enjoys the features that the Team SIG professional shooters demand.

ABOUT OUR SHOOTERS



MAX MICHEL - TEAM CAPTAIN

Max Michel, Jr. is one of the most dominant shooters in the world today and is recognized as a top-tier athlete and instructor. Max is a Guinness World Record holder and International Practical Shooting Confederation World Champion. He holds 8 World Speed Shooting Championships, 13 USPSA National Championships, 5 US Steel National Championships, is a 4-time Carry Optics National Champion, and holds more than 200 additional major championship victories. As an international competitor Max has represented the U.S.A. in the last seven IPSC World Shoots and returned home bearing gold each time and is set to compete once again in 2022 for Team U.S.A.

For Team SIG Max focuses primarily on carry optics competition, and as Team SIG Captain he serves as a mentor for Team SIG and is a premier brand ambassador for SIG SAUER®. Max is a U.S. Army Veteran.

Pistol: P320® X-FIVE®
Optic: ROMEO3 MAX™
Ammo: Match Elite (9mm)



LENA MICULEK - PRO SHOOTER

Regarded as the top female 3-Gun competitor in the world, Lena dominates both 3-Gun and PCC competition. Lena entered into the competitive shooting world in 2005 with five consecutive Sportsman's Team Challenge Sub-junior and Junior Division national titles, and at 17 years old she won her first World Champion title. Since turning pro, Lena has earned more than 75 major wins including back-to-back NRA World Shoot "High Lady" titles, a "High Lady" title for carry optics, and 8 world titles. Additionally, Lena is the reigning Ladies 3-gun USPSA National Champion and is the first female to have a top 10 finish in national 30gun competition.

For Team SIG Lena competes primarily in pistol caliber carbine (PCC) and 3-Gun competition.

Pistol: P320 X-FIVE
Rifle: SIG MPX® PCC and M400 DH3
Optic: ROMEO3™ and TANGO6T™
Ammo: Match Elite (9mm), Match (.223), Varmint (.223)



DANIEL HORNER - PRO SHOOTER

Daniel Horner is a multi-discipline World Champion shooter having captured over 125 championship titles at the world, national, regional, and state level. His titles include: 2022 All Army Champion, 10 USPSA Multi-Gun National Championships, 4 3-Gun National Championships, 2 International Sniper Competitions, 2 IDPA National Championships, an IPSC Shotgun National Championship, an NRA World Shooting Championship, the first ever NRL Series CompX Champion, and many more. Daniel is a U.S. Army Veteran and was recruited to the Army to join the U.S. Army Marksmanship Unit (USAMU), where he became one of the most decorated shooters in team history. He served as the Coach of the USAMU Action Shooting Team, and during his service was twice selected as the Military Marksmanship Association Soldier of the Year.

For Team SIG Daniel competes primarily in 3-gun and long-range rifle competition.

Pistol: P320 X-FIVE with iron sights
Rifle: SIGM400® DH3 and SIG CROSS
Optic: TANGO6T™
Ammo: Match Elite (9mm), Match (.223), Varmint (.223)

PISTOL ACCESSORIES

P320® PRO-CUT SLIDES

Factory replacement PRO-CUT slide assembly for the P320 9mm.

- Optic ready with sight cover plate (ROMEO1PRO™ and DeltaPoint® Pro Footprint)
- XRAY3™ night sights
- Stylized relief cuts
- Available in black, coyote, and stainless finishes



P320 X-CHANGE KITS

The modular pistol has arrived. Removing P320 fire control group unlocks hundreds of combinations.

- Includes: complete slide, barrel, recoil spring assembly, grip module, and magazine
- Reflex optic compatible
- Not available for manual safety



P320 TXG® GRIP MODULE

The weight of steel and the flex of polymer

- Requires complete P320 fire control unit and XFIVE or full-size slide assembly
- Overall weight is 16.6oz
- Tungsten-infused polymer
- Available with extended magwell and internal weight
- Patent pending technology



P320 GRIP MODULES

Engineered to fit your hand and your P320.

- Full-sized, carry, compact, and sub-compact
- XFIVE®, XFull, XCarry, XCompact
- Black, M17® coyote, and white
- Large, medium, and small (not available in all colors and XSERIES)
- XFIVE® grip module includes weight and magazine funnel



P320 AXG™ GRIP MODULE

Give your P320 a metal gun feel with the AXG Grip Module and customized grip panels/inserts.

- Alloy XSERIES grip
- Hogue® G10 grip panels and inserts
- Hard anodized finish





SMALL PARTS SHOPPERS

Now you can purchase small parts for select SIG SAUER Firearms quickly and easily online at the SIG SAUER Webstore.

The SIG SAUER Small Parts Shopper is exclusive to [sigsauer.com](#) and intuitively navigates for upper or lower components of select SIG SAUER firearms so you can get the parts you need.

PISTOL MAGAZINES

Original factory magazines designed specifically for SIG SAUER® pistols.

- Capacities from 6 to 21 Rounds
- .380 ACP, 9mm, .357 SIG, .40 S&W, 10mm, and .45 ACP



CLASSIC PISTOL GRIPS

Original factory grips designed specifically for SIG SAUER classic line and SAO pistols.

- Available in polymer, G10, Wood and other specialty materials
- Manufactured for an exact fit your factory SIG SAUER pistol



PISTOL SIGHTS

Outfit your Sig Sauer with sights for all shooting conditions

- XRay3 day/night sights
- Suppressor-height sights
- Adjustable sight plate assemblies



PISTOL BARRELS

SIG SAUER factory made pistol barrels.

- Offered in P238, P938, P210, P220, P226, P229, 1911, P320, and P365 firearms families
- Threaded and non-threaded versions



PISTOL TRIGGER UPGRADES

Introducing the next level in precision to Classic and P320 pistols.

- Made in Flat and Curved Trigger Configurations



PISTOL PART KITS

Keep your favorite firearm running like new.

- Replacement parts kits for classic, P320, and P365 models
- Factory approved parts for every need



RIFLE ACCESSORIES

SIG MCX® UPPER RECEIVER KIT

Transform any MIL-SPEC AR lower receiver into the adaptive and modular SIG MCX® VIRTUS.

- Complete SIG MCX Upper Receiver Assembly
- Lower receiver stock adapter
- Side-folding AR buffer tube knuckle
- Two-stage match duo trigger



SIG MCX & SIG MPX® STOCKS AND PCB BRACES

Options as diverse as your mission.

- M4 adjustable folding
- Dual-rod collapsible
- Skeletonized mini
- Skeletonized plus (not pictured)
- Pivoting contour brace
- Tele-stock (not pictured)



SIG MCX RATTLER™ CONVERSION KIT

Convert any MIL-SPEC AR Lower into an MCX Rattler

- Complete SIG MCX Rattler upper receiver assembly
- Lower receiver stock adapter
- Side-folding AR Buffer tube knuckle
- Two-stage match duo trigger



SIG MCX VIRTUS® HANDGUARDS

Change the barrel and modify the Virtus handguard to match.

- PDW, carbine, rifle, and DMR lengths available
- Offered in black, FDE, and Virtus gray
- Suppressor adaptable configurations



SIG MCX VIRTUS/RATTLER CALIBER EXCHANGE KIT

Move swiftly and easily between calibers and barrel lengths.

- 16" barrels (.223雷明顿/5.56 NATO/.300 BLK)
- 11.5" barrel (.223雷明顿/5.56 NATO)
- 9" barrels (.300 BLK)
- 6.75" barrels (.300 BLK)
- Rattler only 5.5" (.300 BLK / 5.56 NATO)





SIG MATCHLITE™ 2-STAGE TRIGGER

A trigger made for a SIG SAUER rifle, and perfect for any AR.

- Match grade performance
- Non-adjustable
- Includes hammer and trigger pins



SIG MPX® CALIBER EXCHANGE KIT

Transition between barrel lengths efficiently.

- 16", 8", and 4.5" barrels (9mm)
- Available for Gen2 MPX only



SIG MPX HANDGUARDS

Configure the MPX for the barrel and the activity of your choice.

- K, PDW, and carbine lengths available
- Offered in black anodized



The TREAD® rifle is easily customizable with a full line of purpose-built accessories, designed in the U.S.A. Some items will fit most AR rifles.

SIG MATCHLITE FLAT BLADE TRIGGER

Factory Upgrade Flat-Blade Trigger kit for TREAD

- Match grade performance
- Non-adjustable
- Includes hammer and trigger pins



ROMEO5™ 1X20 MM

Robust, Compact Red Dot Sight

- 1x20 aiming solution for TREAD
- 2 MOA red-dot
- 10 illumination settings
- TREAD logo



FLIP UP SIGHTS

Factory Replacement Sights Set for TREAD

- Tool-less adjustment
- Button-less flip-up and lock
- Includes sight rail



3-CHAMBER COMPENSATOR

- Reduce Recoil and Muzzle Rise
- 5.56 mm, 1/2 x 28
- 7.62 mm, 5/8 x 24



VERTICAL GRIP KIT

- M-LOK compatible
- Dual angle vert grip
- Includes barricade stop



AMBI CHARGING HANDLE

- Full ambidextrous design
- Medium-sized latches and dual roll pin
- Aircraft grade aluminum



M-LOK® HANDGUARDS

- Available in 10", 13", and 15" lengths
- M-LOK free float aluminum
- Two screw replacement



M-LOK FORWARD GRIP KIT

- Vertical grip, barricade stop, handstop, long and short rail sections
- M-LOK compatible



SPEC1™

COMPLETE PREMIUM CARE SYSTEM

SIG SAUER® SPEC1, a premium firearm cleaning system. SPEC1 is a non-toxic, non-hazardous, pure synthetic-based lubricant with no Teflon®, silicones, or petroleum distillates. SPEC1 is formulated to reduce heat and wear, and to keep firearms running smoother and lasting longer. SPEC1 will not attract dust, dirt and sand, or feel sticky and tacky like most petroleum-based products on the market today. This synthetic lubricant will not dry up, freeze in cold temperatures, or allow carbon, copper, and plastic wad fouling to stick in the barrels or to gun parts. This non-toxic, non-hazardous formula is completely safe for the end user during application, cleaning, and firing.

PREMIUM BLEND

- Pure synthetic based lubricant with no Teflon, silicones, or petroleum distillates
- Available in 2oz and 4oz bottles



PREMIUM BLEND 30 HEAVY DUTY

- Pure synthetic based lubricant with no Teflon, silicones, or petroleum distillates
- Available in 2oz and 4oz bottles
- 30 WT equivalent

PREMIUM BLEND GREASE

- Similar properties as the premium blend but in a grease for difficult service areas or areas that require grease.
- 100% synthetic



4OZ PREMIUM FIREARM CLEANER

- Pump spray bottle
- Safe for use on all finishes & Materials
- Water-based



4OZ PREMIUM BORE CLEANER

- Safe for all firearms
- Dissolves lead and carbon on contact
- Safe to handle
- No toxic fumes

SPEC1 PISTOL CLEANING KIT

- Premium components to aid in cleaning and to help prevent damage to your SIG SAUER pistol
- Pair this with your favorite SPEC1 lubricant to perform factory recommended cleaning
- Deluxe Kit includes: two-piece rod, aluminum CNC swivel rod handle, muzzle guard, bronze pistol brushes, pistol mops, brass jags, and patch holder for 9, .357, 40, and .45 cal pistol



PREMIUM CLEANING SYSTEM

- Premium bore solvent that removes carbon, lead, and plastic
- Premium firearm cleaner / degreaser
- Premium blend firearm lubricant



SIG MERCHANDISE

Show your SIG pride with a full line of SIG SAUER apparel, hats, and branded accessories. Choose from a wide range of sizes, men's or women's, and a variety of styles. There's something for everyone. Visit SIGSAUER.com

MITCH ROSEN™ LEATHER HOLSTERS

- Superior quality gunleather
- Professional level concealed carry
- Custom fit and function
- Handmade in the U.S.A.



BLACKPOINT® TACTICAL HOLSTERS

- BlackPoint manufactured Kydex®
- Quality, comfort and concealability
- Built specifically for SIG pistols
- Made in the U.S.A.



BRANDED HATS

- MAX Michel signature hat
- Black trucker hat mesh back
- Navy / charcoal trucker hat



AXIL TRACKR™ BLU ELECTRONIC BLUETOOTH EAR MUFFS

- Hearing enhancement, hearing protection, and 5.0 Bluetooth
- 40 dB gain/amplification
- Autoblocker technology shuts off all sounds over 85 dB
- Sweat and water resistant



EYE PROTECTION

- SIG SAUER branded
- Clear polymer
- Adjustable arms
- Ballistic rated



APPAREL

- SIG SAUER T-Shirts
- Pullover hoodies
- Zipper pullovers
- Belts




HOGUE® M17/M18 K320® KNIFE

- Style: Drop Point (partially serrated) with ambidextrous access hole
- Thickness: 0.125"
- Material: CPM S30V stainless steel
- Hardness: 58-61 HRC
- Treatment: Cryogenically heat-treated
- Finish: Coyote PVD
- High grind profile - Hand-honed edge



PISTOL / RIFLE AMMUNITION



ELITE DEFENSE	
V-CROWN®	

Caliber	Bullet Weight (grains)	Velocity in FPS MUZZLE 25 YDS 50 YDS 100 YDS	Energy in FT.-LBS MUZZLE 25 YDS 50 YDS 100 YDS	Trajectory in Inches 25 YDS 50 YDS 100 YDS	Product SKU
380 AUTO	90	980 947 921 871	192 180 169 152	1.0 0.0 -9.8	E380A1-20
9MM LUGER (365)	115	1050 1008 972 912	282 259 241 212	0.8 0.0 -8.7	E9MMA1-365-20
9MM LUGER +P	124	1198 1137 1086 1006	395 356 325 279	NA 0.0 -6.7	E9MMA2P-20
9MM LUGER	115	1185 1126 1076 1000	359 324 296 255	0.6 0.0 -7.0	E9MMA1-20
	124	1165 1102 1051 973	374 334 304 261	0.6 0.0 -7.3	E9MMA2-20
	147	985 958 934 891	317 300 285 259	0.9 0.0 -9.5	E9MMA3-20
357 SIG	125	1356 1271 1197 1080	511 449 398 324	0.4 0.0 -5.6	E357S1-20
38 SUPER +P	125	1230 1156 1095 1004	420 371 333 280	0.6 0.0 -6.7	E38SU1-20
38 SPL +P	125	900 876 853 1100	225 213 202 183	1.2 0.0 -11.5	E38SP1-20
357 MAG	125	1450 1346 1252 1106	584 503 435 340	0.3 0.0 -5.1	E357M1-20
40 S&W	165	1090 1048 1013 954	435 403 376 334	0.7 0.0 -8.0	E40SW1-20
	180	985 958 934 890	388 367 348 317	0.9 0.0 -9.4	E40SW2-20
10MM AUTO	180	1250 1174 1111 1017	624 551 493 413	0.5 0.0 -6.5	E10MM1-20
45 AUTO	185	995 953 917 855	407 373 345 300	0.9 0.0 -9.8	E45AP0-20
	200	918 900 884 853	374 360 347 323	1.1 0.0 -10.6	E45AP1-20
	230	830 810 791 755	352 335 319 291	1.4 0.0 -13.4	E45AP2-20
44 S&W SPL	200	700 685 671 643	218 208 200 184	2.1 0.0 -18.8	E44SP1-20
44 REM MAG	240	1300 1231 1171 1075	901 807 730 615	0.5 0.0 -5.8	E44MA1-20
45 LONG COLT	230	850 829 809 771	369 351 334 304	1.3 0.0 -12.7	E45LC1-20



MATCH	
V-CROWN®	

Caliber	Bullet Weight (grains)	Velocity in FPS MUZZLE 25 YDS 50 YDS 100 YDS	Energy in FT.-LBS MUZZLE 25 YDS 50 YDS 100 YDS	Trajectory in Inches 25 YDS 50 YDS 100 YDS	Product SKU
9MM LUGER	147	880 860 842 807	254 243 233 214	0.8 0.0 -11.4	E9MMA3-COMP-50


FMJ

Caliber	Bullet Weight (grains)	Velocity in FPS MUZZLE 25 YDS 50 YDS 100 YDS	Energy in FT.-LBS MUZZLE 25 YDS 50 YDS 100 YDS	Trajectory in Inches 25 YDS 50 YDS 100 YDS	Product SKU
380 AUTO	100	910 879 859 800	184 172 161 142	1.2 0.0 -11.5	E380B1-50
9MM +P LEAD-FREE FRANGIBLE	90	1335 1210 1112 983	356 292 247 193	0.49 0.0 -6.51	E9MMLFF1-50
9MM LUGER (365)	115	1050 1011 978 922	282 261 244 217	0.8 0.0 -8.6	E9MMB1-365-50
9MM LUGER	115	1185 1125 1076 999	359 323 296 255	0.6 0.0 -7.0	E9MMB1-50
	124	1165 1111 1065 993	374 340 312 272	0.6 0.0 -7.1	E9MMB2-50
	147	985 960 936 895	317 301 286 261	0.9 0.0 -9.4	E9MMB3-50
357 SIG	125	1356 1246 1154 1024	506 427 367 389	0.5 0.0 -6.0	E357B1-50
38 SUPER +P	125	1230 1166 1111 1026	420 377 343 292	0.5 0.0 -6.5	E38SUB-50
38 SPL	125	900 881 863 829	225 215 207 191	1.2 0.0 -11.2	E38SB1-50
357 MAG	125	1450 1330 1225 1072	584 491 417 319	0.4 0.0 -5.3	E357MB-50
40 S&W	180	985 959 935 893	388 367 349 319	0.9 0.0 -9.4	E40SB2-50
10MM AUTO	180	1250 1185 1129 1042	624 561 510 434	0.5 0.0 -6.3	E10MB1-50
45 AUTO	230	830 816 803 777	352 340 329 308	1.4 0.0 -12.9	E45BA3-50


TREAD
FMJ

		Velocity in FPS MUZZLE 100 YDS 200 YDS 300 YDS	Energy in FT.-LBS MUZZLE 100 YDS 200 YDS 300 YDS	Trajectory in Inches MUZZLE 100 YDS 200 YDS 300 YDS	Product SKU
223 REM	55	3240 2875 2538 2225	1282 1009 787 605	0.0 -1.2 -7.9	E223B1-20
5.56 NATO	55	3273 2871 2503 2163	1308 1006 765 572	0.0 -1.3 -8.1	E556B1-20
308 WIN	150	2900 2667 2447 2236	2801 2370 1993 1665	0.0 -1.9 -9.6	E308B1-20
300 BLK	125	2145 1899 1672 1469	1277 1001 776 598	0.0 -6.7 -25.9	E300B1-20
277 SIG FURY	135	2750 2561 2379 2205	2267 1965 1697 1457	0.0 -2.3 -10.8	E277SFB135-20 16" BBL
277 SIG FURY	135	3000 2800 2609 2425	2697 2350 2039 1763	0.0 -1.4 -8.0	E277SFB135-20 24" BBL


FURY™
ACCUBOND®

	Bullet Weight (grains)	Velocity in FPS MUZZLE 100 YDS 200 YDS 300 YDS 400 YDS 500 YDS	Energy in FT.-LBS MUZZLE 100 YDS 200 YDS 300 YDS 400 YDS 500 YDS	Trajectory in Inches MUZZLE 100 YDS 200 YDS 300 YDS 400 YDS 500 YDS	Product SKU
277 FURY	150	2830 2647 2471 2302 2139 1983	2667 2333 2033 1764 1524 1310	0.0 -2.0 -9.6 -23.9 -45.7	H277SFAB150-20 16" BBL
277 FURY	150	3120 2924 2737 2558 2385 2219	3242 2848 2495 2179 1895 1640	0.0 -1.1 -6.8 -17.8 -35.0	H277SFAB150-20 24" BBL

RIFLE AMMUNITION



MARKSMAN	Caliber
	223 REM
	5.56 NATO
	300 BLK
	300 BLK SUBSONIC
	260 REMINGTON
MARKSMAN ELITE	
	6 MM CREEDMOOR
	6.5 CREEDMOOR
	260 REM
	308 WIN
	30-06
	300 WIN MAG



	Bullet Weight (grains)	Bullet Type	Ballistic Coefficient (G1)	Velocity in FPS MUZZLE 100 YDS 200 YDS 300 YDS 400 YDS 500 YDS	Energy in FT.-LBS MUZZLE 100 YDS 200 YDS 300 YDS 400 YDS 500 YDS	Trajectory in Inches 100 YDS 200 YDS 300 YDS 400 YDS 500 YDS	Product SKU
	77	OTM	0.362	2750 2499 2262 2038 1828 1633	1293 1068 875 710 571 456	0.0 -4.1 -15.0 -34.3 -64.1	E223M1-20
	77	OTM	0.362	2750 2499 2262 2038 1828 1633	1293 1068 875 710 571 456	0.0 -4.1 -15.0 -34.3 -64.1	E556M4-20
	125	OTM	0.338	2200 1964 1752 1554 1379 1231	1343 1071 852 670 528 421	-0.0 -0.6 -23.4 -55.3 -105.5	E300A1-20
	220	OTM	0.608	1000 968 940 915 892 870	488 458 432 409 389 370	-0.0 -355.5 -110.2 -226.5 -386.6	E300A2-20
	150	OTM	0.526	2570 2579 2414 2255 2102 1955	2351 2067 1811 1580 1373 1188	-0.0 -2.2 -10.4 -25.5 -48.4	E260M2-20

	107	OTM	0.527	2950 2771 2600 2434 2273 2118	2067 1824 1605 1407 1227 1066	0.0 -1.5 -8.2 -20.8 -40.1	E6MMC2-20
	140	OTM	0.535	2690 2524 2364 2209 2060 1918	2249 1980 1736 1517 1320 1143	0.0 -2.5 -11.2 -27.0 -51.0	E65CM1-20
	140	OTM	0.526	2750 2579 2414 2255 2102 1955	2351 2067 1811 1580 1373 1188	0.0 -2.2 -10.4 -25.5 -48.4	E260M2-20
	168	OTM	0.462	2700 2505 2318 2138 1967 1805	2719 2340 2003 1705 1443 1215	0.0 -4.1 -14.6 -32.8 -59.9	E308M1-20
	175	OTM	0.496	2600 2424 2256 2094 1939 1791	2626 2284 1977 1703 1460 1246	0.0 -2.9 -12.7 -30.4 -57.4	E308M2-20
	175	OTM	0.496	2700 2521 2348 2182 3023 1872	2832 2469 2142 1851 1591 1361	0.0 -2.5 -11.3 -27.4 -52.0	E300M2-20
	190	OTM	0.533	2850 2674 2505 2343 2186 2035	3426 3017 2648 2315 2016 1748	0.0 -3.4 -12.3 -27.5 -50.1	E3WMM1-20

RIFLE AMMUNITION



TIPPED V&P

Caliber
223 REMINGTON
223 REMINGTON
22-250 REM
243 WIN
300 BLK SUBSONIC (9" BARREL)

ELITE SERIES

ACCUBOND®

Caliber
6.5 CREEDMOOR
308 WIN
270 WIN
30-06 SPRINGFIELD
300 WIN MAG
7MM REMINGTON

Performance Data for SIG SAUER .223 Remington Cartridges									
	Bullet Weight (grains)	Bullet Type	Ballistic Coefficient (G1)	Velocity in FPS		Energy in FT.-LBS		Product SKU	
				MUZZLE	100 YDS	200 YDS	300 YDS		
	40	TIPPED	0.196	3650 3089 2570 2093		1183 847 587 389		0.0 -0.7 -6.7	E223V1-20
	55	TIPPED	0.271	3340 2968 2625 2308		1362 1075 842 650		0.0 -0.1 -7.0	E223V2-20
	40	TIPPED	0.196	3975 3390 2844 2346		1403 1021 718 489		0.0 -0.1 -4.5	E225V1-20
	55	TIPPED	0.225	3880 3377 2928 2496		1838 1393 1047 761		0.0 -0.1 -4.2	E243V1-20
	205	TIPPED	0.445	1000 958 921 889		455 418 386 360		0.0 -34.9 -110.7	E300H2-20
Performance Data for SIG SAUER 5.56x45mm Cartridges								Product SKU	
	Bullet Weight (grains)	Bullet Type	Ballistic Coefficient (G1)	Velocity in FPS		Energy in FT.-LBS		Product SKU	
				MUZZLE	100 YDS	200 YDS	300 YDS		
	140	ACCUBOND	0.509	2650 2477 2311 2150 1997 1850		2183 1907 1659 1437 1239 1064		0.0 -2.7 -11.9 -28.6 -54.1	E65CMAB140-20
	165	ACCUBOND	0.475	2840 2647 2462 2284 2114 1951		2955 2567 2220 1912 1637 1395		0.0 -2.0 -9.7 -24.1 -46.3	E308AB165-20
	150	ACCUBOND	0.500	2860 2676 2499 2328 2165 2008		2724 2384 2079 1805 1560 1342		0.0 -1.9 -9.3 -23.2 -44.5	E270AB150-20
	180	ACCUBOND	0.507	2760 2582 2411 2246 2088 1937		3044 2664 2323 2017 1742 1499		0.0 -2.2 -10.4 -25.5 -48.6	E3006AB180-20
	180	ACCUBOND	0.507	3050 2860 2678 2503 2335 2174		3717 3269 2886 2505 2179 1888		0.0 -1.3 -7.4 -19.0 -37.1	E3WMAB180-20
	160	ACCUBOND	0.531	2950 2773 2602 2438 2280 2127		3091 2731 2405 2111 1846 1607		0.0 -1.5 -8.2 -20.7 -40.0	E7RMAB160-20
All specifications subject to change Complete specifications online at SIGSAUER.COM								SIG SAUER PRODUCTS 2022 205	

RIFLE AMMUNITION



ELITE SERIES	COPPER
--------------	--------

ELITE SERIES	TIPPED	CALIBER	Bullet Weight (grains)	Bullet Type	
COPPER	TIPPED	223 REM	60	HT	
		300 BLK	120	HT	
		243 WIN	80	HT	
		6MM CREEDMOOR	80	HT	
		6.5 CREEDMOOR	120	HT	
		308 WIN	150	HT	
		260 REM	120	HT	
		270 WIN	130	HT	
		30-06 SPRG	150	HT	
		300 WIN MAG	165	HT	
ELITE SERIES	TIPPED	CALIBER	Bullet Weight (grains)	Bullet Type	
TIPPED	TIPPED	243 WIN	90	Lead Core Tipped	
		6 MM CREEDMOOR	100		
		6.5 CREEDMOOR	130		
		260 REM	130		
		270 WIN	140		
		7MM REM MAG	150		
		308 WIN	165		
		30-06 SPRG	165		
		300 WIN MAG	180		

	Ballistic Coefficient (G1)	Velocity in FPS MUZZLE 100 YDS 200 YDS 300 YDS	Energy in FT.-LBS MUZZLE 100 YDS 200 YDS 300 YDS	Trajectory in Inches 100 YDS 200 YDS 300 YDS	Product SKU
	0.240	3100 2704 2340 2006	1280 974 730 536	0.0 -1.8 -10.0	E223H1-20
	0.290	2250 1977 1726 1501	1349 10.42 794 600	0.0 -6.0 -23.6	E300H1-20
	0.320	3425 3101 2801 2520	2083 1708 1393 1128	0.0 -0.6 -5.7	E243H1-20
	0.340	3375 3073 2779 2499	2024 1678 1372 1109	0.0 -0.7 -5.9	E6MMCH1-20
	0.380	2825 2586 2359 2143	2126 1781 1482 1224	0.0 -2.2 -10.7	E65CH1-20
	0.400	2900 2669 2449 2239	2801 2372 1997 1670	0.0 -1.9 -9.6	E308H1-20
	0.380	2880 2638 2408 2190	2210 1854 1545 1278	0.0 -2.0 -10.0	E260H1-20
	0.380	3050 2798 2560 2335	2685 2260 1892 1573	0.0 -1.4 -8.2	E270H1-20
	0.400	2920 2649 2394 2153	2839 2337 1909 1544	0.0 -1.2 -10.0	E3006H1-20
	0.410	3110 2873 2649 2435	3543 3024 2570 2172	0.0 -1.2 -7.4	E3WMH1-20
	Ballistic Coefficient (G1)	Velocity in FPS MUZZLE 100 YDS 200 YDS 300 YDS 400 YDS 500 YDS	Energy in FT.-LBS MUZZLE 100 YDS 200 YDS 300 YDS 400 YDS 500 YDS	Trajectory in Inches 100 YDS 200 YDS 300 YDS 400 YDS 500 YDS	Product SKU
	0.490	3115 2916 2725 2543 2367 2199	1939 1699 1484 1292 1120 966	0.0 -1.1 -6.9 -18.0 -35.4	E243TH2-20
	0.515	2970 2786 2610 2441 2277 2120	1958 1724 1512 1322 1151 998	0.0 -1.5 -8.1 -20.5 -39.7	E6MMCTH2-20
	0.510	2850 2670 2496 2329 2169 2015	2344 2057 1798 1566 1357 1171	0.0 -1.9 -9.4 -23.3 -44.5	E65CMTH1-20
	0.510	2820 2641 2468 2303 2143 1990	2295 2013 1769 1530 1326 1143	0.0 -2.0 -9.7 -24.0 -45.8	E260TH1-20
	0.508	2950 2765 2587 2416 2252 2093	2705 2376 2080 1814 1576 1362	0.0 -1.6 -8.3 -21.0 -40.6	E270TH2-20
	0.575	3000 2834 2674 2520 2371 2227	2997 2675 2381 2115 1872 1651	0.0 -1.3 -7.5 -19.2 -37.1	E7RMTH2-20
	0.530	2840 2667 2500 2339 2184 2035	2955 2605 2289 2004 1747 1517	0.0 -1.9 -9.4 -23.2 -44.3	E308TH2-20
	0.530	2950 2772 2601 2437 2278 2126	3188 2815 2479 2175 1902 1655	0.0 -1.5 -8.2 -20.7 -40.0	E3006TH2-20
	0.515	2960 2777 2601 2432 2269 2112	3501 3081 2703 2363 2057 1783	0.0 -1.5 -8.2 -20.7 -40.0	E3WMTH3-20

ELECTRO-OPTICS SPECS

SIERRA6™ BDX

Model	Focal Place	Reticle	ADJ.	Exit Pupil MM		Linear Field of View				Eye Relief				Objective Filter Thread	Objective Clear Aperture		Weight		Elevation Adjustment Range	Windage Adjustment Range	Illumination Settings	Length		
						FT @ 100 yards		M @ 100 M		INCH		MM			INCH		MM	Ounce	Gram			INCH	MM	
				LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH		LOW	HIGH	LOW	HIGH	INCH			MM		
2-12 x 40 mm	Second	BDX-R2 Digital Focal Plane OLED	.25 MOA	8.4	3.3	52.5	8.7	16.0	2.7	3.7	3.9	94	99	M 42 x 0.75	1.6	40	21.4	606	60 MOA	60 MOA	8 daytime/ 2 NV	10.75	273	
3-18 x 44 mm	Second	BDX-R2 Digital Focal Plane OLED Ballistic w/ Side Focus	.25 MOA	8.2	2.4	34.9	5.8	10.6	1.8	3.7	3.9	94	99	M 46 X 0.75	1.7	44	23.8	674	60 MOA	60 MOA	8 daytime/ 2 NV	12.25	311	
5-30 x 56 mm	Second	BDX-R2 Digital Focal Plane OLED Ballistic w/ Side Focus	.25 MOA	8.1	1.9	21.0	3.5	6.4	1.0	3.7	3.9	94	99	M 58 x 0.75	2.2	56	30.4	862	60 MOA	60 MOA	8 daytime/ 2 NV	14.75	375	

SIERRA3™ BDX®

Model	Focal Place	Reticle	ADJ.	Exit Pupil MM		Linear Field of View				Eye Relief				Objective Filter Thread	Objective Clear Aperture		Weight		Elevation Adjustment Range	Windage Adjustment Range	Illumination Settings	Length		
						FT @ 100 yards		M @ 100 M		INCH		MM			INCH		MM	Ounce	Gram			INCH	MM	
				LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH		LOW	HIGH	LOW	HIGH	INCH			MM		
2.5-8 x 32 mm	Second	BDX-R1 Digital Focal Plane OLED Ballistic	.25 MOA	8.8	4.0	39.8	13.2	12.1	4.0	4.2	3.5	106.9	87.9	M 25.5 x 0.5	0.9	24	19.4	550	80 MOA	80 MOA	10 daytime/ 2 NV	12.75	324	
3.5-10 x 42 mm	Second	BDX-R1 Digital Focal Plane OLED Ballistic	.25 MOA	8.8	4.2	27.8	9.4	8.47	2.9	4.2	3.5	106.9	87.9	M 25.5 x 0.5	0.9	24	20.9	593	55 MOA	55 MOA	10 daytime/ 2 NV	12.75	324	
4.5-14 x 44 mm	Second	BDX-R1 Digital Focal Plane OLED Ballistic w/ Side Focus	.25 MOA	6.9	3.1	19.9	6.7	6.06	2.0	4.2	3.4	106.9	86	M 46 x 0.75	1.7	42	23.2	658	55 MOA	55 MOA	10 daytime/ 2 NV	12.6	320	
4.5-14 x 50 mm	Second	BDX-R1 Digital Focal Plane OLED Ballistic w/ Side Focus	.25 MOA	8.9	3.6	19.9	6.7	6.06	2.0	3.6	4.2	85.1	106.9	M 46 X 0.75	1.8	44	24.9	706	55 MOA	55 MOA	10 daytime/ 2 NV	12.75	324	
6.5-20 x 52 mm	Second	BDX-R1 Digital Focal Plane OLED Ballistic w/ Side Focus	.25 MOA	6.1	2.6	14.1	4.7	1.4	1.4	4.2	3.5	106.9	87.1	M 52 x 0.75	2.0	50	25.9	734	40 MOA	40 MOA	10 daytime/ 2 NV	14.25	362	

KILO®

Type	Model	Mag	Objective Clear Aperature	Body Color	BDX	Optical Image Stabilization	Battery	Display Technology	Waterproof Rating	Max Range			Weight with Battery		Length		Width		Height	
										REFLECTIVE	DEER	TREES	OZ	G	IN	MM	IN	MM	IN	MM
Binocular	KILO10K HD	10x	42 mm	FDE	Elite	No	CR2	AMOLED	IPX4	10000	3000	4000	32.3	915	5.8	146	5.0	127	2.5	64
Binocular	KILO6K HD 10X42	10x	42 mm	OD Green	Ultralite	No	CR2	OLED	IPX4	5000	2000	4000	31.8	901	5.8	146	5.2	130	2.8	70
Binocular	KILO6K HD 10X32	10x	32 mm	OD Green	Ultralite	No	CR2	OLED	IPX4	6000	2500	3000	25.1	711	5.2	133	5.4	137	2.2	56
Binocular	KILO6K HD 8X32	8x	32 mm	OD Green	Ultralite	No	CR2	OLED	IPX4	6000	2500	3000	26.5	751	5.4	137	5.4	137	2.2	56
Monocular	KILO8K	7x	25 mm	FDE	Elite	No	CR2	AMOLED	IPX4	8000	2000	2500	8.3	234	4.4	112	1.3	33	3.0	76
Monocular	KILO5K	7x	25 mm	Ranger Green	Ultralite	No	CR2	OLED	IPX4	5000	2000	2500	8.3	234	4.4	112	1.3	33	3.0	76
Monocular	KILO4K	6x	22 mm	Graphite	Ultralite	Yes	CR123	OLED	IPX7	4000	800	1200	6.7	190	4.0	102	1.6	40	3.0	75
Monocular	KILO1600BDX	6x	22 mm	Graphite	Ultralite	No	CR2	OLED	IPX4	2000	800	1000	6.8	192	4.1	103	1.4	36	3.0	77
Monocular	KILO1600	6x	22 mm	Black	NA	No	CR2	OLED	IPX4	2000	800	1000	6.8	192	4.1	103	1.4	36	3.0	77
Monocular	KILO1000BDX	5x	20 mm	Graphite	Ultralite	No	CR2	HT-LCD	IPX4	1200	600	800	5.6	160	4.3	108	1.4	35	2.9	74
Monocular	KILO1000	5x	20 mm	Black	Ultralite	No	CR2	HT-LCD	IPX4	1200	600	800	5.6	160	4.3	108	1.4	35	2.9	74
Monocular	BUCKMASTERS 1500	6x	22 mm	Black	NA	No	CR2	Red LED	IPX4	1500	600	800	5.6	161	4.6	116	1.3	33	2.9	74

ELECTRO-OPTICS SPECS

TANGO6™

Model	Focal Place	Reticle	ADJ.	Exit Pupil MM		Linear Field of View				Eye Relief				Objective Filter Thread	Objective Clear Aperture		Weight		Elevation Adjustment Range	Windage Adjustment Range	Illumination Settings	Length	
						FT @ 100 yards		M @ 100 M		INCH		MM			INCH		MM	Ounce	Gram			INCH	MM
				LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH		INCH	MM	LOW	HIGH	INCH	MM			
1-6X24 mm	First	5.56MM / 7.62MM Horseshoe Dot	0.2 MOA	11.4.4	4.0	105.8	17.7	35.3	5.9	3.93	4.09	100	104	M 25.5 x 0.6	0.9	24	22.0	626	106.5 MOA 31 MRAD	106.5 MOA 31 MRAD	9 Daylight/ 2 NV	10.8	275
		DWLR6/ DWLR-556	0.2 MOA			106.9		35.6		4.05		103					20.8	590	10.5			268	
1-6X24 mm	Second	FL-6 HELLFIRE®	0.2 MOA			106.9		35.6		4.05		103											
MOA MILLING HELLFIRE		0.5 MOA																					

TANGO6™

5-30 x 56 mm	First	MOA DEV-L	0.25 MOA	8.9	1.9	18.9	3.3	6.3	1.1	3.6	3.5	92	89	M 58 x 0.75	2.2	56	42	1191	80 MOA 23.2 MRAD	50 MOA 14.5 MRAD	7 Daytime/ 2 NV	14.38	365
		MRAD DEV-L	0.1 MRAD																				

TANGO-MSR™

Model	Focal Place	Reticle	ADJ.	Exit Pupil MM		Linear Field of View				Eye Relief				Objective Filter Thread	Objective Clear Aperture		Weight		Elevation Adjustment Range	Windage Adjustment Range	Illumination Settings	Length	
						FT @ 100 yards				INCH		MM			INCH		MM	Ounce	Gram			INCH	MM
				LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH		INCH	MM	LOW	HIGH	INCH	MM			
1-6X24 mm	Second	MSR BDC6	0.5 MOA	10.5	4	124.8		19.6		3.9	3.7	100	95	.94	24	18.5		524	100 MOA 31 MRAD	100 MOA 31 MRAD	11 Daylight	10.4	264
		1-8X24 mm	MSR BDC8			123.7		13.6		3.9	3.7	100	95			18.6		526				10.4	264
1-10X28 mm	Second	MSR BDC10	0.5 MOA	9.0	2.8	110.0		10.0		3.5	3.2	90	82	1.1	28	20.1		582				10.5	265

ECHO™

Model	Magnification	Eye Relief	Field of View		Frame Rate	Runtime	Color / Contrast Settings	Close Focus Distance	Spectral Response	Digital Elevation Adjustment Range	Weight		Length		Width		Height	
			OZ	G							IN	MM	IN	MM	IN	MM	IN	MM
ECHO3™	1-6x23mm / 2-12x40mm	Unlimited	10° / 5.8°	30Hz	6 hrs	8 Color Palettes	3 ft	9-14 um, 320x240-12 um VOx LWIR Core	150 MOA x 150 MOA	14.5 / 16.6	411 / 471	4.1 / 4.7	104 / 120	2.6	66	3.1 / 3.6	79 / 92	

TANGO4™

Model	Focal Place	Reticle	ADJ.	Exit Pupil MM	Linear Field of View				Eye Relief				Objective Filter Thread	Objective Clear Aperture	Weight	Elevation Adjustment Range	Windage Adjustment Range	Illumination Settings	Length				
					FT @ 100 yards		M @ 100 M		INCH		MM								INCH	MM			
				LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH						INCH	MM			
1-4X24 mm	First	5.56/7.62 Horseshoe Dot	0.5 MOA	15.4	6.1	98	24	32.7	8	3.3	3.3	84	84	M 46 x 0.75	0.9	24	15.9	450	180 MOA 52 MRAD	180 MOA 52 MRAD	8 Daylight/ 2 NV	10.0	275
4-16X44 mm	First	MOA Milling	0.25 MOA	10.6	2.7	24.1	6.3	6.3	24.1	3.3	3.3	84	84			24	20.5	581	90 MOA 26 MRAD	80 MOA 23 MRAD	8 Daylight/ 2 NV	13.6	345
6-24X50 mm	First	DEV-L MOA	0.25 MOA	8	2.1	14.7	3.7	5.3	1.4	3.3	3.3	84	84	M 52 x 0.75	2.0	50	22.9	649	60 MOA 17 MRAD	30 MOA 8.5 MRAD	8 Daylight/ 2 NV	15.6	307.2
		DEV-L MRAD	0.1 MRAD																				
		MOA Milling	0.25 MOA																				
		MRAD Milling	0.1 MRAD																				

OSCAR®

Model	Magnification	Exit Pupil	Clear Aperature	Close Focus Distance	Eye Relief	Linear FOV M at 1000 Yards	Linear FOV M at 1000 M	Angular FOV	Waterproof Level @ 1 M Eye Piece Attached	Weight		Length		Width		Height	
										OZ	G	IN	MM	IN	MM	IN	MM
OSCAR8™	27-55 x 80	2.96 mm / 1.45 mm	80 mm	5 m	17-16 mm	105-73 ft	35-24 m	2° - 1.4°	5 min	68	1928	15.27	388	4.0	102	6.11	155
OSCAR3™	10-20 x 30	3.0 mm / 1.5 mm	30 mm	6 m	23-15 mm	179-126 ft	54.6-38.4 m	3.4° / 2.4°	5 min	16	454	6.7	170.2	1.9	48	2.9	74

X-RAY®

Model	Housing		Illumination		Front Sight			Rear Sight	Sight Picture					
									Steel	Tritium	High Contrast Green Outline	Subtle Black Outline	3 Dot	
X-RAY3™	Steel		Tritium		High Contrast Green Outline			Subtle Black Outline						

ELECTRO-OPTICS SPECS

WHISKEY3™

Model	Focal Place	Reticle	ADJ.	Exit Pupil MM		Linear Field of View				Eye Relief				Objective Clear Aperture		Weight		Elevation Adjustment Range MOA	Windage Adjustment Range MOA	Length			
						FT @ 100 yards		M @ 100 M		INCH		MM		INCH	MM	Ounce	Gram			INCH	MM		
				Low	High	Low	High	Low	High	Low	High	Low	High	INCH	MM	INCH	MM			INCH	MM		
2-7 X 32 mm	Second	Quadplex	0.25 MOA	10.6	4	47.1	13.75	15.7	4.5	3.6	3.6	88.9	88.9	1.2	32	14.3	405	90	90	11.5	292		
		BDC-1 Quadplex		13.3	4.4	35	11.89	11.7	4					1.6	40	15.3	434			80	80	12.4	315
3-9 X 40 mm	Second	Quadplex		16.6	2.9	35	11.89	11.7	4					1.6	40	16.4	465					15.3	434
		Hellfire Quadplex		10	3.5	24.8	8.27	8.24	2.74					1.9	50	18.1	513			80	80	12.6	320
		BDC-1 Quadplex		12.5	2.1	24.8	8.27	8.24	2.74					1.6	40	18.9	536						
4-12 X 40 mm	Second	Quadplex		10.6	4.4	34.1	13.75	106	1.2	32	14.7	418	>60	>60	12.4	318	60	60	12.5	318			
		Hellfire Quadplex		13.3	5.6	34.1	11.89							1.6	40	17.6	495						
		BDC-1 Quadplex		16.6	3.7	34.9	11.89							1.9	50	17.6	500						
4-12 X 50 mm	Second	Quadplex	0.25 MOA	10.6	4.4	34.1	13.75	106	1.2	32	14.7	418	>60	>60	12.4	322	60	60	12.6	322			
		Hellfire Quadplex		13.3	5.6	34.1	11.89							1.6	40	17.6	495						
		BDC-1 Quadplex		16.6	3.7	34.9	11.89							1.9	50	18.5	525						

BUCKMASTERSTM

Model	Focal Place	Reticle	ADJ.	Exit Pupil MM		Linear Field of View				Eye Relief MM	Objective Clear Aperture		Weight		Elevation Adjustment Range MOA	Windage Adjustment Range MOA	Length					
						FT @ 100 yards		INCH			INCH	MM	INCH	MM			INCH	MM				
				Low	High	Low	High	Low	High		INCH	MM	INCH	MM			INCH	MM				
3-8 X 40 mm	Second	BUCKMASTERSTM BDC	0.25 MOA	10.6	4.4	34.1	13.75	106	1.2	32	14.7	418	>60	>60	12.4	314	60	60	12.4	314		
				13.3	5.6	34.1	11.89															
				16.6	3.7	34.9	11.89															
3-9 X 50 mm	Second			10.6	4.4	34.1	13.75	106	1.6	40	15.9	451	>60	>60	12.4	314	60	60	12.4	314		
				13.3	5.6	34.1	11.89															
				16.6	3.7	34.9	11.89															
3-12 X 44 mm	Second			10.6	4.4	34.1	13.75	106	1.9	50	14.9	422	>60	>60	12.4	314	60	60	12.4	314		
				13.3	5.6	34.1	11.89															
				16.6	3.7	34.9	11.89															

BRAVO®

Model	Magnification	Field of View	Eye Relief	Prism Coating	Illumination	Motion Sensor	Waterproof	Weight		Length		Width		Height	
								OZ	G	IN	MM	IN	MM	IN	MM
BRAVO5™	5x	6°	60 mm	Dielectric	11 Settings, RED	Yes, MOTAC, 2 Min Auto-Off	IPX-7	23	652	6.4	163.3	2.6	65.4	2.9	75
BRAVO3™	3x	10°	60 mm	Dielectric	11 Settings, RED	Yes, MOTAC, 2 Min Auto-Off	IPX-7	22	624	6.4	163.3	2.6	65.4	2.9	75
BRAVO4™	4x	7.5°	60 mm	Dielectric	10 Settings, RED	Yes, MOTAC, 2 Min Auto-Off	IPX-8	21.2	601	5.8	147	2.5	63	2.9	75

FOXTROT®

Model	Led Output	Operating Mode	Runtime	Weight		Length		Width		Height	
				OZ	G	IN	MM	IN	MM	IN	MM
FOXTROT365™	100 + Lumens	Instant Activation	1 Hour	1.3	37	3.8	96.5	1.0	25.4	1.9	48.3
FOXTROT1X™	450 Lumens	Momentary or Latching	1.5 Hours	1.9	54	2.4	61.5	1.2	30.4	1.3	33
FOXTROT2™	580 Lumens	Programmable with Momentary, Latching, and Threshold	1 Hour	1.98	56	2.76	70.15	1.18	30.0	1.31	33.4

JULIET®

Model	Magnification	Field of View	Clear Aperture	Exit Pupil	Eye Relief	Diopter Range	Adjustment Range	Weight		Length		Width		Height	
								OZ	G	IN	MM	IN	MM	IN	MM
JULIET6™	6x	4°	24 mm	4 mm	59 mm	+/- 2	+/- 30 MOA	14.7	416	5.4	137.16	1.95	49.3	2.9	73.6
JULIET4™	4x	6.25°	24 mm	6 mm	65 mm	+/- 2	+/- 45 MOA	12.5	257	4.2	107	2.1	53	2.6	66
JULIET3™	3x	8°	24 mm	8 mm	65 mm	+/- 2	+/- 55 MOA	12.5	257	4.2	107	2.0	71	2.8	70
JULIET3-MICRO™	3x	6.8°	22 mm	5.7 mm	63 mm	+/-2	+/- 50 MOA	9.9	281	3.2	81	2.7	69	2.4	61

LIMA®

Model	Laser	Operating Mode	Run Time		Adjustment	Spot Size	Weight		Length		Width		Height	
			Red	Green			OZ	G	IN	MM	IN	MM	IN	MM
LIMA1™	Class 3R Red or Green	Momentary or Continuous	> 5 Hours	> 2 Hours	Windage + Elevation	.5 @ 50 ft	1.6	45	2.0	51	1.2	31	0.85	22
LIMA365™	Class 3R Red or Green	Instant Activation	> 4 Hours	> 2 Hours	Windage + Elevation	.5 @ 50 ft	1.3	37	3.8	96.5	1.0	25.4	1.9	48.3

ELECTRO-OPTICS SPECS

ROMEO® RIFLE RED DOTS

Model	Battery Type	Objective Clear Aperture	Reticle	Illumination Settings	Elevation Adjustment Range	Windage Adjustment Range	Weight		length		width		height	
							oz	g	in	mm	in	mm	in	mm
ROMEO4T™	CR2032	20 mm	Quad Ballistic Circle Dot Quad Ballistic Circle Plex	10 Daytime / 2 NV	100 MOA	100 MOA	3.2	91	3.3	84.6	1.86	47.85	2.46	62.6
ROMEO4XT-PRO™	AAA	20 mm	Quad Ballistic Circle Dot	10 Daytime / 2 NV	100 MOA	100 MOA	7.7	196	3.4	86	2.3	58	2.5	64
ROMEO4S™	CR2032	20 mm	Quad Ballistic Circle Dot Quad Ballistic Circle Plex	10 Daytime / 2 NV	100 MOA	100 MOA	7.6	215	3.4	85.6	1.8	46	2.5	63.5
ROMEO4H™	CR2032	20 mm	Quad Ballistic Circle Dot Quad Ballistic Circle Plex Green Horseshoe Dot	10 Daytime / 2 NV	100 MOA	100 MOA	7.6	215	3.4	86	1.82	46.2	2.5	63.5
ROMEO5XDR™	AAA	20 mm	2 MOA Dot 65 MOA Circle Dot Green Predator	8 Daytime / 2 NV	+/- 40 MOA	+/- 40 MOA	5.6	159	2.5	63.5	1.4	35.6	2.6	66
ROMEO5X™	AAA	20 mm	2 MOA Dot	8 Daytime / 2 NV	100 MOA	100 MOA	5.6	159	2.5	63.5	1.4	35.6	2.6	66
ROMEO5 TREAD™	CR2032	20 mm	2 MOA Dot	8 Daytime / 2 NV	100 MOA	100 MOA	5.1	145	2.5	62.7	1.5	38.1	1.5	38.6
ROMEO5™	CR2032	20 mm	2 MOA Dot	8 Daytime / 2 NV	+/- 60 MOA	+/- 60 MOA	4.8	136	2.9	75	1.6	41	1.4	36
ROMEO7™	AA	30 mm	2 MOA Dot	9 Daytime / 2 NV	100 MOA	100 MOA	12.5	356	4.8	120	2	51	3	76.2
ROMEO7S™	AAA	22 mm	2 MOA Dot (Available in Green Also)	9 Daytime / 2 NV	100 MOA	100 MOA	7.7	219	3.2	81	2.1	53	2.6	66
ROMEO7X™	AAA	20 mm	2 MOA Dot	10 Daytime / 2 NV	100 MOA	100 MOA	6.6	186	2.7	67	1.9	49.4	2.4	62
ROMEO7XDR™	AAA	20 mm	2 MOA Dot 65 MOA Circle Dot	10 Daytime / 2 NV	100 MOA	100 MOA	6.6	186	2.7	67	1.9	49.4	2.4	62
ROMEO8T™	CR123	38 mm	Quad Ballistic Circle Dot	10 Daytime / 2 NV	+/- 70 MOA	+/- 70 MOA	13.7	388	3.5	89.4	1.97	50	2.8	71
ROMEO8H™	CR123	38 mm	Quad Ballistic Circle Dot	10 Daytime / 2 NV	+/- 70 MOA	+/- 70 MOA	10.3	292	3.5	89.4	1.97	50	2.8	71
ROMEO-MSR™	CR1632	20 mm	2 MOA Dot (Available in Green Also)	10 Daytime / 2 NV	100 MOA	100 MOA	4.9	139	3.1	79	1.5	38	2.6	66

ROMEO® PISTOL RED DOTS

Model	Battery Type	Objective Clear Aperture	Reticle	Illumination Settings	Elevation Adjustment Range	Windage Adjustment Range	Weight		length		width		height	
							oz	g	in	mm	in	mm	in	mm
ROMEOZero™	CR1632	24 mm	3 MOA 6 MOA	8 Daytime	50 MOA	50 MOA	.4	14	1.6	40.8	.93	23.7	.93	28.7
ROMEOZero-ELITE	CR1632	24 mm	Circle-Dot 3 MOA	8 Daytime	50 MOA	50 MOA	.5	14.2	1.6	41	1	26	.98	25
ROMEOZero-PRO	CR1632	30 mm	Circle-Dot 10 MOA	8 Daytime	50 MOA	50 MOA	.5	14.2	1.83	46.4	1.29	32.7	1.09	27.7
ROMEOZero-R	CR1632	30 mm	Circle-Dot 10 MOA	8 Daytime	50 MOA	50 MOA	.5	14.2	1.79	45.3	1.29	32.7	1.09	27.7
ROMEO1PRO™	CR1632	30 mm	3 MOA 6 MOA	10 Daytime / 2 NV	100 MOA	100 MOA	1.0	28	1.8	46.5	1.3	32.8	1.1	27.4
ROMEO1™	CR1632	30 mm	3 MOA 6 MOA	8 Daytime / 2 NV	100 MOA	100 MOA	.8	24	1.8	44.9	1.3	32.8	1.1	27.4
ROMEO2™	CR2032	30 mm	Circle-Dot 3 MOA 6 MOA 10MOA	12 Daytime / 3 NV	120 MOA	120 MOA	1.6	45	1.8	45.7	1.3	33	1.1	28
ROMEO3™	CR2032	25 mm	3 MOA	9 Daytime	100 MOA	100 MOA	1.4	40	2.4	60	1.1	28	1.65	42
ROMEO3XL™	CR2032	35 mm	3 MOA 6 MOA	10 Daytime / 2 NV	80 MOA	80 MOA	1.5	43	2.0	54	1.41	36	1.4	35
ROMEO3MAX™	CR2032	30 mm	3 MOA 6 MOA	10 Daytime / 2 NV	80 MOA	80 MOA	1.5	43	2.0	54	1.29	33	1.4	35

ZULU®

Model	Magnification	Exit Pupil	Clear Aperture	Close Focus Distance	Interpupillary Distance	Diopter Range	Eye Relief	Linear FOV FT @ 1000 Yards	Linear FOV M @ 1000 M	Angular FOV	Weight		Length	
											oz	g	in	mm
ZULU9™	11 X 45	4.1 mm	45 mm	6 ft	56 mm - 74 mm	+/- 3	16.7 mm	315 ftw	105 m	6.0°	33	950	7.5	190.5
ZULU9™	15 X 56	3.8 mm	56 mm	9 ft	56 mm - 79 mm	+/- 3	17.8 mm	236 ft	78.7 m	4.5°	43	1220	7.5	190.5
ZULU7™	10 x 42	4.2 mm	42 mm	5.9 ft	56 mm - 74 mm	+/- 3	17 mm	341 ft	114 m	6.5°	33	950	5.8	147.3
ZULU5™	10 x 42	4.2 mm	42 mm	8.2 ft	56 mm - 74 mm	+/- 3	15 mm	315 ft	105 m	6.0°	24.5	694.5	6.0	152.4
ZULU6™	10 x 30	3 mm	30 mm	11.5 ft	56 mm - 78 mm	+/- 3	15 mm	273 ft	91.01 m	5.2°	18.6	528	5.9	150
ZULU6™	16 x 42	2.62 mm	42 mm	13.1 ft	56 mm - 78 mm	+/- 3	14 mm	199 ft	66.42 m	3.8°	20	568	7.1	180

SIG AIR® SPECS

SIG AIR PISTOLS

Model	Caliber / Mag Cap.		Velocity (up to)		Measurements (in)				Weight (lb)	Operating System	Construction	Sights
	.177 cal	6.0 mm	FPS	FPE	Length	Height	Width	Barrel Length				
M17™	20		380	1.68	8.0	6.5	1.3	5.0	2.15	CO2	Metal / Poly	White Dot / Mount Plate
P365™ BB	20		300	1.02	5.75	4.5	1.0	3.2	1.0	CO2	Metal / Poly	3 Dot High Visibility Sights
1911 EMPEROR SCORPION BB	17		300	1.02	8.7	6.0	1.4	4.6	2.6	CO2	Metal / Poly	White Dot
1911 WTP BB	17		300	1.02	8.8	6.0	1.2	4.6	2.8	CO2	Metal	White Dot
1911 SPARTAN BB	16		410	1.90	8.7	6.0	1.4	4.6	2.6	CO2	Metal / Poly	White Dot
XFIVE™	20		380	1.68	9.0	6.5	1.5	4.6	3.0	CO2	Metal / Poly	White Dot
P226™	16		380	1.68	8.0	5.2	1.5	3.9	2.6	CO2	Metal / Poly	White Dot
P320™	30		380	1.68	7.9	5.6	1.3	5.0	1.7	CO2	Metal / Poly	White Dot
PROFORCE® M17™		21	410 / 320	1.15/0.70	8.5	6.5	1.3	5.0	2.25	CO2 / GG	Metal / Poly	White Dot / Mount Plate
PROFORCE® M18™		21	410 / 320	1.15/0.70	7.5	6.5	1.3	4.0	2.0	CO2 / GG	Metal / Poly	White Dot / Mount Plate
PROFORCE® P320™ X-CARRY		21	410 / 320	1.15/0.70	7.5	6.5	1.3	4.0	2.0	CO2 / GG	Metal / Poly	White Dot / Mount Plate
PROFORCE® P365™		12	350	0.62	5.75	4.5	1.0	3.2	1.0	CO2	Metal / Poly	3 Dot High Visibility Sights
PROFORCE® P226™		23	345	0.81	7.5	5.2	1.25	5.0	3.5	CO2	Metal / Poly	White Dot
PROFORCE® P229™		23	295	0.60	7	5.2	1.25	4.7	3	GG	Metal / Poly	White Dot

SIG AIR® SPECS

SIG AIR RIFLES

Model	Caliber / Mag Cap.			Velocity (up to)		Measurements (in)				Weight (lb)	Operating System	Construction		Sights
	.177 cal	.22 cal	6.0 mm	FPS	FPE	Length	Height	Width	Barrel Length					Flip-Up
CANE BRAKE™	30			600	4.2	30.13	8.8	1.5	13.4	8.5 lb	CO2	Metal / Poly	•	
VIRTUS™		30		600	11.59	37.5	9.0	2.3	18.0	7.5 lb	PCP	Metal / Poly	•	
MCX™	30			545	3.46	34.7	8.8	1.5	18.0	7.0 lb	CO2	Metal / Poly	•	
MPX™	30			450	2.36	25.7	8.5	1.3	8.0	6.0 lb	CO2	Metal / Poly	•	
PROFORCE® MCX™			120	370	1.27	29.0	9.0	1.5	11.5	7.0 lb	AEG	Metal		

PISTOL SPECS

Pistol Models	Caliber / Magazine Capacity					Action Type			Measurments					Weight w/Mag		
	.22LR	.380ACP	9mm	.45ACP	10mm	DA/SA	SRT™ (DA/SA)	SAO	STRIKER	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Sight Radius (in)	Alloy/ Poly (oz)	Stainless (oz)
P210™ TARGET			8					•		8.4	5.3	1.6	5.0	6.7		36.9
P210 CARRY			8					•		7.8	5.6	1.4	4.1	5.6	29.0	
P220™				8			•	•		7.7	5.5	1.3	4.4	6.3	30.4	
P220 R5 (5" BARREL)					8		•	•		8.3	5.5	1.5	5.0	6.9		44.0
P226™			15			•	•	•		7.7	5.5	1.5	4.4	6.3	34.4	
P229™			15			•	•	•		7.1	5.4	1.5	3.9	5.7	32.0	
P320™ FULL-SIZE			17						•	8.0	5.5	1.3	4.7	6.6	29.5	
P320 COMPACT			15	9					•	7.2	5.3	1.3	3.9	5.8	25.8	
P320 FULL-SIZE RXP			17						•	8.0	6.4	1.4	4.7	6.6	30.3	
P320 COMPACT RXP			15						•	7.2	6.2	1.4	3.9	5.8	26.1	
P320™ M17/18"			17 & 21						•	8.0/7.2	5.5	1.6	4.7/3.9	6.6/5.8	29.5/26.5	
P320 XFULL			17						•	8.2	5.5	1.3	4.7	6.6	29.5	
P320 XCOMPACT			15						•	7.0	5.3	1.3	3.6	5.5	25.3	
P320 XFULL RXP			17						•	8.2	6.4	1.4	4.7	6.6	29.5	
P320 XCOMPACT RXP			15						•	7.0	6.2	1.4	3.6	5.5	25.3	
P320 XFIVE LEGION™			17						•	8.5	5.8	1.6	5.0	6.9	43.5	
P320 XCARRY LEGION			17						•	8.1	5.8	1.6	4.6	5.8	40.0	
P320 AXG CARRY/PRO			17						•	7.4/8.2	5.5	1.3/1.6	3.9/4.7	5.8/6.6	31.3/35.4	
P320 SPECTRE COMP			21						•	8.5	5.7	1.6	4.6	6.7	41.8	
SP2022™			15			•				7.4	5.7	1.4	3.9	5.9	29.0	
1911				8	8			•		8.7	5.5	1.4	5.0	6.5		41.6
1911 CARRY					8			•		7.7	5.5	1.4	4.2	5.7		38.8
P938™			6/7					•		5.9	3.9	1.1	3.0	4.0	16.0	
P238™	6	6						•		5.5	3.9	1.1	2.7	3.8	15.2	
P365™		10	10					•		5.8	4.3	1.0	3.1	5.0	17.8	
P365 SAS™			10					•		5.8	4.1	1.0	3.1	NA	17.8	
P365X/XL			12					•		6.0/6.6	4.8	1.1	3.1/3.7	5.0/5.6	18.5/20.7	
P365X/XL RXZ			12					•		6.0/6.6	5.5	1.1	3.1/3.7	5.0/5.6	18.5/20.7	
P365XL SPECTRE™ COMP			12					•		6.6	4.8	1.1	3.1	5.1	20.7	

RIFLE SPECS

Rifle Models	Caliber	Action Type	Operating System	Stock Type	Forend Type	Weight w/o Mag	Overall Length	Collapsed Length	Folded Length	Barrel Length	Rifling	Trigger Type	Mag Type	Mag Capacity
SIG MCX® VIRTUS®														
SIG MCX VIRTUS PATROL	5.56 NATO	Semi-Auto	Gas Piston, Rotating Bolt	Tele/Fold 5-Position	Free-Float M-LOK®	7.9 lb	35.5"	N/A	26.5"	16.0"	1:7	2-Stage Match	AR-15 Type	30
PMCX with PCB 11.5"	5.56 NATO	Semi-Auto	Gas Piston, Rotating Bolt	Fixed Folding PCB	Free-Float M-LOK	7.4 lb	31.0"	N/A	22.0"	11.5"	1:7	2-Stage Match	AR-15 Type	30
PMCX with PCB 9"	300 BLK	Semi-Auto	Gas Piston, Rotating Bolt	Fixed Folding PCB	Free-Float M-LOK	7.0 lb	28.5"	N/A	19.5"	9.0"	1:5	2-Stage Match	AR-15 Type	30
SIG MCX® RATTLER™														
SIG MCX RATTLER SBR	300 BLK	Semi-Auto	Gas Piston, Rotating Bolt	Fixed Folding	Free-Float M-LOK	5.7 lb	23.5"	N/A	16"	5.5"	1:5	2-Stage Match	AR-15 Type	30
SIG MCX RATTLER SBR	5.56 NATO	Semi-Auto	Gas Piston, Rotating Bolt	Fixed Folding	Free-Float M-LOK	5.7 lb	23.5"	N/A	16"	5.5"	1:7	2-Stage Match	AR-15 Type	30
SIG MCX RATTLER PCB	300 BLK	Semi-Auto	Gas Piston, Rotating Bolt	Fixed Folding PCB	Free-Float M-LOK	5.7 lb	23.5"	N/A	16"	5.5"	1:5	2-Stage Match	AR-15 Type	30
SIG MCX RATTLER PCB	5.56 NATO	Semi-Auto	Gas Piston, Rotating Bolt	Fixed Folding PCB	Free-Float M-LOK	5.7 lb	23.5"	N/A	16"	5.5"	1:7	2-Stage Match	AR-15 Type	30
SIG MCX RATTLER CANEBRAKE	300 BLK	Semi-Auto	Gas Piston, Rotating Bolt	Fixed Folding PCB	Free-Float M-LOK	6.6 lb	29.0"	N/A	21"	5.5"	1:5	2-Stage Match	AR-15 Type	30
SIG MPX®														
SIG MPX PCC	9MM	Semi-Auto	Gas Piston, Rotating Bolt	Tele/Fold 5-Position	Free-Float M-LOK	6.6 lb	35.0"	N/A	25.0"	16.0"	1:10	Single Stage Timney	MPX	30
SIG MPX K PCB	9MM	Semi-Auto	Gas Piston, Rotating Bolt	Fixed Folding PCB	Free-Float M-LOK	5.1 lb	22.5"	N/A	14.25"	4.5"	1:10	Single Stage Timney	MPX	30
SIG MPX COPPERHEAD PCB	9MM	Semi-Auto	Gas Piston, Rotating Bolt	Telescoping PCB	N/A	4.5 lb	14.5"	N/A	N/A	3.5"	1:10	MIL-SPEC	MPX	20
SIG MPX COPPERHEAD K PCB	9MM	Semi-Auto	Gas Piston, Rotating Bolt	Telescoping PCB	N/A	4.8 lb	15.5"	N/A	N/A	4.5"	1:10	Single Stage Timney	MPX	30
SIGM400®														
SIGM400 TREAD	5.56 NATO	Semi-Auto	Direct Gas Impingement	6-Position Telescoping	Free-Float M-LOK	6.6 lb	36.0"	32.6"	N/A	16.0"	1:8	Hardened Polished	AR-15 Type	30
SIGM400 TREAD PREDATOR	5.56 NATO	Semi-Auto	Direct Gas Impingement	6-Position Telescoping	Free-Float M-LOK	7.5	35.5	N/A	N/A	16.0	1:8	Hardened Polished	AR-15 Type	5
SIGM400 TREAD PISTOL	5.56 NATO	Semi-Auto	Direct Gas Impingement	Telescoping Brace	Free-Float M-LOK	5.6 lb	30.25"	27.0"	N/A	11.5"	1:7	Hardened Polished	AR-15 Type	30
SIGM400 TREAD SB SE	5.56 NATO	Semi-Auto	Direct Gas Impingement	6-Position Telescoping	Free-Float M-LOK	6.2 lb	36.0"	32.75"	N/A	11.5"	1:7	2-Stage Match	AR-15 Type	30
SIGM400 SWITCHBLADE	5.56 NATO	Semi-Auto	Direct Gas Impingement	Telescoping Brace	Free-Float M-LOK	4.8 lb	30.1"	28.0"	N/A	16.0"	1:7	2-Stage Match	AR-15 Type	30
SIGM400 DH3	.223 WYLDE	Semi-Auto	Direct Gas Impingement	6-Position Telescoping	Free-Float M-LOK	7.0 lb	37.25"	34.5"	N/A	16.0"	1:8	2-Stage Match	AR-15 Type	30
SIGM400 SDI PATROL	5.56 NATO	Semi-Auto	Direct Gas Impingement	Shockwave Brace	Free-Float M-LOK	5.15 lb	27.0"	N/A	N/A	11.5"	1:7	2-Stage Match	AR-15 Type	30
SIG716I™														
SIG716i TREAD	7.62 NATO	Semi-Auto	Direct Gas Impingement	6-Position Telescoping	Free-Float M-LOK	8.5 lb	37.0"	33.8"	N/A	16.0"	1:10	Hardened Polished	SR25 Type	20
SIG716i TREAD SNAKEBITE SE	7.62 NATO	Semi-Auto	Direct Gas Impingement	6-Position Telescoping	Free-Float M-LOK	8.5 lb	37.75"	34.5"	N/A	16.0"	1:10	SIG Match Flate Blade	SR25 Type	20
CROSS™ BOLT RIFLE														
CROSS BOLT	6.5 CM	Bolt Action	NA	SIG Precision Stock	Free-Float M-LOK	6.4 lb	38.5"	36.5"	27"	18"	1:9	2-Stage Match	AICS	5
CROSS BOLT	308 WIN 277 FURY	Bolt Action	NA	SIG Precision Stock	Free-Float M-LOK	6.2 lb	36.5"	34.5"	25"	16"	1:10 /1:8.5	2-Stage Match	AICS	5



SIG SAUER® NEVER SETTLE

SIG SAUER, Inc. • 72 Pease Boulevard • Newington, NH 03801 USA • +1 (603) 610-3000

An ISO 9001:2015 Registered Company. Manufacturing in the U.S.A.

sigsauer.com

MKT0008